District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144
June 1, 2004


or drilling and production facilities, submit to

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

TO .	D 1	0 1 5	T 1	T	~1
Pit Ar	RAIAW	1 trade	lonk	Registration	Ar (IACIITA
111101	DOIOW-	·Cirauc	ı alın.	Kershanon	or Crosure

	nk covered by a "general plan"? Yes X No [or below-grade tank Closure of a pit or below-grade	
Operator: Yates Petroleum Corporation Telephone: _505-748-4500 _e-mai Address: 105 South 4th Street, Artesia, N.M. 88210 Facility or well name: Houston BDH State Com 2 API #: 30-005-63630 U/L County: _Chaves	or Qtr/Qtr <u>F</u> Sec <u>31 T 9S</u> R <u>27E</u>	
Pit Type: Drilling X Production Disposal Work over Emergency Lined X Unlined Liner type: Synthetic Thickness 12 mil Clay Pit Volume 12.000 bbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	RECEIVED
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Yes No Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (0 points) XXXX (20 points) (10 points) XXXX (0 points)
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's rela burying in place) onsite X offsite If offsite, name of facility NA	• • • • • • • • • • • • • • • • • • • •	
(4) Groundwater encountered: No Yes If yes, show depth below ground s (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for encapsulation trench. The drillin with a 12 mil. Synthetic liner on former drilling pit site. Drilling pit contents w contents with a min. of a 3' over lap of the underlying trench areas. The encaps one call & 48 hour notice will be provided to the Oil Conservation Division bef Pit Closure actions to begin by NA. Ending date NA	ng pit contents will be mixed to stiffen the pit contents. Et ill then be emplaced into the encapsulation trench. A 20 sulation trenches will then be backfilled back to grade usi	mil. Synthetic liner will then be placed over the pit
I hereby certify that the information above is true and complete to the best of m been/will be constructed or closed according to NMOCD guidelines	Signature Alieve the operator of liability should the contents of the p	e-described pit or below-grade tank has approved plan

	New Mexico O Well Rep	Office of the Stoorts and Dov	tate Engineer vnloads Hoisi	tow BDH St. C	2000 2
Township: 09S	Range: 27E	Sections:		-	
NAD27 X:	Y:	Zone:	Search	Radius:	
County: B	asin:	v	Number:	Suffix:	
Owner Name: (First)	(La	ıst) -∳:All	· Non-	-Domestic ODon	nestic
Well / Sur	face Data Report Wate Clear Form	er Column Rep		Report	
AVERAGE DEPTH Bsn Tws Rng Sec Zone No Records found, try a	x X	ORT 03/21/20	05 (Depth Water Min Ma	•	



S'S III OF

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

