• District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural** Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form U-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

	tank covered by a "general plan"? Yes X No oit or below-grade tank Closure of a pit or below-gr	
Operator: Yates Drilling CompanyTelephone: _505-748-4500e-r Address: _105. South 4 th street, Artesia, N.M. 8821033 Facility or well name: Mule Train 16 St. Com. #2API #: 30-015-7207 County:Eddy	338 8 U/L or Qtr/Qtr Sec 16 T 17s R	RECEIVED
Pit	Below-grade tank	
Type: Drilling X Production Disposal Work over Emergency Lined X Unlined Liner type: Synthetic Thickness 12_mil Clay Pit Volume NA _bbl	Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (10 points) (10 points) (10 points) (10 points) (10 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)X
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(10 points) (10 points) (10 points) (10 points) (10 points) (10 points)
	Ranking Score (Total Points)	10 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the piyour are burying in place) onsite X offsite If offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No (5) Attach soil sample results and a diagram of sample locations and excar Additional Comments: Workplan for the Closure of drilling pit. The drill lined with a 12 mil. Synthetic liner on former drilling pit site. Drilling pit placed over the pit contents with a min. of a 3' over lap of the underlying soil and like material. A one call & 48 hour notice will be provide to the	. (3) Attach a general d Yes If yes, show depth below ground surface vations. ling pit contents will be mixed to stiffen the pit contents t contents will then be emplaced into the encapsulation g trench area. The encapsulation trench will then backfi	escription of remedial action taken includingft. and attach sample results. s. An encapsulation trench will be excavated an trench. A 20 mil. Synthetic liner will then be illed back to grade using a min. of 3' of clean
Pit Closure actions to begin by NA. Ending date NA.		
I hereby certify that the information above is true and complete to the be has been/will be constructed or closed according to NMOCD guideling Date:11/24/2004	ture ture the operator of liability should the contents	s of the pit or tank contaminate ground water or any other federal, state, or local laws and/or
Printed Name/Title	Signature US	Date 15 2004
PIT CLO	OSURE FINAL Accepted for reco	APR 13 2005