

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

## 1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator OXY USA WTP LP

192463

## 3a. Address

P.O. Box 50250 Midland, TX 79710

## 3b. Phone No. (include area code)

432-685-5717

## 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1820 FSL 1700 FWL N35W(K) Sec 21 T4S R2E

## 5. Lease Serial No.

NM0354232

## 6. If Indian, Allottee or Tribe Name

## 7. If Unit or CA/Agreement, Name and/or No.

## 8. Well Name and No.

Elizondo Artesia #24

## 9. API Well No.

30-015-21337

## 10. Field and Pool, or Exploratory Area

La Huerta Strawn Artesia

## 11. County or Parish, State

Eddy NM

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input checked="" type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

TD-11742' PBTD-11038' Perfs-10560-10895' CIBP @ 11080'

OXY USA WTP LP respectfully requests to temporarily abandon this well. It is currently being evaluated for possible Wolfcamp recompleat.

1. RIH & set CIBP @ 10510', M&P 35sx cmt to 10295'.
2. PUH, M&P 35sx cmt @ 9945-9745' WOC-Tag
3. Notify BLM/NMOCD of casing integrity test 24hrs in advance.
4. RU pump truck, circulate well with treated water, pressure test casing to 500# for 30 min.

14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

David Stewart

Title Regulatory Advisor

Signature

Date

3/8/12

## THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title


Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

OXY USA WTP LP - Proposed  
Elizondo A Federal #2Y  
API No. 30-015-21337



26" hole @ 395'  
20" csg @ 394'  
w/ 780sx-TOC-Surf-Circ

17-1/2" hole @ 1654'  
13-3/8" csg @ 1654'  
w/ 2675sx-TOC-Surf-Circ

12-1/4" hole @ 3005'  
9-5/8" csg @ 3005'  
w/ 1475sx-TOC-Surf-Circ

1989-Repl 4298' 5-1/2" csg w/ FOT @ 4298'  
cmt w/ 800sx-TOC-1039'-Calc

**35sx @ 9945-9745' WOC-Tag**

**CIBP @ 10510' w/ 35sx to 10295'**

4/92-CIBP @ 11080' w/ 4sx to 11038'


8-3/4" hole @ 11742'  
5-1/2" csg @ 11742'  
w/ 1100sx-TOC-8700'-TS

Perfs @ 10560-10569'  
Perfs @ 10709-10895'

Perfs @ 11133-11684'

TD-11742'

OXY USA WTP LP - Current  
Elizondo A Federal #2Y  
API No. 30-015-21337



26" hole @ 395'  
20" csg @ 394'  
w/ 780sx-TOC-Surf-Circ

17-1/2" hole @ 1654'  
13-3/8" csg @ 1654'  
w/ 2675sx-TOC-Surf-Circ

12-1/4" hole @ 3005'  
9-5/8" csg @ 3005'  
w/ 1475sx-TOC-Surf-Circ

1989-Repl 4298' 5-1/2" csg w/ FOT @ 4298'  
cmt w/ 800sx-TOC-1039'-Calc

8-3/4" hole @ 11742'  
5-1/2" csg @ 11742'  
w/ 1100sx-TOC-8700'-TS

Perfs @ 10560-10569'  
Perfs @ 10709-10895'

Perfs @ 11133-11684'

4/92-CIBP @ 11080' w/ 4sx to 11038'

TD-11742'

District I  
1625 N French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144 CLEZ  
July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

**Closed-Loop System Permit or Closure Plan Application**

*(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)*

Type of action: ☐ Permit ☐ Closure


**Instructions:** Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.  
Operator: OXY USA WTP LP OGRID #: 192463  
Address: P.O. Box 50250 Midland TX 79710  
Facility or well name: Elizondo A Federal #25  
API Number: 30-015-21337 OCD Permit Number: 212649  
U/L or Qtr/Qtr K Section 21 Township 21S Range 27E County: Elly  
Center of Proposed Design: Latitude 32.46317 Longitude 104.19721 NAD: ☒ 1927 ☐ 1983  
Surface Owner: ☒ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment

2.  
☐ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC  
Operation: ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) ☒ P&A  
☒ Above Ground Steel Tanks or ☐ Haul-off Bins

3.  
**Signs:** Subsection C of 19.15.17.11 NMAC  
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  
☐ Signed in compliance with 19.15.3.103 NMAC



4.  
**Closed-loop Systems Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC  
**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  
☒ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
☒ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
☒ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  
☐ Previously Approved Design (attach copy of design) API Number: \_\_\_\_\_  
☐ Previously Approved Operating and Maintenance Plan API Number: \_\_\_\_\_

5.  
**Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:** (19.15.17.13.D NMAC)  
**Instructions:** Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.  
Disposal Facility Name: Control Recovery Inc. Disposal Facility Permit Number: WM-01-0006  
Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_  
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  
☐ Yes (If yes, please provide the information below) ☐ No  
**Required for impacted areas which will not be used for future service and operations:**  
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

6.  
**Operator Application Certification:**  
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.  
Name (Print): David Stewart Title: Regulatory Advisor  
Signature: [Signature] Date: 3/8/12  
e-mail address: david\_stewart@oxy.com Telephone: 432-635-5717

7.

OCD Approval: ☒ Permit Application (including closure plan) ☐ Closure Plan (only)OCD Representative Signature: RDadeApproval Date: 03/15/2012Title: DIST HP SupervisorOCD Permit Number: 212649

8.

**Closure Report (required within 60 days of closure completion):** Subsection K of 19.15.17.13 NMAC*Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.*☐ Closure Completion Date: \_\_\_\_\_

9.

**Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:***Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.*

Disposal Facility Name: \_\_\_\_\_

Disposal Facility Permit Number: \_\_\_\_\_

Disposal Facility Name: \_\_\_\_\_

Disposal Facility Permit Number: \_\_\_\_\_

Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No*Required for impacted areas which will not be used for future service and operations:*☐ Site Reclamation (Photo Documentation)☐ Soil Backfilling and Cover Installation☐ Re-vegetation Application Rates and Seeding Technique

10.

**Operator Closure Certification:**

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): \_\_\_\_\_

Title: \_\_\_\_\_


Signature: \_\_\_\_\_

Date: \_\_\_\_\_

e-mail address: \_\_\_\_\_

Telephone: \_\_\_\_\_

# C-144CLEZ P&A Attachment RIG LAY-OUT



[illegible]

**\*Any leak of the steel tanks, lines or pumps shall be reported to the NMOCD and repaired within 48 hours.**