



PO Box 1370
Artesia, NM 88211-1370
(575) 748-1288

November 27, 2011

30-015-38501

OGX Resources
PO box 11148
Midland, TX 79702

RE: Sidewinder 32 #2H
480' FNL & 480' FWL
Sec. 32, T26S, R29E
Eddy County, New Mexico

Dear Sir,

The attached is the Deviation Survey for the above captioned well.

Very truly yours,


A handwritten signature in cursive script, appearing to read "Chris Graham".

Chris Graham
Drilling Superintendent

State of New Mexico }
County of Eddy }

The foregoing was acknowledged before me this 27th day of November, 2011.

A handwritten signature in cursive script, appearing to read "Regina L. Garner".

Notary Public

Pason DataHub Deviation Survey
 # Well Dossier 1320525569 - SIDEWINDER #2-H
 #

# Date	Depth	Deviation	Direction	TVD
11/6/2011	109	0.60	0.00	0.00
11/6/2011	358	1.70	0.00	0.00
11/8/2011	684	1.20	0.00	0.00
11/9/2011	1159	0.60	0.00	0.00
11/9/2011	1603	0.60	0.00	0.00
11/10/2011	2138	3.40	0.00	0.00
11/11/2011	2240	3.10	0.00	0.00
11/11/2011	2325	2.30	0.00	0.00
11/11/2011	2417	2.60	0.00	0.00
11/11/2011	2486	2.90	0.00	0.00
11/12/2011	2590	2.00	0.00	0.00
11/12/2011	2623	1.60	0.00	0.00
11/13/2011	3057	0.80	0.00	0.00
11/13/2011	3533	0.50	0.00	0.00
11/14/2011	3978	0.20	0.00	0.00
11/14/2011	4423	0.50	0.00	0.00
11/14/2011	4900	0.60	0.00	0.00
11/14/2011	5376	1.20	0.00	0.00
11/15/2011	5814	1.00	0.00	0.00
11/17/2011	6552	19.20	89.60	0.00
11/17/2011	6676	34.20	85.10	0.00
11/18/2011	6801	46.90	84.80	6752.00
11/18/2011	6989	64.30	84.30	0.00
11/18/2011	7144	81.90	87.50	0.00
11/19/2011	7308	88.20	87.20	6916.00
11/20/2011	7495	89.40	86.90	6921.00
11/20/2011	7589	89.60	86.50	6922.00
11/20/2011	7776	89.00	84.70	6923.00
11/20/2011	7862	88.80	84.80	6925.00
11/20/2011	8150	87.80	84.50	6933.00
11/21/2011	8431	88.20	86.70	6945.00
11/21/2011	8524	88.70	87.70	6948.00
11/21/2011	8805	89.00	86.00	6954.00
11/22/2011	9272	89.00	84.10	6960.00
11/22/2011	9554	87.40	84.00	6970.00
11/23/2011	9742	87.85	84.40	6979.00
11/23/2011	9835	88.00	83.90	6982.00
11/23/2011	10023	89.10	85.20	6987.00
11/23/2011	10304	89.60	86.50	6991.00
11/24/2011	10584	87.70	87.40	6996.00
11/24/2011	11081	86.50	85.60	0.00

EOF

11/24/2011 11081 86.50 85.60 0.00



PHOENIX
TECHNOLOGY SERVICES

November 28, 2011

OGX Resources LLC
Attention: Regulatory Compliance
400 N Marienfeld St., Suite 200
Midland, TX 79701

Re: OGX Resources LLC
Sidewinder #2H
Eddy County, NM
API #30-015-38501
Job No. 1110673

Dear Regulatory Compliance;

Phoenix Technology Services, Inc. has filed the survey certification, surveys, and lease plat for the above referenced well with the State of New Mexico Oil Conservation Division – District 2 via certified mail. A copy of the filing is attached for your records.

Name of Surveyor	Drainhole Number	Surveyed Depths		Dates Performed		Type of Survey
		From	To	Start	End	
Brad Hill	2H	6,459	11,144	11/17/11	11/24/11	MWD

Thank you for the opportunity to be of service. Please contact me if you have any questions or require additional information.

Best Regards,

Gretchen Briggs
Operations Administrator

Phoenix Technology Services
SURVEY DATA CERTIFICATION



PHOENIX JOB NUMBER	1110673	OPERATOR	OGX Resources
--------------------	---------	----------	---------------

WELL NAME	Sidewinder 2H	COUNTY & STATE	Eddy County, NM
-----------	---------------	----------------	-----------------

API WELL NUMBER	30-015-38501	PROPOSED DIRECTION	86.05
-----------------	--------------	--------------------	-------

TIE-IN DATA						
MEASURED DEPTH	VERTICAL DEPTH	INCLIN	AZIMUTH	N-S COORD	E-W COORD	DATA SOURCE
6,370 ft	6,368.66 ft	1.3 ft	163.0 ft	27.61 ft	33.47 ft	Well Plan #2 111511 (OGX)

FIRST SURVEY DATE	FIRST SURVEY DEPTH	INCLIN	AZIMUTH
17-Nov-11	6,459 ft	6.8	98.0

SURVEY INSTRUMENT TYPE
Phoenix MWD

LAST SURVEY DATE	LAST SURVEY DEPTH	INCLIN	AZIMUTH
24-Nov-11	11,144 ft	86.5	85.2

TO THE BEST OF MY KNOWLEDGE I
CERTIFY THIS SURVEY DATA TO BE
TRUE AND CORRECT.

PROJECTED TD SURVEY DATE	PROJECTED TD SURVEY DEPTH	INCLIN	AZIMUTH
24-Nov-11	11,200 ft	86.5	85.2

Brad Hill

PRINT YOUR NAME ABOVE

Brad Hill

SIGN YOUR NAME ABOVE

MAGNETIC DECLINATION OR TOTAL GRID

TOTAL CORRECTION USED	7.55
DECLINATION OR GRID	DEC

11-24-11

TODAY'S DATE

MWD SUPERVISOR 1	Brad Hill	DIRECTIONAL DRILLER 1	Ted LaPrairie
MWD SUPERVISOR 2	Will Stanley	DIRECTIONAL DRILLER 2	Jamie Allen

OGX Resources

Eddy County, New Mexico (Nad27)

Sidewinder

Sidewinder 2H

Wellbore #1

Survey: Phoenix MWD Surveys

OGX Resources Survey Report

25 November, 2011

Phoenix Technology Services
OGX Resources Survey Report

Company:	OGX Resources	Local Co-ordinate Reference:	Well Sidewinder 2H
Project:	Eddy County, New Mexico (Nad27)	TVD Reference:	WELL @ 3012.00usft (Original Well Elev + 18' KB)
Site:	Sidewinder	MD Reference:	WELL @ 3012.00usft (Original Well Elev + 18' KB)
Well:	Sidewinder 2H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	GCR DB v5000

Project	Eddy County, New Mexico (Nad27)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	Sidewinder		
Site Position:		Northing:	365,587.80 usft
From:	Map	Easting:	599,205.80 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 0' 16.959 N
		Longitude:	104° 0' 47.857 W
		Grid Convergence:	0.17 °

Well	Sidewinder 2H					
Well Position	+N/-S	0.00 usft	Northing:	365,587.80 usft	Latitude:	32° 0' 16.959 N
	+E/-W	0.00 usft	Easting:	599,205.80 usft	Longitude:	104° 0' 47.857 W
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	2,994.00 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination	Dip Angle	Field Strength
			(°)	(°)	(nT)
	IGRF2010_14	11/08/11	7.72	59.90	48,397

Design		Wellbore #1		
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	86.05

Phoenix Technology Services
OGX Resources Survey Report

Company:	OGX Resources	Local Co-ordinate Reference:	Well Sidewinder 2H
Project:	Eddy County, New Mexico (Nad27)	TVD Reference:	WELL @ 3012.00usft (Original Well Elev + 18' KB)
Site:	Sidewinder	MD Reference:	WELL @ 3012.00usft (Original Well Elev + 18' KB)
Well:	Sidewinder 2H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	GCR DB v5000

Survey Program		Date	11/25/11		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
100.00	6,370.00	Gyro Surveys (Wellbore #1)	MWD	MWD - Standard	
6,459.00	11,200.00	Phoenix MWD Surveys (Wellbore #1)	MWD	MWD - Standard	

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVDSS (usft)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)	Easting (usft)	Northing (usft)	
6,370.00	1.31	163.03	-3,356.66	6,368.66	-27.61	33.92	31.94	0.00	599,239.72	365,560.19	
6,459.00	6.80	98.00	-3,445.43	6,457.43	-29.31	39.44	37.33	7.14	599,245.24	365,558.49	
6,490.00	11.10	91.30	-3,476.05	6,488.05	-29.64	44.24	42.10	14.25	599,250.04	365,558.16	
6,521.00	14.90	92.50	-3,506.25	6,518.25	-29.88	51.21	49.03	12.29	599,257.01	365,557.92	
6,552.00	19.20	89.60	-3,535.88	6,547.88	-30.02	60.29	58.08	14.14	599,266.09	365,557.78	
6,583.00	23.50	85.90	-3,564.74	6,576.74	-29.54	71.56	69.36	14.53	599,277.36	365,558.26	
6,614.00	27.60	84.80	-3,592.71	6,604.71	-28.45	84.88	82.72	13.31	599,290.68	365,559.35	
6,645.00	31.00	84.40	-3,619.74	6,631.74	-27.02	99.99	97.89	10.99	599,305.79	365,560.78	
6,676.00	34.20	85.10	-3,645.85	6,657.85	-25.49	116.62	114.58	10.39	599,322.42	365,562.31	
6,708.00	37.40	86.80	-3,671.80	6,683.80	-24.18	135.28	133.30	10.47	599,341.08	365,563.62	
6,739.00	40.60	88.20	-3,695.89	6,707.89	-23.34	154.77	152.80	10.71	599,360.57	365,564.46	
6,770.00	44.10	87.10	-3,718.80	6,730.80	-22.48	175.63	173.67	11.54	599,381.43	365,565.32	
6,801.00	46.90	84.80	-3,740.52	6,752.52	-20.90	197.68	195.77	10.47	599,403.48	365,566.90	
6,832.00	48.70	83.50	-3,761.35	6,773.35	-18.56	220.53	218.72	6.59	599,426.33	365,569.24	
6,863.00	52.20	82.90	-3,781.08	6,793.08	-15.73	244.26	242.59	11.39	599,450.06	365,572.07	
6,895.00	56.00	83.00	-3,799.84	6,811.84	-12.55	269.98	268.47	11.88	599,475.78	365,575.25	
6,926.00	58.20	83.00	-3,816.68	6,828.68	-9.37	295.81	294.46	7.10	599,501.61	365,578.43	
6,957.00	60.60	83.80	-3,832.46	6,844.46	-6.31	322.31	321.11	8.05	599,528.11	365,581.49	
6,988.00	64.30	84.30	-3,846.80	6,858.80	-3.46	349.65	348.58	12.02	599,555.45	365,584.34	
7,019.00	66.20	86.10	-3,859.78	6,871.78	-1.11	377.70	376.72	8.08	599,583.50	365,586.69	
7,050.00	68.50	88.30	-3,871.71	6,883.71	0.28	406.27	405.32	9.90	599,612.07	365,588.08	

Phoenix Technology Services
OGX Resources Survey Report

Company:	OGX Resources	Local Co-ordinate Reference:	Well Sidewinder 2H
Project:	Eddy County, New Mexico (Nad27)	TVD Reference:	WELL @ 3012.00usft (Original Well Elev + 18' KB)
Site:	Sidewinder	MD Reference:	WELL @ 3012.00usft (Original Well Elev + 18' KB)
Well:	Sidewinder 2H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	GCR DB v5000

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVDSS (usft)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)	Easting (usft)	Northing (usft)
7,082.00	72.50	88.80	-3,882.39	6,894.39	1.04	436.42	435.45	12.59	599,642.22	365,588.84
7,113.00	77.20	88.10	-3,890.49	6,902.49	1.85	466.32	465.34	15.32	599,672.12	365,589.65
7,144.00	81.90	87.50	-3,896.11	6,908.11	3.03	496.77	495.80	15.28	599,702.57	365,590.83
7,183.00	87.20	87.30	-3,899.82	6,911.82	4.79	535.54	534.60	13.60	599,741.34	365,592.59
7,214.00	88.20	87.40	-3,901.06	6,913.06	6.22	566.49	565.57	3.24	599,772.29	365,594.02
7,308.00	88.20	87.20	-3,904.01	6,916.01	10.64	660.33	659.50	0.21	599,866.13	365,598.44
7,401.00	88.00	87.40	-3,907.10	6,919.10	15.02	753.18	752.43	0.30	599,958.98	365,602.82
7,495.00	89.40	86.90	-3,909.23	6,921.23	19.70	847.04	846.38	1.58	600,052.84	365,607.50
7,589.00	89.60	86.50	-3,910.05	6,922.05	25.11	940.88	940.37	0.48	600,146.68	365,612.91
7,682.00	89.70	85.20	-3,910.62	6,922.62	31.84	1,033.63	1,033.37	1.40	600,239.43	365,619.64
7,776.00	89.00	84.70	-3,911.69	6,923.69	40.11	1,127.26	1,127.34	0.92	600,333.06	365,627.91
7,869.00	88.80	84.80	-3,913.47	6,925.47	48.62	1,219.85	1,220.30	0.24	600,425.65	365,636.42
7,962.00	88.70	84.80	-3,915.50	6,927.50	57.04	1,312.45	1,313.26	0.11	600,518.25	365,644.84
8,056.00	88.40	84.50	-3,917.88	6,929.88	65.81	1,406.01	1,407.20	0.45	600,611.81	365,653.61
8,150.00	87.80	84.50	-3,920.99	6,932.99	74.81	1,499.52	1,501.11	0.64	600,705.32	365,662.61
8,244.00	86.80	84.30	-3,925.42	6,937.42	83.97	1,592.97	1,594.97	1.08	600,798.77	365,671.77
8,337.00	87.50	85.50	-3,930.05	6,942.05	92.23	1,685.48	1,687.83	1.49	600,891.28	365,680.03
8,431.00	88.20	86.70	-3,933.57	6,945.57	98.62	1,779.20	1,781.76	1.48	600,985.00	365,686.42
8,524.00	88.70	87.70	-3,936.09	6,948.09	103.16	1,872.05	1,874.71	1.20	601,077.85	365,690.96
8,618.00	88.70	87.60	-3,938.22	6,950.22	107.01	1,965.95	1,968.65	0.11	601,171.75	365,694.81
8,711.00	88.40	87.50	-3,940.57	6,952.57	110.99	2,058.83	2,061.59	0.34	601,264.63	365,698.79
8,805.00	89.00	86.00	-3,942.71	6,954.71	116.31	2,152.65	2,155.55	1.72	601,358.45	365,704.11
8,898.00	89.00	85.80	-3,944.33	6,956.33	122.96	2,245.40	2,248.54	0.22	601,451.20	365,710.76
8,991.00	89.40	84.80	-3,945.63	6,957.63	130.58	2,338.08	2,341.52	1.16	601,543.88	365,718.38
9,085.00	89.60	84.80	-3,946.45	6,958.45	139.10	2,431.69	2,435.49	0.21	601,637.49	365,726.90
9,178.00	89.40	84.10	-3,947.26	6,959.26	148.10	2,524.25	2,528.45	0.78	601,730.05	365,735.90
9,272.00	89.00	84.10	-3,948.57	6,960.57	157.76	2,617.74	2,622.39	0.43	601,823.54	365,745.56

Phoenix Technology Services
OGX Resources Survey Report

Company:	OGX Resources	Local Co-ordinate Reference:	Well Sidewinder 2H
Project:	Eddy County, New Mexico (Nad27)	TVD Reference:	WELL @ 3012.00usft (Original Well Elev + 18' KB)
Site:	Sidewinder	MD Reference:	WELL @ 3012.00usft (Original Well Elev + 18' KB)
Well:	Sidewinder 2H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	GCR DB v5000

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVDSS (usft)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)	Easting (usft)	Northing (usft)
9,366.00	87.70	85.20	-3,951.28	6,963.28	166.52	2,711.29	2,716.32	1.81	601,917.09	365,754.32
9,460.00	87.80	84.80	-3,954.97	6,966.97	174.70	2,804.86	2,810.23	0.44	602,010.66	365,762.50
9,554.00	87.40	84.00	-3,958.91	6,970.91	183.87	2,898.33	2,904.11	0.95	602,104.13	365,771.67
9,649.00	87.30	84.20	-3,963.30	6,975.30	193.62	2,992.72	2,998.95	0.24	602,198.52	365,781.42
9,742.00	87.80	84.40	-3,967.27	6,979.27	202.85	3,085.18	3,091.82	0.58	602,290.98	365,790.65
9,835.00	88.00	83.90	-3,970.68	6,982.68	212.32	3,177.63	3,184.71	0.58	602,383.43	365,800.12
9,929.00	88.60	85.80	-3,973.47	6,985.47	220.76	3,271.21	3,278.64	2.12	602,477.01	365,808.56
10,023.00	89.10	85.20	-3,975.36	6,987.36	228.13	3,364.90	3,372.62	0.83	602,570.70	365,815.93
10,117.00	89.10	84.90	-3,976.83	6,988.83	236.24	3,458.53	3,466.59	0.32	602,664.33	365,824.04
10,211.00	89.10	86.60	-3,978.31	6,990.31	243.21	3,552.26	3,560.58	1.81	602,758.06	365,831.01
10,304.00	89.60	86.50	-3,979.37	6,991.37	248.80	3,645.09	3,653.57	0.55	602,850.89	365,836.60
10,398.00	90.40	86.80	-3,979.37	6,991.37	254.30	3,738.92	3,747.56	0.91	602,944.72	365,842.10
10,491.00	87.80	87.50	-3,980.83	6,992.83	258.92	3,831.79	3,840.52	2.90	603,037.59	365,846.72
10,584.00	87.70	87.40	-3,984.48	6,996.48	263.05	3,924.63	3,933.42	0.15	603,130.43	365,850.85
10,677.00	87.10	87.20	-3,988.70	7,000.70	267.43	4,017.43	4,026.31	0.68	603,223.23	365,855.23
10,770.00	87.80	85.10	-3,992.83	7,004.83	273.67	4,110.12	4,119.21	2.38	603,315.92	365,861.47
10,863.00	87.60	85.00	-3,996.57	7,008.57	281.69	4,202.70	4,212.12	0.24	603,408.50	365,869.49
10,956.00	86.70	85.00	-4,001.19	7,013.19	289.78	4,295.23	4,304.99	0.97	603,501.03	365,877.58
11,050.00	86.40	85.40	-4,006.85	7,018.85	297.63	4,388.73	4,398.81	0.53	603,594.53	365,885.43
11,144.00	86.50	85.20	-4,012.67	7,024.67	305.32	4,482.23	4,492.62	0.24	603,688.03	365,893.12
11,200.00	86.50	85.20	-4,016.09	7,028.09	310.00	4,537.93	4,548.51	0.00	603,743.73	365,897.80

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------