

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-40308
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator LRE OPERATING, LLC		6. State Oil & Gas Lease No.
3. Address of Operator c/o Mike Pippin LLC, 3104 N. Sullivan, Farmington, NM 87401		7. Lease Name or Unit Agreement Name RESLER STATE
4. Well Location Unit Letter P : 530 feet from the SOUTH line and 345 feet from the EAST line Section 25 Township 17-S Range 27-E NMPM Eddy County		8. Well Number #5
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3590' GL		9. OGRID Number 281994
		10. Pool name or Wildcat Red Lake, Glorieta-Yeso NE (96836)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☒

OTHER: **Spud & Casings** ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Spud well on 5/29/12. Drilled 12-1/4" hole to 445'. Landed 8-5/8" 24# J-55 csg @ 437'. Cmted w/300 sx (405 cf) "C" cmt w/2% CaCl2 & 0.25# CF. Circ 83 sx cmt to surface. On 5/30/12, PT 8-5/8" csg to 600 psi for 30 min-OK.

Drilled 7-7/8" hole from 8-5/8" csg shoe to MD3851' on 6/3/12. Ran open hole logs. On 6/5/12, landed 5-1/2" 17# J-55 csg @ MD3848'. Cmted lead w/275 sx (523 cf) 35/65 poz "C" cmt w/1/8#/sx CF, 5% salt, 5# LCM-1 & 0.3% R-3. Tailed w/415 sx (552 cf) "C" cmt w/0.25#/sx CF, 0.4% R-3. Circ 83 sx cmt to pit. Released drilling rig on 6/5/12. Plan to pressure test the 5-1/2" csg before completion operations.

Bottom Hole Location is 348' FSL & 351' FEL Sec.25 T17S R27E


Spud Date: **5/29/12** Drilling Rig Release Date: **6/5/12**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Mike Pippin* TITLE Petroleum Engineer - Agent DATE 6/5/12

Type or print name Mike Pippin E-mail address: mike@pippinllc.com PHONE: 505-327-4573
For State Use Only

APPROVED BY: *T. C. Shepard* TITLE *Geologist* DATE *6/15/2012*
Conditions of Approval (if any):



District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

AS DRILLED☐ AMENDED REPORT**WELL LOCATION AND ACREAGE DEDICATION PLAT**

¹ API Number 30-015-40308	² Pool Code 96836	³ Pool Name Red Lake, Glorieta-Yeso NE
⁴ Property Code 309869	⁵ Property Name RESLER STATE	⁶ Well Number 5
⁷ OGRID No. 281994	⁸ Operator Name LRE OPERATING, LLC.	⁹ Elevation 3590' GL

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	25	17-S	27-E		530	SOUTH	345	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	25	17-S	27-E		348	SOUTH	351	EAST	EDDY

¹² Dedicated Acres 40	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
-------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

25				¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <u>Mike Pippin</u> Date: 6/5/12 Mike Pippin Printed Name	
					¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey: 9/27/11 Signature and Seal of Professional Surveyor: Filmon E Jaramillo 12797 Certificate Number

SURFACE
 345'
 351'
 348'
 530'

BOTTOM HOLE
 AS DRILLED

RECEIVED

JUN 06 2012

NMOCD ARTESIA

Survey Depth (ft)	Inclina- tion (deg)	Azimuth (deg)	Direction (Quad)	Course Length (ft)	True Vert. Depth (ft)	Vertical Section (ft)	Coordinates N/S E/W (ft) (ft)		
2042.3	0	0			2030.01	170.41	S	169.81	W 14.3
0.00	0.00	0.00							
494.00	0.70	191.70	S	11.7	W 494	493.99	3.00	S	2.95 W 0.61
525.00	1.70	194.00	S	14.0	W 31	524.98	3.64	S	3.59 W 0.76
556.00	2.70	187.70	S	7.7	W 31	555.96	4.82	S	4.76 W 0.97
588.00	3.70	180.30	S	0.3	W 32	587.91	6.60	S	6.54 W 1.08
619.00	4.80	179.80	S	0.2	E 31	618.82	8.89	S	8.83 W 1.08
651.00	5.50	182.40	S	2.4	W 32	650.69	11.76	S	11.70 W 1.14
682.00	5.90	182.00	S	2.0	W 31	681.54	14.83	S	14.78 W 1.26
713.00	6.60	183.20	S	3.2	W 31	712.35	18.21	S	18.15 W 1.41
745.00	6.80	183.10	S	3.1	W 32	744.14	21.94	S	21.88 W 1.62
776.00	7.50	184.00	S	4.0	W 31	774.89	25.80	S	25.73 W 1.86
808.00	7.70	186.60	S	6.6	W 32	806.61	30.03	S	29.94 W 2.25
839.00	7.70	188.30	S	8.3	W 31	837.33	34.18	S	34.06 W 2.79
871.00	8.00	188.80	S	8.8	W 32	869.03	38.54	S	38.38 W 3.44
902.00	8.30	188.00	S	8.0	W 31	899.72	42.92	S	42.73 W 4.08
933.00	8.80	187.80	S	7.8	W 31	930.38	47.52	S	47.30 W 4.71
965.00	9.50	186.20	S	6.2	W 32	961.97	52.61	S	52.35 W 5.33
996.00	9.80	184.70	S	4.7	W 31	992.53	57.80	S	57.52 W 5.82
1028.00	10.40	184.70	S	4.7	W 32	1024.03	63.42	S	63.11 W 6.28
1060.00	10.20	184.40	S	4.4	W 32	1055.52	69.14	S	68.82 W 6.73
1091.00	9.80	183.60	S	3.6	W 31	1086.05	74.52	S	74.19 W 7.11
1154.00	10.60	180.80	S	0.8	W 63	1148.05	85.66	S	85.33 W 7.53
1217.00	10.20	179.70	S	0.3	E 63	1210.02	97.00	S	96.70 W 7.58
1279.00	9.80	180.50	S	0.5	W 62	1271.07	107.73	S	107.47 W 7.60
1342.00	9.40	180.10	S	0.1	W 63	1333.19	118.20	S	117.97 W 7.65
1405.00	9.00	178.80	S	1.2	E 63	1395.38	128.23	S	128.05 W 7.56
1468.00	8.70	176.60	S	3.4	E 63	1457.63	137.85	S	137.73 W 7.17
1531.00	8.10	174.50	S	5.5	E 63	1519.96	146.93	S	146.90 W 6.47
1594.00	7.30	172.80	S	7.2	E 63	1582.39	155.21	S	155.29 W 5.54
1657.00	6.20	173.40	S	6.6	E 63	1644.95	162.46	S	162.64 W 4.65
1720.00	5.40	174.00	S	6.0	E 63	1707.63	168.71	S	168.97 W 3.94
1783.00	5.00	169.30	S	10.7	E 63	1770.37	174.27	S	174.62 W 3.13
1846.00	3.70	167.20	S	12.8	E 63	1833.18	178.85	S	179.30 W 2.16
1909.00	2.70	167.50	S	12.5	E 63	1896.09	182.20	S	182.73 W 1.39
1972.00	2.10	163.60	S	16.4	E 63	1959.03	184.70	S	185.28 W 0.75
2066.00	0.70	141.10	S	38.9	E 94	2053.00	186.72	S	187.38 E 0.10
2160.00	0.70	125.50	S	54.5	E 94	2146.99	187.43	S	188.16 E 0.93
2254.00	0.80	118.80	S	61.2	E 94	2240.99	187.99	S	188.81 E 1.97
2349.00	0.80	118.00	S	62.0	E 95	2335.98	188.52	S	189.44 E 3.14
2443.00	0.40	331.10	N	28.9	W 94	2429.97	188.50	S	189.46 E 3.56
2536.00	0.40	328.20	N	31.8	W 93	2522.97	187.97	S	188.90 E 3.23
2631.00	0.60	323.40	N	36.6	W 95	2617.97	187.33	S	188.22 E 2.76
2724.00	0.70	323.50	N	36.5	W 93	2710.96	186.54	S	187.38 E 2.13
2819.00	0.70	314.00	N	46.0	W 95	2805.95	185.74	S	186.51 E 1.37
2913.00	0.70	311.90	N	48.1	W 94	2899.95	185.03	S	185.72 E 0.53
3008.00	0.90	322.50	N	37.5	W 95	2994.94	184.13	S	184.74 W 0.36
3102.00	0.70	315.00	N	45.0	W 94	3088.93	183.21	S	183.75 W 1.21
3196.00	0.90	325.30	N	34.7	W 94	3182.92	182.27	S	182.74 W 2.04
3291.00	0.90	311.90	N	48.1	W 95	3277.91	181.24	S	181.63 W 3.02
3385.00	0.80	304.70	N	55.3	W 94	3371.90	180.47	S	180.76 W 4.11
3480.00	0.30	234.30	S	54.3	W 95	3466.89	180.30	S	180.53 W 4.86
3574.00	0.30	202.00	S	22.0	W 94	3560.89	180.70	S	180.90 W 5.15
3669.00	0.40	213.90	S	33.9	W 95	3655.89	181.22	S	181.41 W 5.43
3763.00	0.30	217.30	S	37.3	W 94	3749.89	181.72	S	181.87 W 5.76
3810.00	0.30	220.00	S	40.0	W 47	3796.89	181.92	S	182.07 W 5.91
3851.00	0.30	220.00	S	40.0	W 41	3837.89	182.10	S	182.23 W 6.05

RESLER STATE #5

30-015-40308