Office District I	es To Appropriate Distric		State of New Me	XICO	Form C-103
1625 N. Franci		Energy,	Minerals and Natur	ral Resources	June 19, 2008
District II	Dr , Hobbs, NM 88240				WELL API NO. 30-015-39020
1301 W. Grand	Ave., Artesia, NM 882	10	ONSERVATION		5. Indicate Type of Lease
District III 1220 South St. Francis Dr. 1200 Rio Brazos Rd., Aztec, NM 87410				STATE STATE FEE	
District IV		o .	Santa Fe, NM 87	505	6. State Oil & Gas Lease No.
1220 S. St. Fra 87505	ncis Dr., Santa Fe, NM				B0-2071-0032
7,505	SUNDRY N	OTICES AND RE	PORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)					Empire Abo Unit
	Well: ⊠Oil Well	☐ Gas Well ☐	Other:	-	8. Well Number 408
2. Name of Apache Corp	Operator				9. OGRID Number 873
3. Address of Operator					10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705					Empire; Abo (22040)
4. Well Location					
	it Letter O		t from the South	line and 256	
Sec	tion 31			nge 28E	NMPM County Eddy
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3675' GR					
30/5 GR					
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data					
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:					
PERFORM	REMEDIAL WORK			REMEDIAL WOR	
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ COMMENCE DRI					
		MULTIPLE (COMPL	CASING/CEMEN	T JOB 🔲
DOWNHOL	E COMMINGLE				
OTHER				OTHER: RTP	×
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date					
		work). SEE RUI	LE 1103. For Multipl	e Completions: A	ttach wellbore diagram of proposed completion
or re	completion.				
1/20/2012					
1/20/2012					
		ID RODS NOT PA	RTED. LONG STRO	KE PUMP TO GET	PUMP ACTION. WOULD NOT PUMP. POOH
CHK PRE W/55-1" k	SSURE 50#. FOUN D RODS, 65-7/8" K	D RODS, 101-3/4	н		PUMP ACTION. WOULD NOT PUMP. POOH
CHK PRE W/55-1" K KD RODS	SSURE 50#. FOUN D RODS, 65-7/8" K , 2" X 1-1/2" X 24' F	D RODS, 101-3/4 RHBC PUMP. DRO	" OP STANDING VALVI		PUMP ACTION. WOULD NOT PUMP. POOH TBG TO 1000# HELD GOOD. PU RIH W/
CHK PRE W/55-1" k KD RODS NEW 2" X	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC	D RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" I	" DP STANDING VALVI (D	E PRESSURE UP	
CHK PRE W/55-1" K KD RODS NEW 2" X RODS, 65	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" I I-1" KD RODS. LO	" DP STANDING VALVI (D AD TBG W/2% KCL 7	E PRESSURE UP	TBG TO 1000# HELD GOOD. PU RIH W/
CHK PRE W/55-1" K KD RODS NEW 2" X RODS, 65	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" I I-1" KD RODS. LO	" DP STANDING VALVI (D AD TBG W/2% KCL 7	E PRESSURE UP	TBG TO 1000# HELD GOOD. PU RIH W/
CHK PRE W/55-1" K KD RODS NEW 2" X RODS, 65	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" I I-1" KD RODS. LO	" DP STANDING VALVI (D AD TBG W/2% KCL 7	E PRESSURE UP	TBG TO 1000# HELD GOOD. PU RIH W/
CHK PRE W/55-1" K KD RODS NEW 2" X RODS, 65	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" I I-1" KD RODS. LO	" DP STANDING VALVI (D AD TBG W/2% KCL 7	E PRESSURE UP	TBG TO 1000# HELD GOOD. PU RIH W/
CHK PRE W/55-1" K KD RODS NEW 2" X RODS, 65	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" I I-1" KD RODS. LO	" DP STANDING VALVI (D AD TBG W/2% KCL 7	E PRESSURE UP	TBG TO 1000# HELD GOOD. PU RIH W/
CHK PRE W/55-1" k KD RODS NEW 2" X RODS, 65 WELL ON	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55 RETURN PRODUC	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" I I-1" KD RODS. LO	" DP STANDING VALVI OD STANDING VALVI OD TBG W/2% KCL T LITE.	E PRESSURE UP FEST TO 500# HE	TBG TO 1000# HELD GOOD. PU RIH W/
CHK PRE W/55-1" K KD RODS NEW 2" X RODS, 65	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" I I-1" KD RODS. LO	" DP STANDING VALVI (D AD TBG W/2% KCL 7	E PRESSURE UP FEST TO 500# HE	TBG TO 1000# HELD GOOD. PU RIH W/
CHK PRE W/55-1" k KD RODS NEW 2" X RODS, 65 WELL ON	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55 RETURN PRODUC	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" I I-1" KD RODS. LO	" DP STANDING VALVI OD STANDING VALVI OD TBG W/2% KCL T LITE.	E PRESSURE UP FEST TO 500# HE	TBG TO 1000# HELD GOOD. PU RIH W/
CHK PRE W/55-1" k KD RODS NEW 2" X RODS, 65 WELL ON	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55 RETURN PRODUC	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" F I-1" KD RODS. LO CTION TO SATEL	P STANDING VALVI CD STANDING VALVI AD TBG W/2% KCL T LITE.	E PRESSURE UP FEST TO 500# HE	TBG TO 1000# HELD GOOD. PU RIH W/ LD GOOD. CHECK PUMP ACTION HANG RECEIVED JUN 0 4 2012 NMOCD ARTESIA
CHK PRE W/55-1" k KD RODS NEW 2" X RODS, 65 WELL ON	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55 RETURN PRODUC	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" F I-1" KD RODS. LO CTION TO SATEL	" DP STANDING VALVI OD STANDING VALVI OD TBG W/2% KCL T LITE.	E PRESSURE UP FEST TO 500# HE	TBG TO 1000# HELD GOOD. PU RIH W/ LD GOOD. CHECK PUMP ACTION HANG RECEIVED JUN 0 4 2012 NMOCD ARTESIA
CHK PRE W/55-1" k KD RODS NEW 2" X RODS, 65 WELL ON Spud Date:	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55 RETURN PRODUC 10/18/2011	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" F I-1" KD RODS. LO CTION TO SATEL	POP STANDING VALVION STANDING VALVION STANDING WICE TO STANDING VALVION ST	E PRESSURE UP FEST TO 500# HE te: 10/30/2011	TBG TO 1000# HELD GOOD. PU RIH W/ LD GOOD. CHECK PUMP ACTION HANG RECEIVED JUN 0 4 2012 NMOCD ARTESIA
CHK PRE W/55-1" k KD RODS NEW 2" X RODS, 65 WELL ON	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55 RETURN PRODUC 10/18/2011	ED RODS, 101-3/4 RHBC PUMP. DRO PUMP, 101-3/4" F I-1" KD RODS. LO CTION TO SATEL	P STANDING VALVI CD STANDING VALVI AD TBG W/2% KCL T LITE.	E PRESSURE UP FEST TO 500# HE te: 10/30/2011	TBG TO 1000# HELD GOOD. PU RIH W/ LD GOOD. CHECK PUMP ACTION HANG RECEIVED JUN 0 4 2012 NMOCD ARTESIA
CHK PRE W/55-1" k KD RODS NEW 2" X RODS, 65 WELL ON Spud Date: I hereby certing	SSURE 50#. FOUN D RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 5-7/8" KD RODS, 55 RETURN PRODUC 10/18/2011	D RODS, 101-3/4' RHBC PUMP. DRO PUMP, 101-3/4" k 1-1" KD RODS. LO CTION TO SATEL On above is true a	P STANDING VALVIOUS STANDING VALVIOUS AD TBG W/2% KCL TAITE. Rig Release Da nd complete to the be TITLE_Sr. Sta	E PRESSURE UP FEST TO 500# HE te: 10/30/2011 st of my knowledg	TBG TO 1000# HELD GOOD. PU RIH W/ LD GOOD. CHECK PUMP ACTION HANG RECEIVED JUN 0 4 2012 NMOCD ARTESIA e and belief. DATE 05/29/2012
CHK PRE W/55-1" k KD RODS NEW 2" X RODS, 65 WELL ON Spud Date: I hereby certification SIGNATURE Type or print	SSURE 50#. FOUND RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 1-7/8" KD RODS, 55 RETURN PRODUCT 10/18/2011 Ty that the information of the companies of the compani	D RODS, 101-3/4' RHBC PUMP. DRO PUMP, 101-3/4" k 1-1" KD RODS. LO CTION TO SATEL On above is true a	P STANDING VALVIOUS STANDING VALVIOUS AD TBG W/2% KCL TAITE. Rig Release Da nd complete to the be TITLE_Sr. Sta	E PRESSURE UP FEST TO 500# HE te: 10/30/2011	TBG TO 1000# HELD GOOD. PU RIH W/ LD GOOD. CHECK PUMP ACTION HANG RECEIVED JUN 0 4 2012 NMOCD ARTESIA e and belief. DATE 05/29/2012
CHK PRE W/55-1" k KD RODS NEW 2" X RODS, 65 WELL ON Spud Date: I hereby certing	SSURE 50#. FOUND RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 1-7/8" KD RODS, 55 RETURN PRODUCT 10/18/2011 Ty that the information of the companies of the compani	D RODS, 101-3/4' RHBC PUMP. DRO PUMP, 101-3/4" k 1-1" KD RODS. LO CTION TO SATEL On above is true a	P STANDING VALVIOUS STANDING VALVIOUS AD TBG W/2% KCL TAITE. Rig Release Da nd complete to the be TITLE_Sr. Sta	E PRESSURE UP FEST TO 500# HE te: 10/30/2011 st of my knowledg	TBG TO 1000# HELD GOOD. PU RIH W/ LD GOOD. CHECK PUMP ACTION HANG RECEIVED JUN 0 4 2012 NMOCD ARTESIA e and belief. DATE 05/29/2012
CHK PRE W/55-1" k KD RODS NEW 2" X RODS, 65 WELL ON Spud Date: I hereby certification SIGNATURE Type or print For State Use APPROVED	SSURE 50#. FOUND RODS, 65-7/8" K 5, 2" X 1-1/2" X 24' F 1-1/2" X 24' RHBC 1-7/8" KD RODS, 55 RETURN PRODUCT 10/18/2011 Ty that the information of the content of the cont	D RODS, 101-3/4' RHBC PUMP. DRO PUMP, 101-3/4" k 1-1" KD RODS. LO CTION TO SATEL On above is true a	P STANDING VALVIOUS STANDING VALVIOUS AD TBG W/2% KCL TAITE. Rig Release Da nd complete to the be TITLE_Sr. Sta	E PRESSURE UP FEST TO 500# HE te: 10/30/2011 st of my knowledg	TBG TO 1000# HELD GOOD. PU RIH W/ LD GOOD. CHECK PUMP ACTION HANG RECEIVED JUN 0 4 2012 NMOCD ARTESIA e and belief. DATE 05/29/2012