

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

OCD Artesia

SUBMIT IN TRIPLICATE - Other instructions on reverse side.


1. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other		5. Lease Serial No. NMNM2748
2. Name of Operator BURNETT OIL COMPANY INC		6. If Indian, Allottee or Tribe Name
Contact LESLIE M GARVIS E-Mail: lgarvis@burnettoil.com		7. If Unit or CA/Agreement, Name and/or No.
3a. Address 801 CHERRY STREET UNIT 9 FORT WORTH, TX 76102-6881	3b. Phone No. (include area code) Ph: 817-332-5108 Ext. 6326	8. Well Name and No. GISSLER B 62
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 12 T17S R30E NENW 207FNL 2024FWL		9. API Well No. 30-015-40411-00-X1
		10. Field and Pool, or Exploratory LOCO HILLS
		11. County or Parish, and State EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Change to Original A
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	PD

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

This sundry is to correct the C-102 and Directional Survey that was submitted with the original APD. The calls and locations have not changed but we discovered that the Latitude and Longitude for our calls were incorrect on these documents. Attached are the corrected documents. This does not change the SHL or the BHL, those remain the same.



14. I hereby certify that the foregoing is true and correct.	
Electronic Submission #142783 verified by the BLM Well Information System For BURNETT OIL COMPANY INC, sent to the Carlsbad Committed to AFMSS for processing by DEBORAH MCKINNEY on 07/13/2012 (12DLM1276SE)	
Name (Printed/Typed) LESLIE M GARVIS	Title REGULATORY COORDINATOR
Signature (Electronic Submission)	Date 07/12/2012

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By CHRISTOPHER WALLS	Title PETROLEUM ENGINEER	Date 07/23/2012
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone (575) 393-8161 Fax: (575) 393-0720

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone (505) 748-1283 Fax: (505) 748-0720

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone (505) 334-8178 Fax: (505) 334-8170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

RECEIVED

JUL 24 2012

NMOCD ARTESIA

Form C-102

Revised August 1, 2011

Submit one copy to appropriate
District Office

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number	Pool Code	Pool Name
Property Code	Property Name GISSLER "B"	Well Number 62
OGRID No.	Operator Name BURNETT OIL COMPANY, INC.	Elevation 3730'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	12	17 S	30 E		207	NORTH	2024	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	12	17 S	30 E		330	NORTH	1650	WEST	EDDY



Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
-----------------	-----------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature _____ Date _____ Printed Name _____ Email Address _____
	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date Surveyed _____ Signature & Seal of Professional Surveyor _____
	Certificate No. Gary L. Jones 7977 BASIN SURVEYS 25929

BURNETT OIL CO. INC.

Field Eddy County, NM
 Site: Gissler "B" 62
 Well: B62
 Wellpath: Original Hole
 Plan: Plan #2



Azimuths to Grid North
 True North: -0.22°
 Magnetic North: 7.45°

Magnetic Field
 Strength: 48876nT
 Dip Angle: 60.68°
 Date: 07/11/2012
 Model: IGRF2010

TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
Surface	0.00	0.00	0.00	675212.45	624815.78	32°51'20.098N	103°55'36.757W	Point
PBHL	6100.00	-123.09	-372.83	675089.36	624442.95	32°51'18.894N	103°55'41.133W	Point

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	0.00	0.00	251.73	0.00	0.00	0.00	0.00	0.00	0.00	
2	3712.33	0.00	251.73	3712.33	0.00	0.00	0.00	0.00	0.00	
3	4445.66	11.00	251.73	4441.17	-22.00	-66.64	1.50	251.73	70.18	
4	6135.54	11.00	251.73	6100.00	-123.09	-372.83	0.00	0.00	392.62	

Plan: Plan #2 (B62/Original Hole)

Created By: Ivonne Gonzalez

Date: 07/11/2012

ARCHER DIRECTIONAL DRILLING SERVICES
 911 Regional Park Drive Houston, Texas 77060
 Phone: 713-934-9600 Fax: 713-934-9067

Archer

ARCHER

Planning Report

Company: BURNETT OIL CO. INC.
 Field: Eddy County, NM
 Site: Gissler "B" 62
 Well: B62
 Wellpath: Original Hole

Date: 07/11/2012 Time: 16:55 09
 Co-ordinate(NE) Reference: Well. B62, Grid North
 Vertical (TVD) Reference: SITE 0.0
 Section (VS) Reference: Well (0.00N,0.00E,251 73Azi)
 Plan: Plan #2

Page: 1

Field: Eddy County, NM

Map System: US State Plane Coordinate System 1927
 Geo Datum: NAD27 (Clarke 1866)
 Sys Datum: Mean Sea Level

Map Zone: New Mexico, Eastern Zone
 Coordinate System: Well Centre
 Geomagnetic Model: IGRF2010

Site: Gissler "B" 62

Site Position: Northing: 675212.45 ft Latitude: 32 51 20.098 N
 From: Map Easting: 624815.78 ft Longitude: 103 55 36.757 W
 Position Uncertainty: 0.00 ft North Reference: Grid
 Ground Level: 3730.00 ft Grid Convergence: 0.22 deg

Well: B62

Slot Name:

Well Position: +N/-S 0.00 ft Northing: 675212.45 ft Latitude: 32 51 20.098 N
 +E/-W 0.00 ft Easting: 624815.78 ft Longitude: 103 55 36.757 W
 Position Uncertainty: 0.00 ft

Wellpath: Original Hole

Current Datum: SITE Height 0.00 ft Drilled From: Surface
 Magnetic Data: 07/11/2012 Tie-on Depth: 0.00 ft
 Field Strength: 48876 nT Above System Datum: Mean Sea Level
 Vertical Section: Depth From (TVD) +N/-S Declination: 7.67 deg
 ft +E/-W Mag Dip Angle: 60.68 deg
 Direction
 deg
 0.00 0.00 0.00 251.73

Plan: Plan #2

Date Composed: 07/11/2012
 Version: 1
 Tied-to: From Surface

Principal: No

Plan Section Information

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg	Target
0.00	0.00	251.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3712.33	0.00	251.73	3712.33	0.00	0.00	0.00	0.00	0.00	0.00	
4445.66	11.00	251.73	4441.17	-22.00	-66.64	1.50	1.50	0.00	251.73	
6135.54	11.00	251.73	6100.00	-123.09	-372.83	0.00	0.00	0.00	0.00	*PBHL

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
3712.33	0.00	251.73	3712.33	0.00	0.00	0.00	0.00	0.00	0.00	
3800.00	1.32	251.73	3799.99	-0.32	-0.96	1.01	1.50	1.50	0.00	
3900.00	2.82	251.73	3899.92	-1.45	-4.38	4.61	1.50	1.50	0.00	
4000.00	4.32	251.73	3999.73	-3.39	-10.28	10.83	1.50	1.50	0.00	
4100.00	5.82	251.73	4099.33	-6.16	-18.66	19.66	1.50	1.50	0.00	
4200.00	7.32	251.73	4198.68	-9.75	-29.52	31.09	1.50	1.50	0.00	
4300.00	8.82	251.73	4297.68	-14.14	-42.84	45.12	1.50	1.50	0.00	
4400.00	10.32	251.73	4396.29	-19.35	-58.62	61.73	1.50	1.50	0.00	
4445.66	11.00	251.73	4441.17	-22.00	-66.64	70.18	1.50	1.50	0.00	
4500.00	11.00	251.73	4494.51	-25.25	-76.49	80.55	0.00	0.00	0.00	
4600.00	11.00	251.73	4592.67	-31.23	-94.61	99.63	0.00	0.00	0.00	
4700.00	11.00	251.73	4690.83	-37.22	-112.72	118.71	0.00	0.00	0.00	
4800.00	11.00	251.73	4788.99	-43.20	-130.84	137.79	0.00	0.00	0.00	
4900.00	11.00	251.73	4887.16	-49.18	-148.96	156.87	0.00	0.00	0.00	
5000.00	11.00	251.73	4985.32	-55.16	-167.08	175.95	0.00	0.00	0.00	
5100.00	11.00	251.73	5083.48	-61.14	-185.20	195.03	0.00	0.00	0.00	
5200.00	11.00	251.73	5181.64	-67.13	-203.32	214.11	0.00	0.00	0.00	

ARCHER

Planning Report

Company: BURNETT OIL CO. INC.
Field: Eddy County, NM
Site: Gissler "B" 62
Well: B62
Wellpath: Original Hole

Date: 07/11/2012 **Time:** 16:55:09
Co-ordinate(NE) Reference: Well. B62, Grid North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Well (0.00N,0.00E,251.73Azi)
Plan: Plan #2

Page: 2

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
5300.00	11.00	251.73	5279.81	-73.11	-221.44	233.19	0.00	0.00	0.00	
5400.00	11.00	251.73	5377.97	-79.09	-239.56	252.28	0.00	0.00	0.00	
5500.00	11.00	251.73	5476.13	-85.07	-257.68	271.36	0.00	0.00	0.00	
5600.00	11.00	251.73	5574.29	-91.05	-275.79	290.44	0.00	0.00	0.00	
5700.00	11.00	251.73	5672.46	-97.04	-293.91	309.52	0.00	0.00	0.00	
5800.00	11.00	251.73	5770.62	-103.02	-312.03	328.60	0.00	0.00	0.00	
5900.00	11.00	251.73	5868.78	-109.00	-330.15	347.68	0.00	0.00	0.00	
6000.00	11.00	251.73	5966.95	-114.98	-348.27	366.76	0.00	0.00	0.00	
6100.00	11.00	251.73	6065.11	-120.96	-366.39	385.84	0.00	0.00	0.00	
6135.54	11.00	251.73	6100.00	-123.09	-372.83	392.62	0.00	0.00	0.00	*PBHL

Targets

Name	Description Dip.	Dir.	TVD ft	+N/-S ft	+E/-W ft	Map Northing ft	Map Easting ft	<--- Latitude ---> Deg Min Sec			<--- Longitude ---> Deg Min Sec		
Surface			0.00	0.00	0.00	675212.45	624815.78	32	51	20.098 N	103	55	36.757 W
PBHL -Plan hit target			6100.00	-123.09	-372.83	675089.36	624442.95	32	51	18.894 N	103	55	41.133 W