

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		WELL API NO. 30-015-40406
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Stephens & Johnson Operating Co		6. State Oil & Gas Lease No. 648
3. Address of Operator P O Box 2249, Wichita Falls, TX 76307		7. Lease Name or Unit Agreement Name: East Millman Unit
4. Well Location Unit Letter <u>K</u> : <u>2093</u> feet from the <u>South</u> line and <u>2290</u> feet from the <u>West</u> line Section <u>14</u> Township <u>19S</u> Range <u>28E</u> NMPM County <u>Eddy</u>		8. Well Number 245
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3432' KB, 3425' GR		9. OGRID Number 019958
		10. Pool name or Wildcat Millman-Yates-SR-QN-GB-SA, East

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐


SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC.. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached Detail



Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE William M. Kincaid TITLE Petroleum Engineer DATE 9/28/2012

mkincaid@sjoc.net

Type or print name William M. Kincaid E-mail address: mkincaid@sjoc.net PHONE 940-723-2166

For State Use Only

APPROVED BY JDade TITLE Dist H Supervisor DATE 10/11/12

Conditions of Approval (if any):

Page 2 (C-103)
Stephens & Johnson Operating Co.
East Millman Unit No. 245
API No. 30-015-40406
Eddy County, New Mexico

Well Data:

Total Depth: 2521' KB
PBTD: 2507' KB
Surface Casg: 8 5/8" 24# set @ 300' KB, cement w/200 sx, cement
circulated to surface.
Prod. Csg: 5 1/2" 15.50# set @ 2517' KB, cement w/650 sx,
cement circulated to surface.

Completion Information:

08/06/2012: Pressure tested 5 1/2" casing to 1500 psi for 30
minutes. Held OK. Perforated one shot at each of
the following depths: 2077', 2080', 2083', 2086',
2089', 2122', 2181', 2184', 2187', 2190', 2220',
2223', 2226', 2242', 2245', 2248', 2251', 2266',
2269', 2411', 2413', 2415', 2432', 2434', 2436'.

08/09/2012: Acidized perforations with 2500 gals 15% NEFE acid.

08/28/2012: Frac perforations with 118,000 gals 10# brine, 1000
lbs 20/40 sand, 11,410 lbs LiteProp 125 (14/30),
3,990 lbs 14/30 LiteProp 125C.

08/29/2012: Run downhole equipment as follows:

Tubing: 76 jts, 2 7/8", 6.5 lb/ft, J-55, SN @ 2471' KB
Rods: 1-4', 1-2' x 7/8" Grade D rod subs
43 - 7/8" Grade D rods
50 - 3/4" Grade D rods
4 - 1 1/2" Grade D Sinker Bars
Pump: 2 1/2" x 2" x 16' pump w/1' lift sub

09/01/2012: Install electricity, turn well on production.