District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No} \subseteq \)

| Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank | | | | | | | |
|---|--|---|--|--|--|--|--|
| Operator: EOS Resources Inc. Telephon | e: 432, 484, 3400 e-mail address: 80 | Grian. @ MEN : com | | | | | |
| Address: 4000 N. Big Spring 56 | 500 | 314 | | | | | |
| Facility or well name: Fad Quan, 33 Fee API#: | 30.015.3367 U/L or Qtr/Qtr A | Sec 33 T 19 R 28 | | | | | |
| | 32 37 14 Longitude 104 | | | | | | |
| Surface Owner: Federal State Private Indian | | | | | | | |
| Pit | Below-grade tank | | | | | | |
| Type: Drilling Production Disposal | Volume:bbl Type of fluid: | | | | | | |
| Workover ☐ Emergency ☐ | Construction material: | | | | | | |
| Lined M Unlined | Double-walled, with leak detection? Yes [] If not | t, explain why not. | | | | | |
| Liner type: Synthetic Thickness 12 mil Clay | | <u> </u> | | | | | |
| Pit Volume 200 bbl | | | | | | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal | Less than 50 feet | (20 points) | | | | | |
| high water elevation of around water | 50 feet or more, but less than 100 feet | (10 points) RECEIVED | | | | | |
| Ingli water devailor of ground water.) 170 Herage | 100 feet or more | Opoints MAY 0 3 2005 | | | | | |
| W-Wd | Yes | (20 points) | | | | | |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | No. | (0 points) | | | | | |
| water source, or less than 1000 feet from an other water sources.) | - | (20 i-w) | | | | | |
| Distance to surface water: (horizontal distance to all wetlands, playas, | Less than 200 feet 200 feet or more, but less than 1000 feet | (20 points) (10 points) | | | | | |
| irrigation canals, ditches, and perennial and ephemeral watercourses.) | 1000 feet or more | | | | | | |
| | 1000 feet of more | (0 points) | | | | | |
| | Ranking Score (Total Points) | 10 4 | | | | | |
| If this is a pit closure: (1) Attach a diagram of the facility showing the pit's | s relationship to other equipment and tanks. (2) Indica | ate disposal location: (check the onsite box if | | | | | |
| your are burying in place) onsite 📓 offsite 🔲 If offsite, name of facility_ | (3) Attach a general d | lescription of remedial action taken including | | | | | |
| remediation start date and end date. (4) Groundwater encountered: No 🔲 Y | es 🔲 If yes, show depth below ground surface | ft, and attach sample results. | | | | | |
| (5) Attach soil sample results and a diagram of sample locations and excavat | ions. | | | | | | |
| Additional Comments: Ou abon is to burn | in above Transh B | urin) excurate | | | | | |
| 1 1 1 1 10 20 0 11 | pleater, out much cott | | | | | | |
| with 20 mil liner and place | 3 Lt of clean soil on | to loud to contain | | | | | |
| 11+1 non 11 - | 1 - Sull or | 100 , and to com owe | | | | | |
| | | | | | | | |
| the subsequent report | | | | | | | |
| Well stud when approved. | | | | | | | |
| I hereby certify that the information above is true and complete to the best | of my knowledge and belief. I further certify that the | he above-described pit or below-grade tank | | | | | |
| has been/will be constructed or closed according to NMOCD guideline | s 💹, a general permit 🔲, or an (attached) alterna | tive OCD-approved plan . | | | | | |
| Date: 4/29/05 | . | | | | | | |
| Printed Name/Title Eddie W Sear Asont | Signature | B-1/ | | | | | |
| Your certification and NMOCD approval of this application/closure does n | of relieve the operator of lightlity should the contents | of the pit or tank contaminate ground water or | | | | | |
| otherwise endanger public health or the environment. Nor does it relieve the regulations. | ne operator of its responsibility for compliance with a | ny other foderal, state, or local laws and/or | | | | | |
| 4 11 1 | | | | | | | |
| Approval: | | MAY 3 2005 | | | | | |
| Printed Name/Title | Signature | MAI 3 2003 Date: | | | | | |
| | | | | | | | |

New Mexico Office of the State Engineer Well Reports and Downloads

| | 10wnship: | 9S Range: 28E | Sections: 33 | | | |
|----------|-------------|------------------|---------------------------------------|----------------|---------------------|-------|
| | NAD27 X: | Y: (| Zone: | Search | Radius: | |
| County: | - | Basin: | • • • • • • • • • • • • • • • • • • • | Number: | Suffix: | - : |
| Owner Na | me: (First) | (L | ast) | O Non-1 | Domestic O Domestic | (All |
| | Well / | Surface Data Rep | ort [| Avg Depth to W | ater Report | |
| | | Clear Form | Vater Column Row | <u> </u> | D | |

AVERAGE DEPTH OF WATER REPORT 04/29/2005

(Depth Water in Feet)
Bsn Tws Rng Sec Zone X Y Wells Min Max Avg

No Records found, try again

New Mexico Office of the State Engineer Well Reports and Downloads

| Township: 19S | Range: 28E Sec | ctions: |
|---------------------|------------------|----------------------------|
| NAD27 X: | Y: | Zone: Search Radius: |
| County: | Basin: | Number: Suffix: |
| Owner Name: (First) | (Last) | Non-Domestic ODomestic OAI |
| Well / Su | face Data Report | Avg Depth to Water Report |
| | <u> </u> | WATERS Menu Help |

AVERAGE DEPTH OF WATER REPORT 04/29/2005

| | | | | | | | | (neberr | Maret III | reet |
|-----|-----|-----|-----|------|---|---|-------|---------|-----------|------|
| Bsn | Tws | Rng | Sec | Zone | x | Y | Wells | Min | Max | Avg |
| CP | 198 | 28E | 09 | | | | 2 | 265 | 265 | 265 |
| CP | 198 | 28E | 18 | | | | 1 | 91 | 91 | 91 |

Record Count: 3