# Strict II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

RECEIVED

# Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)


APR 2 8 2005

Form C-144

June 1, 2004

OCD-ARTESIA

Type of action: Registration of a pit	or below-grade tank X Closure of a pit or below-	grade tank [X]			
Operator: Mewbourne Oil Company Telephone	: <u>505-393-5905</u> e-mail address: <u>1</u>	obeng@mewbourne.com			
Address: P.O. Box 5270, Hobbs, New Mexico 88241					
Facility or well name: Foster Draw "9" State Com #1 API #: 30	-015-32849 U/L or Qtr/Qtr L	Sec 9 T 21S R 27E			
County: Eddy Latitude	32-29-30.5 N Longitude 104-	<u>11-59.8 W</u> NAD: 1927 ☐ 1983 🏻			
Surface Owner: Federal 🛛 State 🔲 Private 🔲 Indian 🔲					
<u>Pit</u>	Below-grade tank				
Type: Drilling Production Disposal X	Volume:bbl Type of fluid:				
Workover	Construction material:				
Lined X Unlined	Double-walled, with leak detection? Yes  If not, explain why not.				
Liner type: Synthetic X Thickness 12 mil Clay					
Pit Volume 4800 bbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more (100' avg)	( 0 points) X			
	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No (1400')	( 0 points) X			
water source, or less than 1000 feet from all other water sources.)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
· · · · · · · · · · · · · · · · · · ·	1000 feet or more (1400')	( 0 points) X			
	Ranking Score (Total Points)	0 points			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) In	dicate disposal location: (check the onsite box if			
your are burying in place) onsite X offsite  If offsite, name of facility_	. (3) Attach a genera	I description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No X Y	es If yes, show depth below ground surface	ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava		•			
Additional Comments: Mewbourne Oil Company proposes to dig a "deep		ation. Enclosed is a diagram of the location			
with an approximate location of the "deep bury" pit. Both pits will be clos					
was an approximate research of the deep oury pit. Been pits will be clos	ed defing the operation. We will start the cream up	as soon as possible following (VINOCID approval.			
		<del>.</del>			
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify the	at the above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guideline	es $X$ , a general permit $\square$ , or an (attached) alter	native OCD-approved plan ∐.			
Date: 04/27/2005	10.01				
Printed Name/Title F. Lathan / Drilling Foreman	Signature IC Laute	_			
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the conte the operator of its responsibility for compliance with	nts of the pit or tank contaminate ground water or h any other federal, state, or local laws and/or			
Approval: Printed Name/Title	Signature	APR 2 9 2005			



SCALE: 1" = 60'

## New Mexico Office of the State Engineer Well Reports and Downloads

Township: 21S Range: 27E Sections: 9									
NAD27 X: Y: Zone: Search Radius:									
County: Basin: Number: Suffix:									
Owner Name: (First) (Last) C Non-Domestic C Domestic									
Well / Surface Data Report Avg Depth to Water Report									
Water Column Report									
Clear Form WATERS Menu Help									

#### AVERAGE DEPTH OF WATER REPORT 03/11/2005

								(nebru	Marer In	reet)
Bsn	Tws	Rng	Sec	Zone	x	Y	Wells	Min	Max	Avg
C	21S	27E	09				2	80	120	100

Record Count: 2