District I 1625 N. French Dr., Hobbs, NM 88240 District II

13q1 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

June 1, 2004 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144


1220 South St. Francis Dr. office Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No ky

Type of action: Registration of a pit or below-grade tank \(\subseteq \text{Closure of a pit or below-grade tank \(\frac{\pi_x}{\pi_x} \)	
Operator: Pogo Producing Company Telephone: 432-685-8100 e-mail address: wright@pogoproducing.com	
Address: P.O. Box 10340, Midland, TX 79702-7340	
	30-015-33384 U/L or Qtr/Qtr E Sec 4 T 24S R 31E
	32:14:52.9 Longitude 103:47:19.2 NAD: 1927 🗵 1983 🗌
Surface Owner: Federal State Private Indian	
Pit Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:
Workover Emergency	
Lined X Unlined	Double-walled, with leak detection? Yes If not, explain why not.
Liner type: Synthetic & Thickness 12 mil Clay	MAY 2 3 2005
Pit Volume 28006bl	
11 Volume	Less than 50 feet (20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	
high water elevation of ground water.)	50 feet or more, but less than 100 feet (10 points)
	100 feet or more X (0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic	Yes (20 points)
water source, or less than 1000 feet from all other water sources.)	No X (0 points) O
	Less than 200 feet (20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000
	1000 feet or more X (0 points) O
·	Ranking Score (Total Points)
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if	
your are burying in place) onsite 🖾 offsite 🗌 If offsite, name of facility	
remediation start date and end date. (4) Groundwater encountered: No 🔀 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results.	
(5) Attach soil sample results and a diagram of sample locations and excavations.	
Additional Comments: Constructed before 4/15/04	
Additional Commons.	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank	
has been/will be constructed or closed according to NMOCD guidelines [], a general permit [], or an (attached) alternative OCD-approved plan [].	
05 /00 /05	
Date: 05/20/05	
Printed Name/Title Cathy Wright, Sr. Eng Tech Signature	
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or	
regulations.	
Approval:	
Printed Name/Title DatMAY 2 3 2005	
*	INITEL BY LUUG

Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lined with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 20 mil plastic then covered with 3 feet of fill dirt.



Pit To be closed

WELL NAME: Sundance Fed 23

LOCATION: 1980'FNL & 660' FWL Sec. 4, T 24S, R 31E

PIT DEPTH: 8'