District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office.

Form C-144 June 1, 2004

## Pit or Below-Grade Tank Registration or Closure

Type of action: Registra	ition of a pit o	or below-grade tank	general plan ? Yes [ ] N Closure of a pit or below-	grade tank 🔲	
Operator: Armstrong Energy Corporation	Telephone	<u>: 505-625-2222</u>	e-mail address: pecos	@lookingglass.met	
Address: P.O. Box 1973, Roswell, new Mexico 88202-1973					
Facility or well name: Foster State #1	API #: <u>3@-015-21236</u> U		U/L or Qtr/Qtr _E	Sec <u>8</u> T	24 S R 23 E
County: Eddy Latitude 32.23140 N					
Surface Owner: Federal 🔲 State 🔀 Private 🔲 Indian 🗍					
Pit	<del></del>	Below-grade tank	<del></del>	<del>,</del> , , , , , , , , , , , , , , , , , ,	
Type: Drilling   Production □ Disposal □  Workover □ Emergency □		Volume:bb	Type of fluid:		RECEIVEL
		Construction mater	ial:		
Lined X Unlined		Double-walled, with	h leak detection? Yes 🔲 If	not, explain why no	SEP 2 0 2005
Liner type: Synthetic Thickness 12 mil Clay		Double-walled, with leak detection? Yes If not, explain why not.			
Pit Volume 2000 bbl					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) 115 ft.		Less than 50 feet		(20 points))	
		50 feet or more, bu	t less than 100 feet	(10 points))	
		100 feet or more		( 0 points))	0
				(20	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)		Yes		(20 points)	0
		No X		( 0 points)	0
Distance to surface water: (horizontal distance to all wetland	s, playas,	Less than 200 feet		(20 points))	
irrigation canals, ditches, and perennial and ephemeral watercourses.)		200 feet or more, b	ut less than 1000 feet	(10 points))	
One-half mile east		1000 feet or more	X	( 0 points))	0
		Ranking Score (T	atal Paints)		0
If this is a pit closure: (1) Attach a diagram of the facility showour are burying in place) onsite offsite If offsite, name remediation start date and end date. (4) Groundwater encounter (5) Attach soil sample results and a diagram of sample location	e of facility_	Yes ☐ If yes, show d	. (3) Attach a genera	al description of rem	edial action taken including
Additional Comments:					
				· · · · · · · · · · · · · · · · · · ·	
		<u></u>			
	·				
I hereby certify that the information above is true and comple has been/will be constructed or closed according to NMO	te to the best CD guideline	of my knowledge and es 🔼, a general perm	belief. I further certify tha it □, or an (attached) alter	t the above-describ native OCD-appro	ed pit or below-grade tar ved plan □.
Date: <u>8-20-2005</u> .		2	71/11		
Printed Name/Title Bruce A. Stubbs Engineer	Signa	ature	-WSISH		
Your certification and NMOCD approval of this application/of otherwise endanger public health or the environment. Nor do regulations.	closure does n es it relieve ti	not relieve the operato the operator of its resp	r of liability should the conter onsibility for compliance with	nts of the pit or tank n any other federal,	contaminate ground water state, or local laws and/or
Approval: Field Supervisor	•		MC		SEP 2 1 2005
Printed Name/Title		Signature	1/2/200	D	ate: ~ 1 ZUUJ