


					STRUCTS A		
				OCD-A		1	
				RECE	IVED		
Form 3160-5			STATES	RIOR FEB 2	5 2013	FORM	APPROVED
(August 1999)		DEPARTMENT O			0 2015	. 8	No. 1004-0135
	BUREAU OF LAND MANAGEMENT I MMOCD ARTESI SUNDRY NOTICES AND REPORTS ON-WELLS Do not use this form for proposals to drill or to re-enter an					Expires November 30, 2000	
	SU	NDRY NOTICES ANI	O REPORTS C	N-WELLS			LC 064894
						If Indian, Allote	e or Tribe Name
	abando	on well. Use Form 316	U-3 (APD) for St	ucn proposais.		7. If Unit or CA/Ag	greement, Name and/or No.
SUBMIT IN TRIPLICATE - Other Instructions on reverse side						891000303X	
1. Type of Well						 Well Name and Base Rep. 	
Oil Well Gas Well Other Other Other						PLU Ross Ranch 20 Fed #1H 9. API Well No.	
BOPCO, L.P.						30-015-38357-00-S1	
3a. Address			3b. Phone No. (include area code)			10. Field and Pool, or Exploratory Area	
P.O. Box 2760 Midland, Texas 79702-2760 (432) 683-				2) 683-2277	·	Corr 11. County or Par	ral Canyon
 Location of Well (Footage, Sec., T., R., M., or Survey Description) SEC 20, T25S, R30E, NWNW 100' FNL, 400' FWL 						·	
						EDI	DY COUNTY, N.M.
TYPE OF	SUBMISSION	PROPRIATE BOX(ES			FACTION	FURI, UKU	
	ice of Itent	Acidize	Dee	epen		Start/ Resume)	Water Shut-Off
		Alter Casing		cture Treat			Well Integrity
Sub	sequent Report	Casing Repa		v Construction	Recomplete Temporarily	Abandon	Other
🗖 Fina	al Abandonmment	Convert to Ir		g Back			······································
follo testi	wing completion of the in ing has been completed.	Final Abandonment Notices	or provide the Bond eration results in a	ibsurface locations me d No. on file with BLM multiple completion of	/BIA. Required si r recompletion in	vertical depths of a ubsequent reports a new interval, a F	all pertinent markers and zone
follo testi deter B0PCC service be +/- 4 propos R30, TI powerl	wing completion of the i ng has been completed. mined that the site is re), L.P. respectf e the PLU Ross 135' in length a sed power line he route has be line route.	nvolved operations. If the op Final Abandonment Notices ady for final Inspection.) Fully requests to i Ranch 20 Fed # Ind parallel existing that will service the previously ar	or provide the Bond eration results in a s shall be filed only nstall a ove 1H well pad ng well pad the Poker La rch cleared.	ibsurface locations me d No. on file with BLM. multiple completion or after all requirements, located in se . The propose ake Unit 423H A map and s	Assured and true (BIA. Required sur- recompletion in including reclarr action 20, 7 ed power 1 i well pad urvey plat	vertical depths of a absequent reports a new interval, a F ation, have been of 125, R30. Th 10C ated in s is attached	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator have 70 volts that will ne power line will nect from a section 19, T25, I showing
follo testi deter B0PCC service be +/- 4 propos R30, TI powerl	wing completion of the i ng has been completed. mined that the site is re), L.P. respectf e the PLU Ross 135' in length a sed power line he route has be line route.	nvolved operations. If the op Final Abandonment Notices ady for final Inspection.) ully requests to i s Ranch 20 Fed # and parallel existi that will service t een previously ar tions please do n	or provide the Bond eration results in a s shall be filed only 1H well pad ng well pad the Poker La rch cleared. ot hesitate f	absurface locations me d No. on file with BLM. multiple completion or after all requirements, located in se . The propose ake Unit 423H A map and s to call David (Assured and true /BIA. Required so recompletion in including reclarr line const action 20, 1 ed power I d well pad urvey plat Corgill at (vertical depths of a absequent reports a new interval, a F ation, have been of 125, R30. Th 10C ated in s is attached	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator ha 70 volts that will ne power line will nect from a section 19, T25, I showing 67RECEIVE
follo testi deter B0PCC service be +/- 4 propos R30, TI powerl	wing completion of the i ng has been completed. mined that the site is re), L.P. respectf e the PLU Ross 135' in length a sed power line he route has be line route.	nvolved operations. If the op Final Abandonment Notices ady for final Inspection.) ully requests to i s Ranch 20 Fed # and parallel existi that will service t een previously ar tions please do n	or provide the Bond eration results in a s shall be filed only 1H well pad ng well pad the Poker La rch cleared. ot hesitate f	absurface locations me d No. on file with BLM. multiple completion or after all requirements, located in se . The propose ake Unit 423H A map and s to call David (Assured and true /BIA. Required so recompletion in including reclarr line const action 20, 1 ed power I d well pad urvey plat Corgill at (vertical depths of a absequent reports a new interval, a F ation, have been of 125, R30. Th 10C ated in s is attached	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator have 70 volts that will ne power line will nect from a section 19, T25, I showing
follo testi deter B0PCC service be +/- 4 propos R30, TI powerl	wing completion of the i ng has been completed. mined that the site is re), L.P. respectf e the PLU Ross 135' in length a sed power line he route has be line route.	nvolved operations. If the op Final Abandonment Notices ady for final Inspection.) ully requests to i s Ranch 20 Fed # and parallel existi that will service t een previously ar tions please do n	or provide the Bond eration results in a s shall be filed only 1H well pad ng well pad the Poker La rch cleared. ot hesitate f	absurface locations me d No. on file with BLM. multiple completion or after all requirements, located in se . The propose ake Unit 423H A map and s to call David (Assured and true /BIA. Required so recompletion in including reclarr line const action 20, 1 ed power I d well pad urvey plat Corgill at (vertical depths of a absequent reports a new interval, a F ation, have been of 125, R30. Th 10C ated in s is attached	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator has 70 volts that will ne power line will nect from a section 19, T25, I showing 67 ECEIVE FEB 2 5 2013
follo testi deter B0PCC service be +/- 4 propos R30, TI powerl If you h	wing completion of the i ng has been completed. mined that the site is re), L.P. respectf e the PLU Ross 135' in length a sed power line he route has be line route.	nvolved operations. If the op Final Abandonment Notices ady for final inspection.) Fully requests to it as Ranch 20 Fed # and parallel existing that will service for een previously ar tions please do n ACCEPT	or provide the Bond eration results in a s shall be filed only 1H well pad ng well pad the Poker La rch cleared. ot hesitate f	ibsurface locations me d No. on file with BLM. multiple completion or after all requirements, located in se . The propose ake Unit 423H A map and s	Assured and true /BIA. Required so recompletion in including reclarr line const action 20, 1 ed power I d well pad urvey plat Corgill at (vertical depths of a absequent reports a new interval, a F ation, have been of 125, R30. Th 10C ated in s is attached	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator ha 70 volts that will ne power line will nect from a section 19, T25, I showing 67RECEIVE
follo testi deter B0PCC service be +/- 4 propos R30, TI powerl if you h	wing completion of the i ng has been completed. mined that the site is re 0, L.P. respectf e the PLU Ross 135' in length a sed power line he route has be line route. have any quest y that the foregoing is tr ited/Typed)	nvolved operations. If the op Final Abandonment Notices ady for final inspection.) Fully requests to it as Ranch 20 Fed # and parallel existing that will service for een previously ar tions please do n ACCEPT	or provide the Bond eration results in a s shall be filed only 1H well pad ng well pad the Poker La rch cleared. ot hesitate f	ibsurface locations me d No. on file with BLM. multiple completion or after all requirements, Incated power located in se . The propose ake Unit 423H A map and s to call David of COID	Assured and true (BIA. Required so recompletion in including rectarr line const ection 20, 7 ed power I d well pad urvey plat Corgill at (vertical depths of a ubsequent reports a a new interval, a F ation, have been of ing of 12,4 725, R30. Th ine will con located in s is attached 575) 725 9	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator has 70 volts that will ne power line will nect from a section 19, T25, I showing 67 ECEIVE FEB 2 5 2013
follo testi deter B0PCC service be +/- 4 propos R30, TI powerl if you h	wing completion of the i ng has been completed. mined that the site is re 0, L.P. respectf e the PLU Ross 135' in length a sed power line he route has be line route. have any quest	nvolved operations. If the op Final Abandonment Notices ady for final inspection.) Fully requests to it as Ranch 20 Fed # and parallel existing that will service for een previously ar tions please do n ACCEPT	or provide the Bond eration results in a s shall be filed only 1H well pad ng well pad the Poker La rch cleared. ot hesitate f	ibsurface locations me d No. on file with BLM. multiple completion or after all requirements, Incated power located in se . The propose ake Unit 423H A map and s to call David of COID	Assured and true /BIA. Required so recompletion in including reclarr line const action 20, 1 ed power I d well pad urvey plat Corgill at (vertical depths of a ubsequent reports a a new interval, a F lation, have been of 125, R30. Th 10cated in s is attached 575) 725 91	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator has 70 volts that will ne power line will nect from a section 19, T25, I showing 67 ECEIVE FEB 2 5 2013
follo testi deter B0PCC service be +/- 4 propos R30, TI powerl if you h	wing completion of the i ng has been completed. mined that the site is re 0, L.P. respectf e the PLU Ross 135' in length a sed power line he route has be line route. have any quest y that the foregoing is tr ited/Typed)	nvolved operations. If the op Final Abandonment Notices ady for final inspection.) Fully requests to i is Ranch 20 Fed # and parallel existing that will service the een previously an tions please do n ACCEPT N ue and correct	or provide the Bond eration results in a s shall be filed only nstall a ove 1H well pad ng well pad the Poker La cch cleared. ot hesitate the ed for ree MOCD	ibsurface locations me d No. on file with BLM. multiple completion or after all requirements, rhead power located in se . The propose ake Unit 423H A map and s to call David COrd JCS Title	Production	vertical depths of a ubsequent reports a a new interval, a F iation, have been of 125, R30. Th ine will con located in s is attached 575) 725 91 Foreman	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator has 70 volts that will ne power line will nect from a section 19, T25, I showing 67 ECEIVE FEB 2 5 2013
follo testi deter B0PCC service be +/- 4 propos R30. TI powerl If you h	wing completion of the i ng has been completed. mined that the site is re 0, L.P. respectf e the PLU Ross 435' in length a sed power line he route has be line route. have any quest y that the foregoing is tr ited/Typed) vid Corgill	nvolved operations. If the op Final Abandonment Notices ady for final inspection.) Fully requests to i is Ranch 20 Fed # and parallel existing that will service the een previously an tions please do n ACCEPT N ue and correct	or provide the Bond eration results in a s shall be filed only nstall a ove 1H well pad ng well pad the Poker La cch cleared. ot hesitate the ed for ree MOCD	ibsurface locations me d No. on file with BLM. multiple completion or after all requirements, rhead power located in se . The propose ake Unit 423H A map and s to call David COID JUN Title Date CALLOR STATE	Production	vertical depths of a absequent reports a new interval, a F ation, have been of 100 of 12,4 25, R30. The 100 ated in s is attached 575) 725 9 575) 725 9 575) 725 9 100 ated in s 100 ate	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator has 70 volts that will nect from a section 19, T25, I showing 647ECEIVE FEB 2 5 2013 NMOCD ARTE
follo testi deter B0PCC service be +/- 4 propos R30, TI powerl if you h	wing completion of the i ng has been completed. mined that the site is re 0, L.P. respectf e the PLU Ross 435' in length a sed power line he route has be line route. have any quest y that the foregoing is tr ited/Typed) vid Corgill	nvolved operations. If the op Final Abandonment Notices ady for final Inspection.) Fully requests to it is Ranch 20 Fed # and parallel existing that will service the een previously ar tions please do n ACCCEPT N ue and correct	or provide the Bond eration results in a s shall be filed only nstall a ove 1H well pad ng well pad the Poker La cch cleared. ot hesitate the ed for ree MOCD	ibsurface locations me d No. on file with BLM. multiple completion or after all requirements, rhead power located in se . The propose ake Unit 423H A map and s to call David COID JUN Title Date CALLOR STATE	Production	vertical depths of a absequent reports a new interval, a F ation, have been of 100 of 12,4 25, R30. The 100 ated in s is attached 575) 725 9 575) 725 9 575) 725 9 100 ated in s 100 ate	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator has a power line will onect from a section 19, T25, I showing 6PECEIVE FEB 2 5 2013 NMOCD ARTE
follo testi deter B0PCC service be +/- 4 propos R30, TI powerl If you h if you h if you h if you h Signature Approved b	wing completion of the i ng has been completed. mined that the site is re 0, L.P. respectf e the PLU Ross 135' in length a sed power line he route has be line route. have any quest y that the foregoing is tr ited/Typed) vid Corgill	nvolved operations. If the op Final Abandonment Notices ady for final Inspection.) fully requests to i is Ranch 20 Fed # and parallel existing that will service the een previously and tions please do n ACCEPT N ue and correct	or provide the Bond eration results in a shall be filed only nstall a ove 1H well pad the Poker La ch cleared. ot hesitate the ed for ree MOCD	ibsurface locations me d No. on file with BLM. multiple completion or after all requirements, rhead power located in se . The propose ake Unit 423H A map and s to call David COrd USA Title Date CALEOR STATE I Diffice	Production	vertical depths of a ubsequent reports a new interval, a F lation, have been of ing of 12,4 725, R30. Th ine will con located in s is attached 575) 725 9 Foreman 1/23/2013	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator has 70 volts that will nect from a section 19, T25, I showing 647ECEIVE FEB 2 5 2013 NMOCD ARTE
follo testi deter B0PCC service be +/- 4 propos R30, TI powerl If you h 14. I hereby certif Name (Prin Day Signature Approved b	wing completion of the i ng has been completed. mined that the site is re 0, L.P. respectf e the PLU Ross 135' in length a sed power line he route has be line route. have any quest y that the foregoing is tr ited/Typed) vid Corgill	nvolved operations. If the op Final Abandonment Notices ady for final Inspection.) Fully requests to it is Ranch 20 Fed # and parallel existing that will service the een previously and tions please do n ACCOPT N ue and correct	or provide the Bond eration results in a shall be filed only nstall a ove 1H well pad the Poker La ch cleared. ot hesitate the ed for ree MOCD	ibsurface locations me d No. on file with BLM. multiple completion or after all requirements, rhead power located in se . The propose ake Unit 423H A map and s to call David COrd USA Title Date CALEOR STATE I Diffice	Production	vertical depths of a ubsequent reports a new interval, a F lation, have been of ing of 12,4 725, R30. Th ine will con located in s is attached 575) 725 9 Foreman 1/23/2013	all pertinent markers and zone shall be filed within 30 days form 3160-4 shall be filed once completed, and the operator has 70 volts that will nect from a section 19, T25, I showing 647ECEIVE FEB 2 5 2013 NMOCD ARTE







Company Reference: BOPCO, L.P. Well No. & Name: PLU Ross Ranch 19 Fed 1H PLU Ross Ranch 20 Fed 1H PLU Pierce Canyon 17 Fed 1H Poker Lake Unit 422H Poker Lake Unit 423H

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.

5. Power lines shall be constructed in accordance to standards outlined in "Suggested Practices for Raptor Protection on Power lines, " Raptor Research Foundation, Inc., 1981. The holder

shall assume the burden and expense of proving that pole designs not shown in the above publication are "raptor safe." Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.

8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.

9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.

10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes with soil from the poles removed.