

## Bratcher, Mike, EMNRD

---

**From:** Randall Hicks <r@rthicksconsult.com>  
**Sent:** Thursday, February 28, 2013 4:39 PM  
**To:** Bratcher, Mike, EMNRD  
**Subject:** RE: C-144 Permits

Frankly, I was worried about the replacing pages thing too.

Let me mail to you a complete C-144 with the correct pages for Wilson 3 and State BK 9. This will fix the two typos and the pit volume dimensions on each form and we are done with messing with pages.

The Cedar Lake C-144 form is correct/perfect – except for the volume/dimensions. When you arrive on Tuesday, you will have three perfect C-144s for Wilson, State BK and Cedar Lake. WE will worry about the 3 Federal permit AFTER you review these 3 state permits.

We will also plot the locations on the FIRM map.

Have a good long weekend.

Randall Hicks  
RT Hicks Consultants  
Office: 505-266-5004  
Cell: 505-238-9515

---

**From:** Bratcher, Mike, EMNRD [<mailto:mike.bratcher@state.nm.us>]  
**Sent:** Thursday, February 28, 2013 4:34 PM  
**To:** Randall Hicks  
**Subject:** C-144 Permits

Randy,

I hope I haven't shot myself in the foot by volunteering to replace pages in a few of these permits for you. Please help me out here – I can't approve an incomplete permit, and if replacing pages becomes too cumbersome, I will not do it. You sent me 3 page 1's for the Cedar Lake 5 that, on initial look through, are the same as the submittal. Not sure what those are for. Also, the following; on page 1 of the C-144s, the volume and dimension sections need to be filled out, not referred to a plate, and the well site needs to be plotted on the FIRM map.

Mike Bratcher  
NMOCD District 2  
811 S. First Street  
Artesia, NM 88210  
O: 575-748-1283 X108  
C: 575-626-0857  
F: 575-748-9720