Form 3160-5			I		
(August 2007) (August 2007) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			OMB	M APPROVED NO. 1004-0135 es: July 31, 2010	
			5. Lease Serial No. NMNM88491		
			6. If Indian, Allotte		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.			7. If Unit or CA/Ag	greement, Name and/or N	
1. Type of Well S Oil Well Gas Well Other			8. Well Name and N PARKWAY DE	Io. LAWARE UNIT 302	
2. Name of Operator Contact: VICKIE MARTINEZ SM ENERGY COMPANY E-Mail: VMARTINEZ@SM-ENERGY.COM			9. API Well No. 30-015-26006	9. API Well No. 30-015-26006	
3300 N "A" STREET BLDG 7-200 Ph: 432		3b. Phone No. (include area coor Ph: 432-688-1709 Fx: 432-688-1701	le) 10. Field and Pool, PARKWAY;D		
4. Location of Well (Footage, Sec., 2 Sec 35 T19S R29E 2230FNL		i)	11. County or Paris EDDY COUN		
12. CHECK APP	ROPRIATE BOX(ES) TO	O INDICATE NATURE OF	NOTICE, REPORT, OR OTH	ER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
 Notice of Intent Subsequent Report Final Abandonment Notice 	 Acidize Alter Casing Casing Repair Change Plans 	 Deepen Fracture Treat New Construction Plug and Abandon 	 Production (Start/Resume) Reclamation Recomplete Temporarily Abandon 	 Water Shut-Of Well Integrity Other 	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices shall be fil	Plug Back rt details, including estimated starti give subsurface locations and mea the Bond No. on file with BLM/B sults in a multiple completion or re	Water Disposal	tinent markers and zones be filed within 30 days 160-4 shall be filed once	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f SM ENERGY REQUEST PER	peration (clearly state all pertine) learly or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) RMISSION TO TURN WE NEAREST TOWN AND V FOR YOUR CONSIDER,	Plug Back rt details, including estimated start: give subsurface locations and mea the Bond No. on file with BLM/B sults in a multiple completion or re ed only after all requirements, inclu- ST SIDE OF PDU 302 LOC/ VOULD BE EXTREMELY BI ATION IN THIS MATTER.	Water Disposal ing date of any proposed work and appr sured and true vertical depths of all per IA. Required subsequent reports shall completion in a new interval, a Form 3 uding reclamation, have been complete ATION INTO A BLM APPROVE ENEFICIAL TO HAVE A WARE	tinent markers and zones be filed within 30 days 160-4 shall be filed once d, and the operator has " D WARE YARD.	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f SM ENERGY REQUEST PEF LOCATION IS MILES FROM	peration (clearly state all pertine) learly or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) RMISSION TO TURN WE NEAREST TOWN AND V FOR YOUR CONSIDER,	Plug Back rt details, including estimated start: give subsurface locations and mea the Bond No. on file with BLM/B sults in a multiple completion or re ed only after all requirements, inclu- ST SIDE OF PDU 302 LOC/ VOULD BE EXTREMELY BI ATION IN THIS MATTER.	Water Disposal ing date of any proposed work and appr sured and true vertical depths of all per IA. Required subsequent reports shall completion in a new interval, a Form 3 uding reclamation, have been complete ATION INTO A BLM APPROVE ENEFICIAL TO HAVE A WARE	tinent markers and zones be filed within 30 days 160-4 shall be filed once d, and the operator has " D WARE YARD.	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f SM ENERGY REQUEST PEF LOCATION IS MILES FROM	peration (clearly state all pertine) learly or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) RMISSION TO TURN WE NEAREST TOWN AND V FOR YOUR CONSIDER,	Plug Back rt details, including estimated starti give subsurface locations and mea the Bond No. on file with BLM/B sults in a multiple completion or re ed only after all requirements, inclu- ST SIDE OF PDU 302 LOC/ VOULD BE EXTREMELY BI	Water Disposal ing date of any proposed work and appr sured and true vertical depths of all per IA. Required subsequent reports shall completion in a new interval, a Form 3 uding reclamation, have been complete ATION INTO A BLM APPROVE ENEFICIAL TO HAVE A WARE	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has " D WARE YARD.	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f SM ENERGY REQUEST PEF LOCATION IS MILES FROM	eration (clearly state all pertinen- ially or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) RMISSION TO TURN WE NEAREST TOWN AND V FOR YOUR CONSIDER.	Plug Back nt details, including estimated start give subsurface locations and mea the Bond No. on file with BLM/B sults in a multiple completion or re ed only after all requirements, inclu- ST SIDE OF PDU 302 LOC/ VOULD BE EXTREMELY BE ATION IN THIS MATTER. WHAT SHIP ALL AND AND AND AND AND AND ATION IN THIS MATTER. How How How How How How How How How How	Water Disposal ing date of any proposed work and app sured and true vertical depths of all per IA. Required subsequent reports shall completion in a new interval, a Form 3 uding reclamation, have been complete ATION INTO A BLM APPROVE ENEFICIAL TO HAVE A WARE WARE WATER A WARE	tinent markers and zones be filed within 30 days 160-4 shall be filed once d, and the operator has " D WARE YARD.	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f SM ENERGY REQUEST PEF LOCATION IS MILES FROM IN THE FIELD. THANK YOU	s true and correct. Electronic Submission # Committed to AFMSS for	Plug Back nt details, including estimated start give subsurface locations and mea the Bond No. on file with BLM/B sults in a multiple completion or re ed only after all requirements, inclu ST SIDE OF PDU 302 LOC/ VOULD BE EXTREMELY BI ATION IN THIS MATTER.	Water Disposal ing date of any proposed work and app sured and true vertical depths of all per IA. Required subsequent reports shall completion in a new interval, a Form 3 uding reclamation, have been complete ATION INTO A BLM APPROVE ENEFICIAL TO HAVE A WARE WARE WATER A WARE	tinent markers and zones be filed within 30 days 160-4 shall be filed once d, and the operator has " D WARE YARD.	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f SM ENERGY REQUEST PEF LOCATION IS MILES FROM IN THE FIELD. THANK YOU	eration (clearly state all pertinen- ially or recomplete horizontally, ork will be performed or provide d operations. If the operation re- bandonment Notices shall be fil- final inspection.) RMISSION TO TURN WE NEAREST TOWN AND V FOR YOUR CONSIDER. FOR YOUR CONSIDER.	Plug Back nt details, including estimated start give subsurface locations and mea the Bond No. on file with BLM/B sults in a multiple completion or re ed only after all requirements, inclu ST SIDE OF PDU 302 LOC/ VOULD BE EXTREMELY BI ATION IN THIS MATTER.	Water Disposal ing date of any proposed work and app sured and true vertical depths of all per IA. Required subsequent reports shall accompletion in a new interval, a Form 3 uding reclamation, have been complete ATION INTO A BLM APPROVE ENEFICIAL TO HAVE A WARE WATER WATER AND A BLM APPROVE ENEFICIAL TO HAVE A WARE WATER AND A BLM APPROVE Carisbad ONS on 03/11/2013 () NEER TECH II	tinent markers and zones be filed within 30 days 160-4 shall be filed once d, and the operator has " D WARE YARD.	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f SM ENERGY REQUEST PEF LOCATION IS MILES FROM IN THE FIELD. THANK YOU 14. Thereby certify that the foregoing is Name(Printed/Typed) VICKIE M	s true and correct. Electronic Submission # Committed to AFMSS for Submission)	Plug Back nt details, including estimated start give subsurface locations and mea e the Bond No. on file with BLM/B sults in a multiple completion or re ed only after all requirements, inclu- ST SIDE OF PDU 302 LOC/ VOULD BE EXTREMELY BE ATION IN THIS MATTER. WHAT SHIP ALL AND AND AND AND AND ATION IN THIS MATTER. WHAT SHIP AND AND AND AND AND AND ADD AND AND AND AND AND AND AND AND ADD AND AND AND AND AND AND AND AND ADD AND AND AND AND AND AND AND AND 201082 verified by the BLM W ERGY COMPANY, sent to the or processing by KURT SIMM Title ENGIN	Water Disposal ing date of any proposed work and app sured and true vertical depths of all per IA. Required subsequent reports shall completion in a new interval, a Form 3 uding reclamation, have been complete ATION INTO A BLM APPROVE ENEFICIAL TO HAVE A WARE WARE WATER TECH II 2013	tinent markers and zones be filed within 30 days 160-4 shall be filed once d, and the operator has " D WARE YARD.	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f SM ENERGY REQUEST PEF LOCATION IS MILES FROM IN THE FIELD. THANK YOU 14. Thereby certify that the foregoing is Name(Printed/Typed) VICKIE M Signature (Electronic I	s true and correct. Electronic Submission # Committed to AFMSS for Submission)	Plug Back nt details, including estimated start give subsurface locations and mea sults in a multiple completion or re ed only after all requirements, inclu- ST SIDE OF PDU 302 LOC/ VOULD BE EXTREMELY BI ATION IN THIS MATTER. WHATION IN THIS MATTER. WHAT SHIP WATTER. 201082 verified by the BLM W ERGY COMPANY, sent to the or processing by KURT SIMM Title ENGIN Date 03/08/	Water Disposal ing date of any proposed work and app sured and true vertical depths of all per IA. Required subsequent reports shall completion in a new interval, a Form 3 uding reclamation, have been complete ATION INTO A BLM APPROVE ENEFICIAL TO HAVE A WARE WATER WATER TECH IN 2013 E OFFICE USE	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has " D WARE YARD.	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f SM ENERGY REQUEST PEF LOCATION IS MILES FROM IN THE FIELD. THANK YOU 14. Thereby certify that the foregoing is Name(Printed/Typed) VICKIE M	eration (clearly state all pertinen- ially or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices shall be fil- final inspection.) RMISSION TO TURN WE NEAREST TOWN AND V FOR YOUR CONSIDER, FOR YOUR CONSIDER, Strue and correct. Electronic Submission # For SM ENE Committed to AFMSS fil IARTINEZ Submission) THIS SPACE FO	Plug Back nt details, including estimated start give subsurface locations and mea the Bond No. on file with BLM/B sults in a multiple completion or re ed only after all requirements, inclu- ST SIDE OF PDU 302 LOC/ VOULD BE EXTREMELY BI ATION IN THIS MATTER. Where the second start of the second start ATION IN THIS MATTER. 201082 verified by the BLM W ERGY COMPANY, sent to the or processing by KURT SIMM Title ENGIN Date 03/08/ DR FEDERAL OR STATE 	Water Disposal ing date of any proposed work and app sured and true vertical depths of all per IA. Required subsequent reports shall completion in a new interval, a Form 3 uding reclamation, have been complete ATION INTO A BLM APPROVE ENEFICIAL TO HAVE A WARE WARE WATER TECH II 2013	tinent markers and zones. be filed within 30 days 160-4 shall be filed once d, and the operator has D WARE YARD. YARD LOCATED	

BLM Lease Number: NMNM88491X Company Reference: SM Energy Company Well Name & Number: Parkway Delaware Unit 302

STANDARD STIPULATIONS FOR OIL AND GAS RELATED SITES

A copy of the application (Grant/Sundry Notice) and attachments, including stipulations and map, will be on location during construction. BLM personnel may request to view a copy of your permit during construction to ensure compliance with all stipulations.

The holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer, BLM.

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant and for all response costs, penalties, damages, claims, and other costs arising from the provisions of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. Chap. 82, Section 6901 et. seq., from the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), 42 U.S.C. Chap. 109, Section 9601 et. seq., and from other applicable environmental statues.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976, as amended (15 U.S.C. 2601, et. seq.) with regard to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized by this grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation and Liability Act, Section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the Authorized Officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et. seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et. seq.) on the right-of-way (unless the release or threatened release is wholly unrelated to the right-of-way holder's activity on the right-of-way). This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. If, during any phase of the construction, operation, maintenance, or termination of the site or related pipeline(s), any oil or other pollutant should be discharged from site facilities, the pipeline(s) or from containers or vehicles impacting Federal lands, the control and total removal, disposal, and cleanup of such oil of other pollutant, wherever found, shall be the responsibility of the holder, regardless of fault. Upon failure of the holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages to Federal lands resulting

therefrom, the Authorized Officer may take such measures as deemed necessary to control and cleanup the discharge and restore the area, including, where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve the holder of any liability or responsibility.

5. Sites shall be maintained in an orderly, sanitary condition at all times. Waste materials, both liquid and solid, shall be disposed of promptly at an appropriate, authorized waste disposal facility in accordance with all applicable State and Federal laws. "Waste" means all discarded matter including, but not limited to, human waste, trash, garbage, refuse, petroleum products, brines, chemicals, oil drums, ashes, and equipment.

6. The operator will notify the Bureau of Land Management (BLM) authorized officer and nearest Fish and Wildlife Service (FWS) Law Enforcement office within 24 hours, if the operator discovers a dead or injured federally protected species (i.e., migratory bird species, bald or golden eagle, or species listed by the FWS as threatened or endangered) in or adjacent to a pit, trench, tank, exhaust stack, or fence. (If the operator is unable to contact the FWS Law Enforcement office, the operator must contact the nearest FWS Ecological Services office.)

7. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be a color which simulates "Standard Environmental Colors" designated by the Rocky Mountain Five-State Interagency Committee. The color selected for this project is **Shale Green**, Munsell Soil Color Chart Number 5Y 4/2.

8. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on the holder's behalf, on public or Federal land shall be immediately reported to the Authorized Officer. The holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to the proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

9. A sales contract for removal of mineral material (caliche, sand, gravel, fill dirt) from an authorized pit, site, or on location must be obtained from the BLM prior to commencing construction. There are several options available for purchasing mineral material: contact the BLM office (575-234-5972).

10. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, pads, associated pipeline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

11. Once the site is no longer in service or use, the site must undergo final abandonment. At final abandonment, the site and access roads must undergo "final" reclamation so that the character and productivity of the land are restored. Earthwork for final reclamation must be completed within six (6) months of the abandonment of the site. All pads and facility locations and roads must be reclaimed to a satisfactory revegetated, safe, and stable condition, unless an agreement is made with the landowner or BLM to keep the road and/or pad intact. After all disturbed areas have been satisfactorily prepared, these areas need to be revegetated with the seed mixture provided. Seeding should be accomplished by drilling on the contour whenever practical or by other approved methods. Seeding may need to be repeated until revegetation is successful, as determined by the BLM.

Operators shall contact a BLM surface protection specialist prior to surface abandonment operations for site specific objectives (Jim Amos: 575-234-5909).

12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.

(X) seed mixture 1	() seed mixture 3
() seed mixture 2	() seed mixture 4
() seed mixture 2/LPC	() Aplomado Falcon Mixture

13. In those areas where erosion control structures are required to stabilize soil conditions, the holder shall install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound management practices. Any earth work will require prior approval by the Authorized Officer.

14. The operator will prevent all hazardous, poisonous, flammable, and toxic substances from coming into contact with soil and water. At a minimum, the operator will install and maintain an impervious secondary containment system for any tank or barrel containing hazardous, poisonous, flammable, or toxic substances sufficient to contain the contents of the tank or barrel and any drips, leaks, and anticipated precipitation. The operator will dispose of fluids within the containment system that do not meet applicable state or U. S. Environmental Protection Agency livestock water standards in accordance with state law; the operator must not drain the fluids to the soil or ground. The operator will design, construct, and maintain all secondary containment systems to prevent wildlife and livestock exposure to harmful substances. At a minimum, the operator will install effective wildlife and livestock exclosure systems such as fencing, netting, expanded metal mesh, lids, and grate covers. Use a maximum netting mesh size of 1 ½ inches.

16. Special Stipulations:

Only the area south of the reserve pit and west of the wellbore may be used to store serviceable equipment.

Equipment will not be stored at this location that has been replaced and is no longer capable of performing the function for what it was designed.