				OCD Arte	sia		
Form 3160-5 (August 2007)		UNITED STATE	NTERIOR			OMB	A APPROVED NO. 1004-0135 s: July 31, 2010
	BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS					 Lease Serial No. MultipleSee Attached 	
D ab	o not use this	s form for proposals to . Use form 3160-3 (AP	drill or to re-	enter an		6. If Indian, Allottee	
SU	IBMIT IN TRIP	PLICATE - Other instruc	ctions on rev	erse side.		7. If Unit or CA/Agr 8920002760	eement, Name and/or
1. Type of Well Ø Oil Well 🔲 G	as Well 🔲 Othe					8. Well Name and Ne MultipleSee At	
2. Name of Operator			TERRY B C. Innenergy.cor	ALLAHAN n		9. API Well No. MultipleSee	Attached
3a. Address 600 TRAVIS STF HOUSTON, TX	REET SUITE 5	5100	3b. Phone No Ph: 281-84 Fx: 281-605	. (include area code) 0-4272 5-4105		10. Field and Pool, c GRAYBURG GRAYBURG J	
		R., M., or Survey Description))			11. County or Parish	
MultipleSee Att	tached			mention and a	ينغ .	EDDY COUNT	Y ; NM
				. •			
12. C	CHECK APPR	OPRIATE BOX(ES) TO) INDICATE	NATURE OF N	IOTICE, R	EPORT, OR OTHI	ER DATA
TYPE OF SUBM	IISSION	- 		TYPE OF	ACTION	, .	
Notice of Intent		☐ Acidize	Dee:	pen	Product	tion (Start/Resume)	U Water Shut-C
☐ Subsequent Rep		Alter Casing	—	ture Treat	□ Reclam		U Well Integrity
•	1	Casing Repair	🗆 New	Construction	🗖 Recom		⊠ Other Venting and/or I
	mont Metter -		67 D1.	and Alexand	m T		
If the proposal is to d Attach the Bond und following completion	r Completed Oper deepen directional ler which the work n of the involved o	Convert to Injection Convert to Injection ration (clearly state all pertinent ly or recomplete horizontally, c will be performed or provide operations. If the operation re undorment Notices shall be fil	Plug nt details, includi give subsurface the Bond No. or sults in a multipl	ng estimated starting locations and measur file with BLM/BIA e completion or reco	Water I date of any p red and true vo Required su mpletion in a	roposed work and appro ertical depths of all pert bsequent reports shall b new interval, a Form 31	ng oximate duration therect inent markers and zone e filed within 30 days 60-4 shall be filed onc
 Describe Proposed or If the proposal is to d Attach the Bond und following completion testing has been com determined that the single LINN WOULD LII 	r Completed Oper deepen directional ler which the work n of the involved of pleted. Final Aba ite is ready for fin KE TO REQUI GAS PLANT I GAS PLANT I Vell Number KELLY UNIT # KELLY UNIT # KELLY UNIT # KELLY UNIT # KELLY UNIT # KELLY UNIT #	Convert to Injection ation (clearly state all pertinent ly or recomplete horizontally, will be performed or provide operations. If the operation re- andonment Notices shall be fil all inspection.) EST TO FLARE FOR 90 EXPERIENCING A LOW 005 006 007 008 011 013 014 SU	Plug nt details, includi give subsurface the Bond No. or sults in a multipl ed only after all n DAYS FROM V PRESSURE	Back ng estimated starting locations and measure file with BLM/BIA e completion or recor- requirements, includi ATHE NMNM98 UNIT OUT RECEI APR 3 0 NMOCD AI LIKE	Water I date of any p red and true vo Required su mpletion in a ng reclamation 122. THE F VED 2013	Disposal roposed work and appre- ertical depths of all pert bequent reports shall b new interval, a Form 31 n, have been completed ELARING IS REQU SEEE ATTACI DITIONS OF DITIONS OF	ng pximate duration thered inent markers and zone e filed within 30 days 60-4 shall be filed onc , and the operator has IRED DUE TO HED FOR APPROVAL 0 5/1/20/3
 13. Describe Proposed on If the proposal is to d Attach the Bond und following completion testing has been com determined that the si LINN WOULD LII THE FRONTIER API Well Name V 30-015-05326 SH 30-015-05326 SH 30-015-05328 SH 30-015-05323 SH 30-015-05323 SH 30-015-05323 SH 30-015-05323 SH 30-015-05323 SH 30-015-05323 SH 30-015-05323 SH 	r Completed Oper deepen directional ler which the work n of the involved of pleted. Final Aba ite is ready for fin KE TO REQUI GAS PLANT I KELLY UNIT # KELLY UNIT #	Convert to Injection ration (clearly state all pertinent ly or recomplete horizontally, cwill be performed or provide operations. If the operation re- andonment Notices shall be fil- all inspection.) EST TO FLARE FOR 90 EXPERIENCING A LOW 005 006 007 008 011 013 014 015 APPE rue and correct. Electronic Submission #	Plug nt details, includi give subsurface the Bond No. or sults in a multipl ed only after all n DAYS FROM / PRESSURE / PRESSURE / BJECT TO ROVAL BY	Back ng estimated starting locations and measure file with BLM/BIA the completion or recor- requirements, includi A THE NMNM98 UNIT OUT RECEI APR 3 0 NMOCD AI LIKE STATE	Water I date of any p red and true vo Required su mpletion in a ing reclamation 122. THE F VED 2013 RTESIA	Disposal roposed work and appro- rrtical depths of all pert besequent reports shall b new interval, a Form 31 n, have been completed FLARING IS REQU FLARING IS REQU FLA	ng oximate duration thered inent markers and zone e filed within 30 days 60-4 shall be filed onc , and the operator has IRED DUE TO
 13. Describe Proposed on If the proposal is to d Attach the Bond und following completion testing has been comp determined that the st LINN WOULD LII THE FRONTIER API Well Name V 30-015-05326 SH 30-015-05326 SH 30-015-05328 SH 30-015-05330 SH 30-015-05332 SH 30-015-05332 SH 30-015-05332 SH 	r Completed Oper deepen directional ler which the work n of the involved of pleted. Final Aba ite is ready for fin KE TO REQUI GAS PLANT I Well Number KELLY UNIT # KELLY UNIT #	Convert to Injection ation (clearly state all pertinent ly or recomplete horizontally, will be performed or provide operations. If the operation re- andonment Notices shall be fil- al inspection.) EST TO FLARE FOR 90 EXPERIENCING A LOW 005 006 007 008 011 013 014 015 APPE	Phug Int details, includi give subsurface the Bond No. or sults in a multipl ed only after all n DAYS FROM PRESSURE BJECT TO COVAL BY 204002 verifier TING INCORP	Back ng estimated starting locations and measure file with BLM/BIA e completion or recor- requirements, includi A THE NMNM98 UNIT OUT RECEI APR 3 0 NMOCD AI LIKE STATE by the BLM Well DRATED, sent to	Water I date of any p red and true vo Required su mpletion in a ing reclamation 122. THE F VED 2013 RTESIA	Disposal roposed work and appro- prical depths of all perti- bsequent reports shall b new interval, a Form 31 n, have been completed FLARING IS REQU FLARING IS REQU FLA	ng Descrimate duration there inent markers and zone e filed within 30 days 60-4 shall be filed onc , and the operator has IRED DUE TO HED FOR APPROVAN 0 5//20/3 for record
 13. Describe Proposed on If the proposal is to d Attach the Bond und following completion testing has been comp determined that the st LINN WOULD LII THE FRONTIER API Well Name V 30-015-05326 SH 30-015-05326 SH 30-015-05328 SH 30-015-05330 SH 30-015-05332 SH 30-015-05332 SH 30-015-05332 SH 	r Completed Oper deepen directional ler which the work n of the involved of pleted. Final Aba ite is ready for fin KE TO REQUI GAS PLANT I Well Number KELLY UNIT # KELLY UNIT #	Convert to Injection ration (clearly state all pertinent ly or recomplete horizontally, cwill be performed or provide operations. If the operation re- andonment Notices shall be fil- all inspection.) EST TO FLARE FOR 90 EXPERIENCING A LOW 005 006 007 008 011 013 014 015 APPE rue and correct. Electronic Submission # For LINN OPERA tted to AFMSS for process	Phug Int details, includi give subsurface the Bond No. or sults in a multipl ed only after all n DAYS FROM PRESSURE BJECT TO COVAL BY 204002 verifier TING INCORP	Back ng estimated starting locations and measure file with BLM/BIA e completion or recor- requirements, includi A THE NMNM98 UNIT OUT RECEI APR 3 0 NMOCD AI LIKE STATE by the BLM Well DRATED, sent to NY DICKERSON o	Water I date of any p red and true vo Required su mpletion in a ing reclamation 122. THE F VED 2013 RTESIA Information the Carlsba n 04/12/2013	Disposal roposed work and appro- prical depths of all perti- bsequent reports shall b new interval, a Form 31 n, have been completed FLARING IS REQU FLARING IS REQU FLA	ng Descrimate duration there inent markers and zone e filed within 30 days 60-4 shall be filed onc , and the operator has IRED DUE TO HED FOR APPROVAN 0 5//20/3 for record
 13. Describe Proposed or If the proposal is to d Attach the Bond under following completion testing has been comp determined that the sit LINN WOULD LII THE FRONTIER API Well Name V 30-015-05335 SH 30-015-05326 SH 30-015-05328 SH 30-015-05323 SH 30-015-05322 SH 30-015-05322 SH 30-015-05332 SH 14. I hereby certify that 	r Completed Oper deepen directional ler which the work of the involved of pleted. Final Aba- nite is ready for fin KE TO REQUI GAS PLANT I Well Number KELLY UNIT # KELLY UNIT #	Convert to Injection ation (clearly state all pertine) will be performed or provide operations. If the operation re- andonment Notices shall be fil al inspection.) EST TO FLARE FOR 90 EXPERIENCING A LOW O05 006 007 008 011 013 014 SU 015 APPE rue and correct. Electronic Submission # For LINN OPERA tted to AFMSS for process CALLAHAN	Phug Int details, includi give subsurface the Bond No. or sults in a multipl ed only after all n DAYS FROM PRESSURE BJECT TO COVAL BY 204002 verifier TING INCORP	Back ng estimated starting locations and measure file with BLM/BIA e completion or recor- requirements, includi A THE NMNM98 UNIT OUT RECEI APR 3 0 NMOCD AI LIKE STATE by the BLM Well DRATED, sent to NY DICKERSON o	Water I date of any p red and true vo Required su mpletion in a ing reclamation 122. THE F VED 2013 RTESIA Information the Carlsba n 04/12/2013	Disposal roposed work and appro- pertical depths of all perti- bisequent reports shall b new interval, a Form 31 n, have been completed ELARING IS REQU ELARING IS REQU ELARING IS REQU DITIONS OF ACCOLORING System d 1(3JLD0505SE)	ng Descrimate duration there inent markers and zone e filed within 30 days 60-4 shall be filed onc , and the operator has IRED DUE TO HED FOR APPROVAN 0 5//20/3 for record
 13. Describe Proposed on If the proposal is to d Attach the Bond under following completion testing has been comp determined that the sit LINN WOULD LII THE FRONTIER API Well Name V 30-015-05325 SH 30-015-05326 SH 30-015-05326 SH 30-015-05328 SH 30-015-05323 SH 30-015-05323 SH 30-015-05322 SH 30-015-05322 SH 30-015-05332 SH 14. Thereby certify that Name (Printed/Typed) 	r Completed Oper deepen directional ler which the work no fithe involved of pleted. Final Aba- ite is ready for fin KE TO REQUI GAS PLANT I Well Number KELLY UNIT # KELLY UNIT #	Convert to Injection ation (clearly state all pertine) will be performed or provide operations. If the operation re- andonment Notices shall be fil al inspection.) EST TO FLARE FOR 90 EXPERIENCING A LOW O05 006 007 008 011 013 014 SU 015 APPE rue and correct. Electronic Submission # For LINN OPERA tted to AFMSS for process CALLAHAN	Plug nt details, includi give subsurface the Bond No. or sults in a multipl ed only after all n DAYS FROM / PRESSURE /	Back ng estimated starting locations and measure offile with BLM/BIA e completion or recor- requirements, includi A THE NMNM98 UNIT OUT. RECEI APR 3 0 NMOCD AI LIKE STATE by the BLM Well DRATED, sent to NY DICKERSON o Title REGULA	Water I date of any p red and true vo Required su mpletion in a ing reclamation 122. THE F VED 2013 RTESIA Information the Carisba n 04/12/2013 ATORY SPI	Disposal roposed work and appre- ricial depths of all pert- bisequent reports shall b new interval, a Form 31 n, have been completed ELARING IS REQU SEE ATTACI DITIONS OF ACCORACY NMI a (13JLD0505SE) ECIALIST III	ng Descrimate duration there inent markers and zone e filed within 30 days 60-4 shall be filed onc , and the operator has IRED DUE TO HED FOR APPROVAN 0 5//20/3 for record
 13. Describe Proposed or If the proposal is to d Attach the Bond under following completion testing has been completed testing has been completed testing has been completed testing has been completed LINN WOULD LII THE FRONTIER API Well Name V 30-015-05335 SH 30-015-05326 SH 30-015-05328 SH 30-015-05323 SH 30-015-05322 SH 30-015-05322 SH 30-015-05332 SH 14. I hereby certify that Name (Printed/Typed Signature 	r Completed Oper deepen directional ler which the work n of the involved of pleted. Final Aba ite is ready for fin KE TO REQUI GAS PLANT I Vell Number KELLY UNIT # KELLY WELLY WE	Convert to Injection ration (clearly state all pertinent ly or recomplete horizontally, cwill be performed or provide operations. If the operation re- andonment Notices shall be fil- all inspection.) EST TO FLARE FOR 90 EXPERIENCING A LOW 005 006 007 008 011 013 014 015 APPE rue and correct. Electronic Submission # For LINN OPERA tted to AFMSS for process CALLAHAN	Plug Int details, includi give subsurface the Bond No. or sults in a multipled only after all the DAYS FROM PRESSURE BJECT TO ROVAL BY 204002 verified TING INCORPANNE Sing by JOHN DR FEDERA Not warrant or	Back ng estimated starting locations and measure offile with BLM/BIA e completion or recor- requirements, includi A THE NMNM98 UNIT OUT. RECEI APR 3 0 NMOCD AI LIKE STATE by the BLM Well DRATED, sent to NY DICKERSON o Title REGULA	Water I date of any p red and true vu Required su mpletion in a ing reclamation 122. THE F VED 2013 RTESIA Information the Carlsba n 04/12/2013 ATORY SPI	Disposal roposed work and appre- ricial depths of all pert- bisequent reports shall b new interval, a Form 31 n, have been completed ELARING IS REQU SEE ATTACI DITIONS OF ACCORACY NMI a (13JLD0505SE) ECIALIST III	ng Descrimate duration there inent markers and zone e filed within 30 days 60-4 shall be filed onc , and the operator has IRED DUE TO HED FOR APPROVAN 0 5//20/3 for record

. .

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

.

- .

Additional data for EC transaction #204002 that would not fit on the form

5. Lease Serial No., continued

NMLC029419A NMLC029420A NMNM98122

Wells/Facilities, continued

٤,

الريرية

Agreement NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A NMNM71030A	Lease NMNM98122 NMLC029419A NMLC029419A NMLC029419A NMLC029419A NMLC029419A NMLC029419A NMM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122 NMNM98122	Well/Fac Name, Number SKELLY UNIT 11 SKELLY UNIT 11 SKELLY UNIT 116 SKELLY UNIT 116 SKELLY UNIT 125 SKELLY UNIT 126 SKELLY UNIT 126 SKELLY UNIT 126 SKELLY UNIT 13 SKELLY UNIT 13 SKELLY UNIT 14 SKELLY UNIT 14 SKELLY UNIT 220 SKELLY UNIT 221 SKELLY UNIT 222 SKELLY UNIT 223 SKELLY UNIT 223 SKELLY UNIT 234 SKELLY UNIT 235 SKELLY UNIT 235 SKELLY UNIT 246 SKELLY UNIT 248 SKELLY UNIT 502 SKELLY UNIT 503	API Number 30-015-05330-00-D1 30-015-05330-00-D2 30-015-21090-00-D2 30-015-22251-00-S1 30-015-22260-00-S1 30-015-22260-00-S1 30-015-05322-00-S1 30-015-05322-00-S1 30-015-05322-00-S1 30-015-28893-00-S1 30-015-28964-00-S1 30-015-28784-00-S1 30-015-28784-00-S1 30-015-28784-00-S1 30-015-28784-00-S1 30-015-28784-00-S1 30-015-28784-00-S1 30-015-28784-00-S1 30-015-37006-00-S1 30-015-37008-00-S1	Location Sec 21 T175 R31E NESE 1980FSL 660FEL Sec 21 T175 R31E NESE 1980FSL 660FEL Sec 22 T175 R31E NESE 1980FSL 660FEL Sec 22 T175 R31E NWSW 1330FSL 130FWL Sec 22 T175 R31E NWSW 1380FSL 1880FWL Sec 22 T175 R31E SWSW 560FSL 760FWL Sec 21 T175 R31E SWSW 560FSL 760FWL Sec 21 T175 R31E NESW 1980FSL 1980FWL Sec 21 T175 R31E NWSW 1980FSL 660FWL Sec 21 T175 R31E SWSW 760FSL 660FWL Sec 21 T175 R31E SWSW 760FSL 660FWL Sec 21 T175 R31E SWSW 760FSL 660FWL Sec 21 T175 R31E SWSW 1980FSL 660FWL Sec 21 T175 R31E SWSW 1980FSL 1980FWL Sec 21 T175 R31E SENW 1300FNL 1400FWL Sec 21 T175 R31E SENW 1300FNL 1400FWL Sec 21 T175 R31E SENW 2620FNL 1343FWL Sec 21 T175 R31E SENW 2620FNL 1343FWL Sec 21 T175 R31E SENW 2600FSL 1740FEL Sec 21 T175 R31E SENW 1306FSL 1216FWL Sec 21 T175 R31E SESE 1240FSL 1190FEL Sec 21 T175 R31E SESE 1240FSL 1190FEL Sec 21 T175 R31E NWSW 1310FNL 560FWL 32.823710 N Lat, 103.881499 W Lon Sec 21 T175 R31E NENW 1310FNL 1980FWL 32.823716 N Lat, 103.876855 W Lon
NMNM71030A	NMNM98122 NMNM98122	SKELLY UNIT 5	30-015-37008-00-S1 30-015-05335-00-S1	

۰.

۰.

. ..

32. Additional remarks, continued

30-015-21090 SKELLY UNIT #116
30-015-22251 SKELLY UNIT #117
30-015-22259 SKELLY UNIT #125
30-015-22260 SKELLY UNIT #126
30-015-22263 SKELLY UNIT #129
30-015-28892 SKELLY UNIT #220
30-015-28893 SKELLY UNIT #221
30-015-28894 SKELLY UNIT #222
30-015-28964 SKELLY UNIT #223
30-015-29181 SKELLY UNIT #233
30-015-28783 SKELLY UNIT #234
30-015-28784 SKELLY UNIT #235
30-015-29063 SKELLY UNIT #246
30-015-28788 SKELLY UNIT #247
30-015-28810 SKELLY UNIT #248
30-015-37006 SKELLY UNIT #502
30-015-37008 SKELLY UNIT #503

.

· · ·

.

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

4/27/2013

Condition of Approval to Flare Gas

- 1. Report all volumes on OGOR reports.
- 2. Comply with NTL-4A requirements
- 3. Subject to like approval from NMOCD
- 4. Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days for date of approval.
- 9. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared.

10. If flaring is still required past 90 days submit new request for approval.