

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or re-drill an abandoned well. Use Form 3160-3 (APD) for such proposals.

RECEIVED  
JUN 25 2013

FORM APPROVED  
OMB No. 1004-0135  
Expires July 31, 1996

5. Lease Serial No.  
NMLC 065478-B

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
FALCON 3 C FEDERAL #31

9. API Well No.  
30-015-41255

10. Field and Pool, or Exploratory Area  
Red Lake: Glorieta-Yeso NE (96836)  
AND  
Eddy County, New Mexico

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well  
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator  
LIME ROCK RESOURCES II-A, L.P.

3a. Address c/o Mike Pippin LLC  
3104 N. Sullivan, Farmington, NM 87401

3b. Phone No. (include area code)  
505-327-4573

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
805' FNL & 2155' FWL Unit C OGRID#: 277558  
Sec. 3, T18S, R27E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input checked="" type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input checked="" type="checkbox"/> Other Completion Pg#1
	<input type="checkbox"/> Change Plans <input type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

On 5/16/13, PT 5-1/2" csg to 5000 psi for 30 min-OK. Perfed lower Yeso @ 4157', 66', 74', 80', 4200', 10', 20', 32', 40', 52', 60', 70', 82', 87', 94', 4306', 15', 32', 36', 48', 54', 60', 70', 79', 88', 4400', 10', 16', 28', 33', 40', 45' w/1-0.41" spf. Total 32 holes. On 5/21/13, treated perfs w/2000 gal 7.5% HCL acid & ~48 perf balls. Fraced perfs w/82,335# 16/30 Brady & 19,180# 16/30 siber prop sand in X-linked gel. Set 5-1/2" CBP @ 4074' & PT to 3000 psi-OK. Perfed middle Yeso @ 3710', 16', 24', 29', 35', 44', 64', 72', 84', 93', 3807', 10', 32', 36', 46', 52', 58', 75', 80', 90', 3900', 10', 20', 30', 44', 58', 70', 80', 90', 4006', 10', 15', 20', 25', 40', 50', w/1-0.41" spf. Total 36 holes. Treated perfs w/3000 gal 7.5% HCL acid & 54 perf balls. Fraced perfs w/97,893# 16/30 Brady & 13,270# 16/30 siber prop sand in X-linked gel. Set 5-1/2" CBP @ 3670' & PT to 4000 psi-OK.

Perfed upper Yeso @ 3308', 14', 24', 34', 43', 50', 58', 68', 76', 88', 96', 3409', 15', 24', 40', 50', 64', 70', 75', 86', 3504', 10', 15', 20', 34', 40', 52', 60', 70', 3600', 06', 13', 26', 30', 40' w/1-0.41" spf. Total 35 holes. Treated perfs w/2000 gal 7.5% HCL acid & 53 perf balls. Fraced perfs w/94,999# 16/30 Brady & 13,790# 16/30 siber prop sand in X-linked gel. Set 5-1/2" CBP @ 3278' & PT to 4000 psi-OK. Continued on Page #2.

Accepted for record  
6/26/13 NMLC CD Doole

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Mike Pippin	Title Petroleum Engineer (Agent)
Signature <i>Mike Pippin</i>	Date May 30, 2013

THIS SPACE FOR FEDERAL OR STATE USE

Approved by	Title	Date
		JUN 23 2013
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

BUREAU OF LAND MANAGEMENT  
CARLSBAD FIELD OFFICE

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or reenter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.*

FORM APPROVED  
OMB No. 1004-0135  
Expires July 31, 1996

5. Lease Serial No.

NMLC 065478-B

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

FALCON 3 C FEDERAL #31

9. API Well No.

30-015-41255

10. Field and Pool, or Exploratory Area

Red Lake: Glorieta-Yeso NE (96836)

AND

Eddy County, New Mexico

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

LIME ROCK RESOURCES II-A, L.P.

3a. Address c/o Mike Pippin LLC

3104 N. Sullivan, Farmington, NM 87401

3b. Phone No. (include area code)

505-327-4573

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

805' FNL & 2155' FWL Unit C

OGRID#: 277558

Sec. 3, T18S, R27E

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input checked="" type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input checked="" type="checkbox"/> Other Completion Pg#2
	<input type="checkbox"/> Change Plans <input type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

**Continued from Page #1.** Perfed upper Yeso @ 3014', 24', 30', 40', 50', 58', 63', 72', 86', 3100', 05', 10', 18', 30', 35', 40', 48', 54', 59', 62', 70', 3200', 08', 20', 30', 36', 42', 54' w/1-0.41" spf. Total 28 holes. Treated perfs w/1000 gal 7.5% HCL acid & 42 perf balls. Fraced perfs w/87,432# 16/30 brady & 23,422# 16/30 siber prop sand. On 5/23/13, MIRUSU. CO after frac & drilled CBPs @ 3278', 3670', & 4074' & CO to PBD @ 4585'. On 5/28/13, landed 2-7/8" 6.5# J-55 tbg @ 4528'. Ran pump & rods. Released workover rig on 5/29/13.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Mike Pippin

Title

Petroleum Engineer (Agent)

Signature

*M. Pippin*

Date

May 30, 2013

**THIS SPACE FOR FEDERAL OR STATE USE**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.