Submit 3 Copies To Appropriate Bismic CEIVED State of New Mexico Office District I	Form C-103 May 27, 2004
District I 1625 N. French Dr., Hobbs, NM 88240 15 2013	WELL API NO.
	30-015-21650
1301 W. Grand Ave., Artesia, NM 88210 OIL CONSERVATION DIVISION District III NMOCD ARTES 1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 8/410 Santa Fe, NM 87505	STATE FEE
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	6. State Oil & Gas Lease No. LC5669
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	Myrtle Myra 8. Well Number 8
1. Type of Well: Oil Well 🔲 Gas Well 🛛 Other SWD	
2. Name of Operator	9. OGRID Number 270329
Endurance Resources LLC	
3. Address of Operator	10. Pool name or Wildcat
P.O. Box 1466, Artesia, NM 88211	SWD
4. Well Location	
Unit Letter <u>B</u> : 660 feet from the North line and 1980 feet from the East line	
Section 16 Township 21 S Range 27 E NMPM Eddy County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
Pit or Below-grade Tank Application or Closure	
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK 🔲 PLUG AND ABANDON 🗌 🛛 REMEDIAL WORK 🔅 🗍 ALTERING CASING 🗌	
TEMPORARILY ABANDON 🗌 CHANGE PLANS 🔲 COMMENCE DRI	
PULL OR ALTER CASING DIMULTIPLE COMPL CASING/CEMENT	JOB 🗌
13. Describe proposed or completed operations. (Clearly state all pertinent details, and	give pertinent dates, including estimated date
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Att	
or recompletion	
3/4/13 Move in equipment.	
3/5/13 Tried to set packer @4926' cannot set came up hole finally set @ 2800' Called OCD Randy Dade gave verbal to squeeze perforations from 2800' with 135 sxs class C.	
3/6/13 Tag cement @ 2880' Spot 75 sxs cement on top. WOC tag cmt @ 2200' spot 30 sxs on top. Circulate hole with mud.	
3/7/13 RIH with wireline and tag @ 1835' Perforate 4 1/2" casing @ 1750' Circulate 560 sxs cement to surface inside and outside 4 1/2" POOH with tubing top off cement with 10 sxs at surface.	
3/13/13 Remove well head and anchors install dry hole marker. Start removing all surface of	Liability under bond is retained pending as a feet
File Current C103 P&A	of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under
for final inspection	Forms, www.cmnrd.state.nm.us/ocd.
I hereby certify that the information about 5 true and complete to the best of my knowledge and belief. I further certify that any pit or below-	
grade tank has been/will be constructed of dosed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan .	
SIGNATURE	
Type or print name Randall Harris E-mail address: rharrisnm@yahoo.com Telephone No. 575.308.0722 For State Use Only	
	4 A
APPROVED BY: ///////////////////////////////////	WIST DATE fuly 16, 2013
A JUBMit Subsequent C-103	- AN