District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

١

State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See	Kule	19.15.	18.12 NMA	C and Rule	19.15.7.37	/ NMAC)

· A.	Applicant <u>COG Operating LLC</u> , whose address is <u>One Concho Center, 600 W. Illinois Ave., Midland, TX 79701</u> ,							
	hereby requests an exception to Rule 19.15.1	8.12 for <u>90</u>	days or until					
	October 9, Yr _2013_, for the following described tank battery (or LACT):							
	Name of LeaseBig Boy StateName of Pool <u>Red Lake; Glorieta-Yeso, Northeast</u>							
	Location of Battery: Unit Letter <u>M</u> Section <u>36</u> Township <u>178</u> Range <u>17E</u>							
	Number of wells producing into battery <u>5</u>							
В.	Based upon oil production of220	barrels per day, the esti	mated * volume					
	of gas to be flared is <u>580</u>	MCF; Value	per day.					
C.	Name and location of nearest gas gathering facility:							
	Frontier							
D.	DistanceEstimated co	ost of connection						
E.	This exception is requested for the following reasons: <u>Frontier shut in.</u>							
		· · · · · · · · · · · · · · · · · · ·						
OPERATOR		OIL CONSERVATION DIVISION						
I hereby certify the Division have been	hat the rules and regulations of the Oil Conservation en complied with and that the information given above	Approved Until Oct 15 - J	013					
-	ete to the best of my knowledge and belief.							
Signature		By ALLON						
Printed Name & Title <u>Kar</u>		Title Drof ESchewis	N					
	ss_ <u>kcastillo@concho.com</u>	Date July 9 - 2013						
Date 07/09/1	3 Telephone No. 432-685-4332	~ (
Gas-Oil rati	o test may be required to verify estimated gas	volume.						
* SI	EE Attached COA's							
4(:						

Flare Request Form

Dattery- Dig BOY 31 #1 Production- 220 off \$80 mcf. Total BTU of Hrss- 1,000,000 Flare Start Date- U/nit M, Sec36-T175-R175 GPS- N32-47.172 WILL Sec-TA- Unit M, Sec36-T175-R175 GPS- N32-47.172 WILL Sec-TA- Unit M, Sec36-T175-R175 GPS- N32-47.172 Will #15 # of wells to be flared-5 Gas purchaser- Frontier Reason For Flare- Frontier Shut in N \$ 1 30-015-39321 3 30-015-39322 5 30-015-39323 5 30-015-39324 7 30-015-39325 500 Oil \$ Flare Her Her Flare Her Flare Her 6 30-015-39325 500 Oil \$ 7 30-015-39325 500 Oil \$ 8 \$ 9 \$ 9 \$	Battery-	Big Boy St #1						
Total BTU of Htrs: 1,000,000 Flare Start Date- 7/7/2013 UL Sec-T-R Unit M, Sec36-T17S-R17S Reason For Flare- Frontier Shut In W Site Diagram W Site Diagram Site Diagram 500 Wtr 1 30-015-39321 3 30-015-39322 5 30-015-39323 5 30-015-39323 5 30-015-39323 5 30-015-39323 5 30-015-39323 5 30-015-39324 7 30-015-39325 500 OH Stee Fiare Fester Hare Fiare Fiare Fiare Stee Diagram Stee Diagram W Stee Diagram Stee Diagram Stee Diagram Fiare Stee Diagram Fiare Stee Diagram Fiare Stee Diagram Stee Diagram Stee Diagram Fiare Fiare Fiare Fiare Fiare Fiare <td< th=""><th></th><th></th><th></th></td<>								
Flare Start Date- UL Sec-T-R- # of wells in bty- Reason For Flare- Well #s APLNumbers 1 30-015-39322 5 30-015-39323 6 30-015-39325 5 3								
UL Sec-T-R- # of wells in bty- Reason For Flare- W	1							
# of wells in bty	1							
Reason For Flare Frontier Shut In W Site Diagram 3 30-015-39321 3 30-015-39323 6 30-015-39324 7 30-015-39325 500 OII Fire Hr Fire								
W Site Diagram W I 3 30-015-39321 3 30-015-39323 5 30-015-39323 5 30-015-39324 7 30-015-39325 500 OII Soo OII 6 Soo OII 7 30-015-39325 500 OII Soo OII Fiare Hr Fiare Hr Fiare Hr Fiare Hr O Fiare			Gas purchaser- Frontier					
Weil #'s API Numbers 500 Wtr 1 30-015-39322 500 OII 3 30-015-39323 500 OII 6 30-015-39324 500 OII 7 30-015-39325 500 OII 8 30-015-39325 500 OII 9 30-015-39325 500 OII 9 7 30-015-39325 9 7 30-015-39326 9 7 500 OII 9 9 500 OII 9 9 500 OII 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Reason FOF Flare-	Frontier Shut in						
Weil #'s API Numbers 500 Wtr 1 30-015-39322 500 OII 3 30-015-39323 500 OII 6 30-015-39324 500 OII 7 30-015-39325 500 OII 8 30-015-39325 500 OII 9 30-015-39325 500 OII 9 7 30-015-39325 9 7 30-015-39326 9 7 500 OII 9 9 500 OII 9 9 500 OII 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	· · · · · · · · · · · · · · · · · · ·							
1 30-015-39321 3 30-015-39323 6 30-015-39324 7 30-015-39325 500 Oil 500 Oil 500 Oil Fiare Htr Fiare Fiare Fiare Fiare Oil Fiare <	Ŋ	Site Diagr	am					
1 30-015-39321 3 30-015-39323 6 30-015-39324 7 30-015-39325 500 Oil 500 Oil 500 Oil Fiare Htr Fiare Fiare Fiare Fiare Oil Fiare <	W E		1					
1 30-015-39321 3 30-015-39323 6 30-015-39324 7 30-015-39325 500 Oil 500 Oil 500 Oil Fiare Htr Fiare Fiare Fiare Fiare Oil Fiare <								
1 30-015-39321 3 30-015-39323 6 30-015-39324 7 30-015-39325 500 Oil 500 Oil 500 Oil Fiare Htr Fiare Fiare Fiare Fiare Oil Fiare <	5							
1 30-015-39321 3 30-015-39323 6 30-015-39324 7 30-015-39325 500 Oil 500 Oil 500 Oil Fiare Htr Fiare Fiare Fiare Fiare Oil Fiare <								
3 30-015-39322 5 30-015-39323 6 30-015-39324 7 30-015-39325 500 OII Fiare Hrr Fixe Hrr Fixe Fi			500 Wtr ()					
5 30-015-39323 6 30-015-39324 7 30-015-39325 500 Oil Fiare Htr Htr FWKO	1							
6 30-015-39325 7 30-015-39325 500 Oil			500 OII					
Fiare Tester Htr FWK0			\bigcirc					
Fiare Tester Htr O FWK0								
Flare Htr C			500 Oil					
Flare Htr C			\mathbf{i}					
Flare Htr C			:					
Flare Htr C								
Flare Htr C	τ							
Flare Htr C	•							
Flare Htr C								
Flare Htr C	:							
Flare Htr C								
Flare Htr C	,							
Flare Htr C			i					
Flare Htr C	1							
Flare Htr C								
Flare Htr C								
Flare Htr C								
Flare Htr O								
Flare Htr O			T					
			lester					
	Flare		\sim					
			Htr 🕖					
			- EWKO					
Sep O	i i							
Sep O	1							
			Sep 🔘					
		· · ·						
	L		nin manya					

,

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- **2.** Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here RDade July 9, 2013 11

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



March 19, 2013 FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <u>http://activefiremaps.fs.fed.us/current.php</u>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.