

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-015-04713
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name HOVER STATE
8. Well Number # 1
9. OGRID Number
10. Pool name or Wildcat BARBER

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator  
INTREPID POTASH

3. Address of Operator

4. Well Location

Unit 330 feet from the N line and 2310 feet from the E line  
Section 29 Township 20S Range 30E NMPM EDDY County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water

Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

CONDITIONS OF APPROVAL ATTACHED

DRILL AND CLEAN OUT HOLE TO 1500'  
PERF AND SPOT CEMENT FILLING HOLE TO SURFACE

Approval Granted providing work is  
Completed by

July 31, 2014

STEEL PITS WILL BE USED FOR THIS PROCEDURE

Approved for plugging of well bore only.  
Liability under bond is retained pending receipt  
of C-103 (Subsequent Report of Well Plugging)  
which may be found at OCD Web Page under  
Forms, www.cmnrd.state.nm.us/oed.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.


SIGNATURE Mark Hoskins TITLE AGENT DATE 7/30/13

Type or print name MARK HOSKINS E-mail address: mark.hoskins@basicenergyservices.com Telephone No. 575-736-1366  
For State Use Only

APPROVED BY: LR Dade TITLE DIST # Supervisor DATE July 31, 2013  
Conditions of Approval (if any):

★ This is A re-plug

Penman Harbor State  
230 ft N, 2310 ft E Sec 29 T200 R100E



## Well Designation

Company: Penman Hoover St.

Location: 33.0 N, 22.0 E

Lessor or Tract:

Date Drilled:

Elev.: 3366

Date Plugged: 1944

T. D. 1802'

## Casing Record:

10" Casing - 12 1/4" hole - 46' pipe set 150' - mud.

8" Casing - 10" hole - 36' pipe 541' - 100 Sox.

7" Casing 1500'

## Mudding or Cementing Record:

## Tools Used:

## Oil &amp; Gas Sands or Zones:

## Water Sands:

## Formation Tops:

## Plugging Record:

Filled with mud to 1450' set swell bridge + 5 Sox at 1450'.  
Filled with mud to 528' in surface (probably pulled some 7"  
but no swell) set swell bridge at 528' and placed 5 Sox. Then  
mud fill to within 50' of surface and set wooden plug 3' from  
top of surface pipe, 3 Sox cement and gravel 3' to surface  
+ place marker pipe. (By Teke from O&G office in Houston Dec  
5 '66. If we remember this well should verify abandonment.)