<u>IV</u> St. Franci	is Dr., Santa Fe, NM 87505 NFO Permit No	
А	APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12	
(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)		
A.	Applicant Chevron USA Inc,	
	whose address is15 Smith Rd., Midland, TX,	
	hereby requests an exception to Rule 19.15.18.12 for100days or until	
	December 5th, Yr _2013, for the following described tank battery (or LACT):	
	Name of Lease Skelly Fren 907 Battery Name of Pool Glorieta-Yeso	
	Location of Battery: Unit Letter J_Section 22 Township 178 Range 31E	
	Number of wells producing into battery24	
B.	Based upon oil production of <u>360</u> barrels per day, the estimated * volume	
	of gas to be flared is <u>26600</u> MCF; Value <u>266</u> per day.	
C.	Name and location of nearest gas gathering facility:	
	Frontier Maljamar Gas Plant	
D.	Distance NA Estimated cost of connection NA	
E.	This exception is requested for the following reasons: Frontier plant down for maintenance /	
	expansion	
	23	
ATOR	OIL CONSERVATION DIVISION	
y certify n have b	that the rules and regulations of the Oil Conservation een complied with and that the information given above Approved Until Nec 15 Th 2013	
and comp ture	Plete to the best of my knowledge and belief.	
d Nam	By WOUL	
	Title DisrACQUUS(1	
	ess_david.pagano@chevron.com Date Sept 3, 2013	

Bratcher, Mike, EMNRD

From:	Pagano, David (David.Pagano) <david.pagano@chevron.com></david.pagano@chevron.com>
Sent:	Thursday, August 29, 2013 9:47 AM
То:	Pagano, David (David.Pagano); Bratcher, Mike, EMNRD
Cc:	Moschetti, Nick (NMOS); DeLeon, Josepha; Nevarez, Joseph D
Subject:	Initial C-141 & C-129 reports for the flaring at our Skelly 907 due to Frontier curtailing gas in our sales line
Attachments:	C-129 - Skelly 907 Battery S.pdf; 20130827 C-141 Skelly 907 Bty Flare IS.pdf

Mike,

Here are the Initial C-141 & C-129 reports for the flaring at our Skelly 907 due to Frontier curtailing gas in our sales line while they complete and upgrade to their plant. Flaring started at 10:00AM on 8/27/13. Frontier is communicating that they will be curtailing our gas indefinitely which could mean from a few weeks to a few months. Once the sales line pressure is back up and we are no longer flaring I will send the final reports. You will find the wells associated with the 907 battery at the bottom of the email. Please let me know if you have any questions or need additional information.


Regards,

David A. Pagano

MCA Health & Environmental Specialist (Central Permian – Vacuum/Buckeye, Dollarhide & Sundown) 56 Texas Camp Rd., Lovington, NM 88260 Phone: 575-396-4414 x275 Cell: 505-787-9816 Fax: 575-396-6913 dpgn@chevron.com

"CONFIDENTIALITY NOTICE: This message is confidential and may be privileged. If you believe that this email has been sent to you in error, please reply to the sender that you received the message; then please delete this email."

Well	Battery
SU 689	SKELLY UNIT . 38013
SU 699	SKELLY UNIT 4104
SU 700	SKELLY UNIT 37981
SU 703	SKELLY UNIT 38344
SU 707	SKELLY UNIT 38352
SU 711	SKELLY UNIT 38014
SU 713	SKELLY UNIT 40094
SU 714	SKELLY UNIT 38449
SU 718	SKELLY UNIT 37882
SU 719	SKELLY UNIT 37883
SU 722	SKELLY UNIT 3837
SU 724	SKELLY UNIT 38253
SU 725	SKELLY UNIT 38378
SU 828	SKELLY UNIT 38443
SU 907	SKELLY UNIT 3335
SU 908	SKELLY UNIT 31375
SU 912	SKELLY UNIT 31664



SU 914	SKELLY UNIT 31665
SU 930	SKELLY UNIT 31666
SU 931	SKELLY UNIT 31/0 (07
SU 933	SKELLY UNIT 31975
SU 936	SKELLY UNIT 32595
SU 937	SKELLY UNIT 32594

2

. .

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited.</u> The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here AWOOU11 Sept 3, 20/3

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



March 19, 2013 FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.