RECEIVED

District 1 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Road, Aztec, NM 874

State of New Mexico
AUG 2 5 Pagg Minerals and Natural Resources Oil Conservation Division NMOCD ARTES 3 South St. Francis Dr.

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

NFO Permit No. (For Division Use Only)

#### APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

Α.	Applicant Chevron USA Inc.		_,			
	whose address is15 Smith Rd., Mi	dland, TX	,			
	hereby requests an exception to Rule 19.15.1	8.12 fordays or ur	ntil			
	Name of Lease Skelly Fren 907 Battery Name of Pool Glorieta-Yeso					
	Location of Battery: Unit LetterJS	ection <u>22</u> Township <u>17S</u> Range <u>31E</u>	_			
	Number of wells producing into battery	24	_			
В.	Based upon oil production of360	barrels per day, the estimated * volume	;			
	of gas to be flared is 26600	MCF; Value <u>266</u> per day.				
C.	Name and location of nearest gas gathering facility:					
	Frontier Maljamar Gas Plant					
D.	Distance NA Estimated cost of connection NA					
E.	This exception is requested for the following reasons: Frontier plant down for maintenance /					
D.		•	- <u>*</u>			
	<u>expansion</u>					
			_			
			23			
OPERATOR  I hereby certify t	that the rules and regulations of the Oil Conservation	OIL CONSERVATION DIVISION				
Division have be	een complied with and that the information given above plete to the best of my knowledge and belief.	Approved Until Dec 15 - 2013				
Signature	David Pagano	By Made				
Printed Name		Title DISTANDEWISH				
E-mail Addre	d Pagano, Health & Environmental Specialist essdavid.pagano@chevron.com	Date Sept 3, 2013				
Date 08/29/						
	io test may be required to verify estimated gas	ualum a				

\* See Attached COA;

#### Bratcher, Mike, EMNRD

From: Pagano, David (David.Pagano) <David.Pagano@chevron.com>

Sent: Thursday, August 29, 2013 9:47 AM

**To:** Pagano, David (David.Pagano); Bratcher, Mike, EMNRD

Cc: Moschetti, Nick (NMOS); DeLeon, Josepha; Nevarez, Joseph D

**Subject:** Initial C-141 & C-129 reports for the flaring at our Skelly 907 due to Frontier curtailing

gas in our sales line

Attachments: C-129 - Skelly 907 Battery S.pdf; 20130827 C-141 Skelly 907 Bty Flare IS.pdf

#### Mike,

Here are the Initial C-141 & C-129 reports for the flaring at our Skelly 907 due to Frontier curtailing gas in our sales line while they complete and upgrade to their plant. Flaring started at 10:00AM on 8/27/13. Frontier is communicating that they will be curtailing our gas indefinitely which could mean from a few weeks to a few months. Once the sales line pressure is back up and we are no longer flaring I will send the final reports. You will find the wells associated with the 907 battery at the bottom of the email. Please let me know if you have any questions or need additional information.

#### Regards,

#### David A. Pagano

MCA Health & Environmental Specialist (Central Permian – Vacuum/Buckeye, Dollarhide & Sundown) 56 Texas Camp Rd., Lovington, NM 88260

**2** Phone: 575-396-4414 x275

**2** Cell: 505-787-9816 **2** Fax: 575-396-6913 **dpgn@chevron.com** 

"CONFIDENTIALITY NOTICE: This message is confidential and may be privileged. If you believe that this email has been sent to you in error, please reply to the sender that you received the message; then please delete this email."

SU 689       SKELLY UNIT 38013         SU 699       SKELLY UNIT 4104         SU 700       SKELLY UNIT 3981         SU 703       SKELLY UNIT 38344         SU 707       SKELLY UNIT 38352         SU 711       SKELLY UNIT 38014         SU 713       SKELLY UNIT 38014         SU 714       SKELLY UNIT 38449         SU 718       SKELLY UNIT 3783         SU 719       SKELLY UNIT 3783         SU 722       SKELLY UNIT 3831         SU 724       SKELLY UNIT 38253         SU 725       SKELLY UNIT 3837         SU 828       SKELLY UNIT 3835         SU 907       SKELLY UNIT 31375         SU 908       SKELLY UNIT 31375	Well	Battery
SU 700  SKELLY UNIT 3931  SU 703  SKELLY UNIT 38314  SU 707  SKELLY UNIT 38352  SU 711  SKELLY UNIT 38014  SU 713  SKELLY UNIT 40094  SU 714  SKELLY UNIT 38449  SU 718  SKELLY UNIT 3783  SU 719  SKELLY UNIT 3783  SU 722  SKELLY UNIT 3837  SU 722  SKELLY UNIT 3837  SU 725  SKELLY UNIT 38253  SU 725  SKELLY UNIT 3837  SU 725  SKELLY UNIT 3837  SU 725  SKELLY UNIT 3837  SU 828  SKELLY UNIT 3837  SU 907  SKELLY UNIT 31375	SU 689	SKELLY UNIT 38013
SU 703  SKELLY UNIT 383-14  SU 707  SKELLY UNIT 383-52  SU 711  SKELLY UNIT 38014  SU 713  SKELLY UNIT 40094  SU 714  SKELLY UNIT 3844  SU 719  SKELLY UNIT 37883  SU 719  SKELLY UNIT 3783  SU 722  SKELLY UNIT 3837  SU 722  SKELLY UNIT 38253  SU 725  SKELLY UNIT 38378  SU 725  SKELLY UNIT 3835  SU 828  SKELLY UNIT 3835  SU 907  SKELLY UNIT 3835  SU 908  SKELLY UNIT 31375	SU 699	SKELLY UNIT 4104
SU 707 SKELLY UNIT 38352 SU 711 SKELLY UNIT 38014 SU 713 SKELLY UNIT 40094 SU 714 SKELLY UNIT 38449 SU 718 SKELLY UNIT 37882 SU 719 SKELLY UNIT 37883 SU 722 SKELLY UNIT 3837 SU 722 SKELLY UNIT 3837 SU 725 SKELLY UNIT 38378 SU 725 SKELLY UNIT 38378 SU 828 SKELLY UNIT 3843 SU 907 SKELLY UNIT 3835 SU 908 SKELLY UNIT 3835	SU 700	SKELLY UNIT 57981
SU 711       SKELLY UNIT       38014         SU 713       SKELLY UNIT       40094         SU 714       SKELLY UNIT       38449         SU 718       SKELLY UNIT       37883         SU 719       SKELLY UNIT       37837         SU 722       SKELLY UNIT       3837         SU 724       SKELLY UNIT       38253         SU 725       SKELLY UNIT       38378         SU 828       SKELLY UNIT       38435         SU 907       SKELLY UNIT       31375         SU 908       SKELLY UNIT       31375	SU 703	SKELLY UNIT 38344
SU 713       SKELLY UNIT       40094         SU 714       SKELLY UNIT       38449         SU 718       SKELLY UNIT       37882         SU 719       SKELLY UNIT       37883         SU 722       SKELLY UNIT       3837         SU 724       SKELLY UNIT       38253         SU 725       SKELLY UNIT       38378         SU 828       SKELLY UNIT       38435         SU 907       SKELLY UNIT       31375         SU 908       SKELLY UNIT       31375	SU 707	SKELLY UNIT 38357
SU 714 SKELLY UNIT 38449 SU 718 SKELLY UNIT 3783 SU 719 SKELLY UNIT 3783 SU 722 SKELLY UNIT 3837 SU 724 SKELLY UNIT 38253 SU 725 SKELLY UNIT 38378 SU 828 SKELLY UNIT 3843 SU 907 SKELLY UNIT 3845 SU 908 SKELLY UNIT 31375	SU 711	SKELLYUNIT 38014
SU 718       SKELLY UNIT       3783         SU 719       SKELLY UNIT       3783         SU 722       SKELLY UNIT       3837         SU 724       SKELLY UNIT       38253         SU 725       SKELLY UNIT       38378         SU 828       SKELLY UNIT       38435         SU 907       SKELLY UNIT       31375         SU 908       SKELLY UNIT       31375	SU 713	SKELLYUNIT 40094
SU 719  SKELLY UNIT 37883  SU 722  SKELLY UNIT 3837  SU 724  SKELLY UNIT 38253  SU 725  SKELLY UNIT 38278  SU 828  SKELLY UNIT 38443  SU 907  SKELLY UNIT 31375	SU 714	SKELLYUNIT 38449
SU 722       SKELLY UNIT 3837         SU 724       SKELLY UNIT 38253         SU 725       SKELLY UNIT 38378         SU 828       SKELLY UNIT 3849         SU 907       SKELLY UNIT 31335         SU 908       SKELLY UNIT 31375	SU 718	SKELLY UNIT 37782
SU 724       SKELLY UNIT 38253         SU 725       SKELLY UNIT 38378         SU 828       SKELLY UNIT 38443         SU 907       SKELLY UNIT 3835         SU 908       SKELLY UNIT 31375	SU 719	SKELLY UNIT 37883
SU 725       SKELLY UNIT 38378         SU 828       SKELLY UNIT 38 443         SU 907       SKELLY UNIT 3835         SU 908       SKELLY UNIT 31375	SU 722	SKELLY UNIT るをあり
SU 828 SKELLY UNIT 38443 SU 907 SKELLY UNIT 31375 SU 908 SKELLY UNIT 31375	SU 724	SKELLY UNIT 38253
SU 907 SKELLY UNIT 3 375 SU 908 SKELLY UNIT 3 375	SU 725	SKELLY UNIT 38378
SU 908 SKELLY UNIT 3   3.75	SU 828	SKELLY UNIT 38443
	SU 907	SKELLY UNIT 3385
	SU 908	SKELLY UNIT 31375
SU 912 SKELLY UNIT 3 1 6 4	SU 912	SKELLY UNIT 3 1664



SU 914	SKELLY UNIT	31665
SU 930	SKELLY UNIT	31666
SU 931	SKELLY UNIT	31/067
SU 933	SKELLY UNIT	31975
SU 936	SKELLÝ UNIT	32595
SU 937	SKELLY UNIT	32591

# NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

### CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- **2.** Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- **3.** Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- **5.** Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <a href="http://www.gacc.nifc.gov/swcc">http://www.gacc.nifc.gov/swcc</a> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here #2000l

1 1 Sept 3, 2013

# State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

## Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <a href="https://www.nmforestry.com">www.nmforestry.com</a> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth
  within 30 feet of each structure. Single trees and shrubs may be retained if they are well
  spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for
  any vegetation near structures.
- · Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <a href="http://activefiremaps.fs.fed.us/current.php">http://activefiremaps.fs.fed.us/current.php</a>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.