Form 3160-5 (August 2007) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT OCD Artesia SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.		Sia OMB N Expires	FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010 5. Lease Serial No. NMLC028731B		
		6. If Indian, Allottee	or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.			7. If Unit or CA/Agro NMNM111789	7. If Unit or CA/Agreement, Name and/or No. NMNM111789X	
1. Type of Well Gas Well Other		8. Well Name and No DODD FEDERAL	8. Well Name and No. DODD FEDERAL UNIT 580		
2. Name of Operator Contact: KANICIA CASTILLO COG OPERATING LLC E-Mail: kcastillo@conchoresources.com		9. API Well No. 30-015-39278			
3a. Address ONE CONCHO CENTER 600 MIDLAND, TX 79701	3b. Phone No. (include area code)10. Field and Pool, or Explor600 W. ILLINOIS AVENUEPh: 432-685-4332GRAYBURG JACKS		r Exploratory ACKSON		
4. Location of Well (Footage, Sec., 7	T., R., M., or Survey Description,		11. County or Parish,	, and State	
Sec 10 T17S R29E Mer NMP	330FSL 330FEL		EDDY COUNT	Y, NM	
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATURE OF N	NOTICE, REPORT, OR OTHE	ER DATA	
TYPE OF SUBMISSION			ACTION		
Notice of Intent		Deepen	Production (Start/Resume)	UWater Shut-Off	
Subsequent Report	Alter Casing	Fracture Treat	□ Reclamation	U Well Integrity	
☐ Final Abandonment Notice	 Casing Repair Change Plans 	New Construction Plug and Abandon	Recomplete Temporarily Abandon	Other Venting and/or Fla	
				n a	
Attach the Bond under which the wo	Convert to Injection peration (clearly state all pertinen ally or recomplete horizontally, rk will be performed or provide	Plug Back t details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA	□ Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti- . Required subsequent reports shall be	nent markers and zones. e filed within 30 days	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved	Convert to Injection beration (clearly state all pertinen ally or recomplete horizontally, rk will be performed or provide d operations. If the operation res bandonment Notices shall be file final inspection.) fully request to flare the De	Plug Back t details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA vults in a multiple completion or reco d only after all requirements, includ odd Federal 10B Battery.	■ Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti Required subsequent reports shall bio impletion in a new interval, a Form 31 ing reclamation, have been completed,	oximate duration thereof. nent markers and zones. e filed within 30 days 60-4 shall be filed once and the operator has	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f COG Operating LLC, respect	Convert to Injection beration (clearly state all pertinen ally or recomplete horizontally, rk will be performed or provide d operations. If the operation res bandonment Notices shall be file final inspection.) fully request to flare the De	Plug Back It details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA rults in a multiple completion or reco ed only after all requirements, includ odd Federal 10B Battery.	■ Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti Required subsequent reports shall bio impletion in a new interval, a Form 31 ing reclamation, have been completed,	oximate duration thereof. nent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f COG Operating LLC, respect Flare located at The Dodd Fe	Convert to Injection beration (clearly state all pertinen ally or recomplete horizontally, rk will be performed or provide d operations. If the operation res bandonment Notices shall be file final inspection.) fully request to flare the De	Plug Back t details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA vults in a multiple completion or reco d only after all requirements, includ odd Federal 10B Battery.	■ Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti Required subsequent reports shall bio impletion in a new interval, a Form 31 ing reclamation, have been completed,	oximate duration thereof. nent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f COG Operating LLC, respect Flare located at The Dodd Fe Number of wells to flare: (22) API #'s attached. 220 Oil/Day	Convert to Injection beration (clearly state all pertinen ally or recomplete horizontally, rk will be performed or provide d operations. If the operation res bandonment Notices shall be file final inspection.) fully request to flare the De	Plug Back t details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA nults in a multiple completion or reco d only after all requirements, includ odd Federal 10B Battery.	Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti- Required subsequent reports shall be impletion in a new interval, a Form 31 ing reclamation, have been completed, All SEEE ATTACH	by imate duration thereof. nent markers and zones. te filed within 30 days 60-4 shall be filed once and the operator has CEIVED UG 2 0 2013 CBACKES : A 1	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f COG Operating LLC, respect Flare located at The Dodd Fe Number of wells to flare: (22) API #'s attached. 220 Oil/Day 600 MCF/Day	Convert to Injection beration (clearly state all pertinen ially or recomplete horizontally, ork will be performed or provide d operations. If the operation res bandonment Notices shall be file final inspection.) fully request to flare the Do deral Unit 580 well pad.	Plug Back t details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA valuts in a multiple completion or reco ed only after all requirements, includ odd Federal 10B Battery. Which is the subscription of the sub- subscription of the subscription of the sub- subscription of the subscription of the subscription of the sub- subscription of the subscription of the subscription of the sub- subscription of the subscription of th	■ Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti Required subsequent reports shall bio impletion in a new interval, a Form 31 ing reclamation, have been completed,	by imate duration thereof. nent markers and zones. te filed within 30 days 60-4 shall be filed once and the operator has CEIVED UG 2 0 2013 CBACKES A	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f COG Operating LLC, respect Flare located at The Dodd Fe Number of wells to flare: (22) API #'s attached. 220 Oil/Day	Convert to Injection beration (clearly state all pertinen ially or recomplete horizontally, ork will be performed or provide d operations. If the operation res bandonment Notices shall be file final inspection.) fully request to flare the Do deral Unit 580 well pad.	Plug Back t details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA valuts in a multiple completion or reco ed only after all requirements, includ odd Federal 10B Battery. Which is the subscription of the sub- subscription of the subscription of the sub- subscription of the subscription of the subscription of the sub- subscription of the subscription of the subscription of the sub- subscription of the subscription of th	Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti- Required subsequent reports shall be impletion in a new interval, a Form 31 ing reclamation, have been completed, All SEEE ATTACH	by imate duration thereof. nent markers and zones. the filed within 30 days 60-4 shall be filed once and the operator has CEIVED UG 2 0 2013 CBACKES!	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f COG Operating LLC, respect Flare located at The Dodd Fe Number of wells to flare: (22) API #'s attached. 220 Oil/Day 600 MCF/Day	Convert to Injection eration (clearly state all pertinen- fully or recomplete horizontally, rk will be performed or provide bandonment Notices shall be file final inspection.) fully request to flare the Do deral Unit 580 well pad. rom 6/14/13 to 9/14/13. A s true and correct. Electronic Submission #Z For COG O	Plug Back t details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA valts in a multiple completion or reco ed only after all requirements, includ odd Federal 10B Battery. Which is a start of the Completion	Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti- Required subsequent reports shall be impletion in a new interval, a Form 31 ing reclamation, have been completed, All SEE ATTACH CONDITIONS OF	by imate duration thereof. nent markers and zones. te filed within 30 days 60-4 shall be filed once and the operator has CEIVED UG 2 0 2013 CBACKES A	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f COG Operating LLC, respect Flare located at The Dodd Fe Number of wells to flare: (22) API #'s attached. 220 Oil/Day 600 MCF/Day Requesting 90 day approval f	Convert to Injection eration (clearly state all pertinen- ially or recomplete horizontally, rk will be performed or provide- d operations. If the operation res- bandonment Notices shall be file final inspection.) fully request to flare the Do deral Unit 580 well pad. rom 6/14/13 to 9/14/13. A s true and correct. Electronic Submission #2 For COG O Committed to AFMSS for	Plug Back It details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA hults in a multiple completion or reco ed only after all requirements, includ odd Federal 10B Battery. White a start of the start of the start SUBJECT TO LIKE PPROVAL BY STATE	Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti- . Required subsequent reports shall bi- ming reclamation, have been completed. SEEE ATTACH CONDITIONS OF CONDITIONS OF	by imate duration thereof. nent markers and zones. te filed within 30 days 60-4 shall be filed once and the operator has CEIVED UG 2 0 2013 CBACKES : A 1	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f COG Operating LLC, respect Flare located at The Dodd Fe Number of wells to flare: (22) API #'s attached. 220 Oil/Day 600 MCF/Day Requesting 90 day approval f 14. Thereby certify that the foregoing is Name(<i>Printed/Typed</i>) KANICIA	Convert to Injection eration (clearly state all pertinen- ially or recomplete horizontally, rk will be performed or provide- d operations. If the operation res- bandonment Notices shall be file final inspection.) fully request to flare the Do deral Unit 580 well pad. rom 6/14/13 to 9/14/13. A s true and correct. Electronic Submission #2 For COG O Committed to AFMSS for	Plug Back It details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA hults in a multiple completion or reco ed only after all requirements, includ bdd Federal 10B Battery. White a start of the start of the start SUBJECT TO LIKE PPROVAL BY STATE PPROVAL BY STATE PPROVAL BY STATE PPROVAL SUBJECT SIMMO	Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti- Required subsequent reports shall be impletion in a new interval, a Form 31 ing reclamation, have been completed.	by imate duration thereof. nent markers and zones. te filed within 30 days 60-4 shall be filed once and the operator has CEIVED UG 2 0 2013 CBACKES	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f COG Operating LLC, respecti Flare located at The Dodd Fe Number of wells to flare: (22) API #'s attached. 220 Oil/Day 600 MCF/Day Requesting 90 day approval f 14. Thereby certify that the foregoing is Name(<i>Printed/Typed</i>) KANICIA	Convert to Injection cation (clearly state all pertinen- cation (clearly state all pertinen- converted or provide operations. If the operation res- bandonment Notices shall be file final inspection.) fully request to flare the Do deral Unit 580 well pad. rom 6/14/13 to 9/14/13. A s true and correct. Electronic Submission #2 For COG O Committed to AFMSS for CASTILLO Submission)	Plug Back t details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA valuts in a multiple completion or reco ed only after all requirements, includ odd Federal 10B Battery. White Start SUBJECT TO LIKE PPROVAL BY STATE PROVAL BY STATE PROVAL BY STATE PROVAL BY STATE PROVAL BY STATE PROVAL BY STATE	Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti- Required subsequent reports shall bi- ing reclamation, have been completed, All SEEE ATTACH CONDITIONS OF I Information System arisbad NS on 06/20/2013 () RER	by imate duration thereof. nent markers and zones. te filed within 30 days 60-4 shall be filed once and the operator has CEIVED UG 2 0 2013 CBACKES : A 1	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f COG Operating LLC, respecting Flare located at The Dodd Fe Number of wells to flare: (22) API #'s attached. 220 Oil/Day 600 MCF/Day Requesting 90 day approval f 14. Thereby certify that the foregoing is Name (Printed/Typed) KANICIA Signature (Electronic Signature)	Convert to Injection Convert to Injection Convert to Injection Clearly state all pertinen Convert will be performed or provide d operations. If the operation res bandonment Notices shall be file final inspection.) fully request to flare the Do deral Unit 580 well pad. rom 6/14/13 to 9/14/13. A s true and correct. Electronic Submission #2 For COG O Committed to AFMSS for CASTILLO Submission) THIS SPACE FO	Plug Back t details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA valuts in a multiple completion or reco ed only after all requirements, includ odd Federal 10B Battery. WHOOD SUBJECT TO LIKE PPROVAL BY STATE PROVAL BY STATE PERATING LLC, sent to the Ca processing by KURT SIMMO Title PREPA Date 06/19/20 PERFEDERAL OR STATE	Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti- Required subsequent reports shall bi- ing reclamation, have been completed, All SEEE ATTACH CONDITIONS OF I Information System arisbad NS on 06/20/2013 () RER	by imate duration thereof. nent markers and zones. te filed within 30 days 60-4 shall be filed once and the operator has CEIVED UG 2 0 2013 CBACKES	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f COG Operating LLC, respecti Flare located at The Dodd Fe Number of wells to flare: (22) API #'s attached. 220 Oil/Day 600 MCF/Day Requesting 90 day approval f 14. 1 hereby certify that the foregoing is Name (<i>Printed/Typed</i>) KANICIA Signature (Electronic S	Convert to Injection Convert Convert to Injection Convert Conver	Plug Back It details, including estimated starting give subsurface locations and measu the Bond No. on file with BLM/BIA hults in a multiple completion or reco end only after all requirements, includ bodd Federal 10B Battery. SUBJECT TO LIKE PPROVAL BY STATE PI1075 verified by the BLM Wel PERATING LLC, sent to the Ca bor processing by KURT SIMMO Title PREPA Date 06/19/20 R FEDERAL OR STATE not warrant or subject lease Office	Water Disposal g date of any proposed work and appro- red and true vertical depths of all perti- . Required subsequent reports shall be ing reclamation, have been completed.	bximate duration thereof. nent markers and zones. e filed within 30 days 60-4 shall be filed once and the operator has ECEIVED UG 2 0 2013 EBABRES!A APPROVAL Date	

Additional data for EC transaction #211075 that would not fit on the form

.


32. Additional remarks, continued

Due to: DCP Linam Plant down. Schematic attached.

٣

1

Flare Request Form



BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

7/2/2013 Condition of Approval to Flare Gas

- 1. Report all volumes on OGOR reports.
- 2. Comply with NTL-4A requirements
- 3. Subject to like approval from NMOCD
- 4. Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days for date of approval.
- 9. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared.
- 10. If flaring is still required past 90 days submit new request for approval.
- 11. If a portable unit is used to flare gas it must be monitored at all times.
- 12. Comply with any restrictions or regulations when on State or Fee surface.

JDB722013