Torm 3160-5 August 2007) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WE Do not use this form for proposals to drill or to re- abandoned well. Use form 3160-3 (APD) for such p			LLS	ATT FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010 5. Lease Serial No. NMNM025527A 6. If Indian, Allottee or Tribe Name		
SUBMIT IN T	RIPLICATE - Other instru	ctions on rev	erse side.		7. If Unit or CA/Agree	ement, Name and/or No.
I. Type of Well ☐ Gas Well ☐ Gas Well ☐ Other					8. Well Name and No. YESO VIKING FEDERAL 3	
2. Name of Operator Contact: JENNIFER A DUARTE OXY USA WTP LIMITED PTNRSHIP E-Mail: jennifer_duarte@oxy.com					9. API Well No. 30-015-41340-00-S1	
3a. Address MIDLAND, TX 79710-0250	(include area code 3-6640)	10. Field and Pool, or Exploratory RED LAKE			
4. Location of Well (Footage, Sec Sec 23 T17S R27E SESW			11. County or Parish, and State EDDY COUNTY, NM			
12. CHECK A	PPROPRIATE BOX(ES) T	O INDICATE	NATURE OF I	NOTICE, R	EPORT, OR OTHE	R DATA
TYPE OF SUBMISSION		TYPE OF ACTION				
 Notice of Intent Subsequent Report Final Abandonment Notice 	 Acidize Alter Casing Casing Repair Change Plans Convert to Injection 	en ture Treat Construction and Abandon Back	☐ Reclam ☐ Recom ☐ Tempo	 Production (Start/Resume) Water Shut-Off Reclamation Well Integrity Recomplete Other Temporarily Abandon Water Disposal 		
Attach the Bond under which the following completion of the invo testing has been completed. Fina determined that the site is ready f OXY USA WTP LP respect Meter located at the Yeso V 3" Flow Meter max rate 130 CMF300M355NRAUEZZZ 3" Micro Motion Elite Sens; WNRF flange end connecti Pressure containment, 9-w J box, ?" conduit connectio 2700C12ABUEAZX Serial Micro Motion Coriolis MVD Density transmitter, 9 wire	ionally or recomplete horizontally work will be performed or provide ved operations. If the operation re l Abandonment Notices shall be fi or final inspection.) fully requests to install a pe Viking Federal CTB. Please 00 bbl/hr Serial # 1436139 or 316SS, 3" 150# ons, standard ire epoxy painted ns # 3223736 multivariable flow and remote transmitter with SP	. give subsurface I e the Bond No. on seults in a multiple led only after all r rmanent LACT see below for 93 RE DE E AFTO ONDITIOT	ocations and measu file with BLM/BI/ ecompletion or reco equirements. include with a 3? Micro additional deta CEIVEL C 3 0 2013	Il Information	ertical depths of all pertin ibsequent reports shall be new interval, a Form 316 in, have been completed, a riolis ACCEPte NA APPR APPR DEC	And the operator has Of the o
Co Name(Printed/Typed) JENNII	IY DICKERSON	o <mark>n 12/12/201</mark> ATORY SP.	3 (14JLD1700SE)			
Signature (Electror	ic Submission)		Date 12/02/2	013		
	THIS SPACE F	OR FEDERA			SE	<u></u>
Approved By EDWARD FERNANDEZ Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any pe			TitlePETROLEUM ENGINEER Office Carlsbad			Date 12/24/2013
States any false, fictitious or fraudule						

2

** BLM REVISED **

Additional data for EC transaction #228397 that would not fit on the form

0

32. Additional remarks, continued

\$

.

۳

Integral core processor, 18-30 VDC and 85-235 VAC Self switching, dual line display, one MA, one frequency, RS485, UL Listed, English Quick Reference, W/API software

Coriolis Meter Conditions of Approval

- 1. Approval is for meter number CMF300M355NRAUEZZZ Serial #14361393 and transmitter number 2700C12ABUEAZX Serial #3223736.
- 2. The Coriolis meter shall be designed, installed and operated in accordance with all applicable API standards, including API 5.6, as may be amended or revised from time to time.
- 3. The metering facility shall include a temperature probe to monitor the actual oil temperature during custody transfer. This information will be recorded and used in calculating the volume of oil metered during each transaction.
- 4. The meter shall have a non-resettable totalizer.
- 5. The custody transfer meter shall be proven monthly and in conformance with Onshore Oil and Gas Order No. 4.III.D. The meter proving is to be witnessed by BLM, contact 575-361-2822; a minimum of 24 hours prior to meter proving. Meter proving records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 6. A copy of the monthly meter proving will be submitted to the appropriate BLM office.
- 7. The run ticket associated with each oil transfer shall include the measured or calculated BS&W, oil gravity and temperature recorded during the transfer. Such records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 8. Operator to maintain tank gauging data to be used as a comparison with the LACT meter readings.
- 9. All other provisions of the Onshore Oil and Gas Orders, especially No. 3 and No. 4 shall be met.
- 10. This approval may be subject to future review and if determined inadequate with regards to accurate measurement, the approval will be withdrawn.

EGF 122413