Office .	ite District	State of Nev			Forn Revised Augi	
District 1 - (575) 393-6161 1625 N. French Dr., Hobbs, 1		ergy, Minerals and	Natural Resources	WELL API		
District II - (575) 748-1283 811 S. First St., Artesia, NM	·	IL CONSERVAT	TION DIVISION		m 61	
District III - (505) 334-6178	11220 South St. Francis Dr.				Type of Lease TE 🔽 FEE	
1000 Rio Brazos Rd., Aztee, <u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa		Santa Fe, N	M 87505		l & Gas Lease No.	
87505 SUN	DRY NOTICES AN	D REPORTS ON W	ELLS	7. Lease N	ame or Unit Agreemen	
(DO NOT USE THIS FORM DIFFERENT RESERVOIR PROPOSALS.)	FOR PROPOSALS TO I	DRILL OR TO DEEPEN	OR PLUG BACK TO A	D State Batt	ery	
1. Type of Well: Oil V	Vell 🔽 Gas We	II 🗌 Other	Other		 8. Well Number 9. OGRID Number 873 	
2. Name of Operator Apache Corporation						
3. Address of Operator					ame or Wildcat	
303 Veterans Airpark La	ane, Suite 3000 Midl	and, TX 79705		Yeso		
4. Well Location		fact from the	line and	:	ant from the	
Unit Letter	••	feet from the Township 17S	line and Range 28E	NMPM	eet from the County Eddy	
<u> </u>	11. El	evation (Show whethe			County Eddy	
			· · · · · · · · · · · · · · · · · · ·			
.12	. Check Appropr	iate Box to Indic	ate Nature of Not	ice, Report or (Other Data	
NOTIC	CE OF INTENT	ON TO:	l s		T REPORT OF:	
PERFORM REMEDIAL	WORK 🗌 🛛 PLUG	AND ABANDON] REMEDIAL V	NORK	ALTERING CAS	
TEMPORARILY ABAN				E DRILLING OPNS		
PULL OR ALTER CASI		IPLE COMPL] CASING/CEI	MENT JOB		
OTHER: Flare Gas		F				
13. Describe propo	sed or completed ope	erations. (Clearly sta	te all pertinent detail	s, and give pertine	ent dates, including esti	
of starting any p	proposed work). SE		NMAC. For Multiple	e Completions: A	ttaab wallbara diaaraw	
	letion or recompletion				4	
proposed comp Apache is requesting a إ			te Battery. The API#		4	
Apache is requesting a	an extension to temp			for each well are a	4	
Apache is requesting a 30-015-31257 30-015-31421	an extension to tempo 30-015-32490 30-015-32483	orarily flare the D Sta 30-015 30-015	-38411 -38412	for each well are a 30-015-39069 30-015-39743	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976	an extension to tempo 30-015-32490 30-015-32483 30-015-32491	orarily flare the D Sta 30-015 30-015 30-015 30-015	-38411 -38412 -38414	for each well are a 30-015-39069 30-015-39743 30-015-39742	4	
Apache is requesting a 30-015-31257 30-015-31421	an extension to tempo 30-015-32490 30-015-32483	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-32482	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585 -38469 -38471	for each well are a 30-015-39069 30-015-39743 30-015-39742	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-32482 30-015-31423	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585 -38469 -38471 -38588	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-39923	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31424	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-32482 30-015-31423	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311 30-015-40313	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31424 30-015-31425	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470 -38589	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31424 30-015-31425 30-015-31165 30-015-32489	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470 -38589 -39068	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311 30-015-40313	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31424 30-015-31425 30-015-31465 30-015-32489	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470 -38589	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311 30-015-40313	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-32482 30-015-31423 30-015-31424 30-015-31425 30-015-31165 30-015-32489 Spud Date:	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408 30-015-38409	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470 -38589 -39068 ase Date:	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40313 30-015-40314	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-32482 30-015-31423 30-015-31424 30-015-31424 30-015-31425 30-015-31165 30-015-32489 Spud Date:	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408 30-015-38409	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470 -38589 -39068 ase Date:	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40313 30-015-40314	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31423 30-015-31424 30-015-31424 30-015-31425 30-015-31165 30-015-32489 Spud Date:	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408 30-015-38409	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 40-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470 -38589 -39068 ase Date:	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40313 30-015-40314	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-32482 30-015-31423 30-015-31425 30-015-31465 30-015-32489 Spud Date:	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408 30-015-38409	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 40-015 30-015 30-015 30-015 30-015	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470 -38589 -39068 ase Date:	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40313 30-015-40314	4	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31424 30-015-31425 30-015-31465 30-015-32489	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-32484 30-015-38408 30-015-38409	30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 TITLE_	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470 -38589 -39068 ase Date:	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40313 30-015-40314	as follows:	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-32482 30-015-31423 30-015-31424 30-015-31425 30-015-31465 30-015-32489 Spud Date:	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-32484 30-015-38408 30-015-38409	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 Complete to TITLE E-mail a	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470 -38589 -39068 ase Date:	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40313 30-015-40314	as follows: 	
Apache is requesting a 30-015-31257 30-015-31421 30-015-31421 30-015-32649 30-015-32482 30-015-31423 30-015-31423 30-015-31425 30-015-31425 30-015-31425 30-015-32489 Spud Date: I hereby certify that the is SIGNATURE Fype or print name Fat For State Use Only APPROVED BY:	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-32484 30-015-38408 30-015-38409 information above is ima Vasquez	30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 TITLE_	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470 -38589 -39068 ase Date:	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40313 30-015-40314	as follows:	
Apache is requesting a 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-32482 30-015-31423 30-015-31424 30-015-31425 30-015-31465 30-015-32489 Spud Date:	an extension to tempo 30-015-32490 30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-32484 30-015-38408 30-015-38409 information above is ima Vasquez	orarily flare the D Sta 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 30-015 Complete to TITLE E-mail a	-38411 -38412 -38414 -38585 -38469 -38471 -38588 -38470 -38589 -39068 ase Date:	for each well are a 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40313 30-015-40314	as follows: 	

11.1

District 1 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesin, NM 88210 District III 1000 Rio Brazos Road, Aztee, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

Α.	Applicant Apache Corporation,
	whose address is, 1945 Bluestem Road, Artesia, NM 88210
	hereby requests an exception to Rule 19.15.18.12 for90days or until
	, Yr, for the following described tank battery (or LACT):
	Name of Lease D State Battery Name of Pool Yeso
	Location of Battery: Unit Letter Section 36 Township Range
	Number of wells producing into battery 41
В.	Based upon oil production of
	of gas to be flared is MCF; Value per day.
C.	Name and location of nearest gas gathering facility: DCP Artesia
D,	Estimated cost of connection
E.	This exception is requested for the following reasons:
	of their gas line as a secondary selling point. Our primary buyer is DCP. We
	need a way of relief if DCP slam valve shuts, which would be to flare. This is
	an extension for the previous one that will expire January 31, 2014.
Division have b is true and comp	that the rules and regulations of the Oil Conservation een complied with and that the information given above Dete to the best of my knowledge and belief.
Signature	By ADade
Printed Name & Title	
E-mail Addre	Fatima Vasquez@apachecorp.com Date for 28 2014
Date 01/09	²⁰¹⁴ Telephone No. (432) 818-1015

* Gas-Oil ratio test may be required to verify estimated gas volume.

A See Attached COA'S

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- **2.** Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

####

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.