B SUNDRY Do not use th	UNITED STATE EPARTMENT OF THE I UREAU OF LAND MANA NOTICES AND REPO is form for proposals to II. Use form 3160-3 (AP	NTERIOR GEMENT ORTS ON WELLS o drill or to re-enter an	5. Le N	OMB NO	
	PLICATE - Other instru			Unit or CA/Agree	ement, Name and/or No.
			9. Al	 8. Well Name and No. ROSS EG FEDERAL 14 9. API Well No. 	
YATES PETROLEUM CORPORATION Mail: michelle 3a. Address 105 SOUTH FOURTH STREET ARTESIA, NM 88210		Watespetroleum.com . 3b. Phone No. (include area code) Ph: 575-748-4205		30-015-28501 ,10. Field and Pool, or Exploratory N SEVEN RIVERS-GLOR-YESO	
4. Location of Well <i>(Footage, Sec., T</i> Sec 21 T19S R25E NWNE 66))		County or Parish, a	
12. CHECK APPI	ROPRIATE BOX(ÉS) TO	O INDICATE NATURE OF NO	OTICE, REPOR	T, OR OTHE	R DATA
TYPE OF SUBMISSION		TYPE OF /	ACTION		
 Notice of Intent Subsequent Report Final Abandonment Notice 	 Acidize Alter Casing Casing Repair Change Plans 	 Fracture Treat New Construction 	 Production (St Reclamation Recomplete Temporarily A 		Water Shut-Off Well Integrity Other Production Facilit Changes
	Convert to Injection	Plug Back	Water Disposa		
 Describe Proposed or Completed Ope If the proposal is to deepen directiona Attach the Bond under which the woi following completion of the involved testing has been completed. Final At determined that the site is ready for fi Yates Petroleum is submitting vapor recovery system. This s Patriot/Rodke Battery- Sec 21 commingle, these small volum Rodke AOY #1- 30-015-28404 Cutter APC #1- 30-015-28405 Patriot AIZ #6- 30-015-28405 Patriot AIZ #10H- 30-015-284 Patriot AIZ #11H- 30-015-284 Ross EG Federal #14- 30-015 SUBJECT TO LI APPROVAL BY S 	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide operations. If the operation re bandonment Notices shall be fil inal inspection.) the attached updated sit system will capture and co ,T19S,R25E which include the sof vapors would be lo <i>Now FEDERAL</i> 10 10 5-28501 <i>NM. off 57.71.41</i> Z IKE TATE	Plug Back Int details, including estimated starting of give subsurface locations and measure the Bond No. on file with BLM/BIA. sults in a multiple completion or recom- ted only after all requirements, including e facility diagram to include the ommingle vapors from tanks located the wells listed below. Without st. WELLS ACCEPTED for	Water Disposa late of any proposed d and true vertical d Required subsequer pletion in a new into g reclamation, have use of a ated on the ut approval to	work and approx epihs of all pertina it reports shall be erval, a Form 3160 been completed, a	imate duration thereof. ent markers and zones. filed within 30 days -4 shall be filed once
 13. Describe Proposed or Completed Ope If the proposal is to deepen directiona Attach the Bond under which the woo following completion of the involved testing has been completed. Final At determined that the site is ready for fit Yates Petroleum is submitting vapor recovery system. This s Patriot/Rodke Battery- Sec 21 commingle, these small volum Rodke AOY #1- 30-015-28404 Cutter APC #1- 30-015-28405 Patriot AIZ #6- 30-015-28405 Patriot AIZ #10H- 30-015-2844 Patriot AIZ #11H- 30-015-284 Ross EG Federal #14- 30-015 	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, k will be performed or provide doperations. If the operation re bandonment Notices shall be fil inal inspection.) the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which inc	Plug Back Int details, including estimated starting of give subsurface locations and measure the Bond No. on file with BLM/BIA. Subls in a multiple completion or recom- ted only after all requirements, including ted facility diagram to include the commingle vapors from tanks locates the wells listed below. Without the st. WELLS ACCEPTED for NMOC 243349 verified by the BLM Well I OLEUM CORPORATION, sent to to r processing by LINDA DENNISTO	Water Disposa late of any proposed d and true vertical d Required subsequer pletion in a new intu- g reclamation. have use of a ated on the ut approval to	work and approx epits of all pertina treports shall be erval, a Form 3160 been completed, a REC MAY NMOC	imate duration thereof. ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has CEIVED (19 2014 DARTES ¹ A
 13. Describe Proposed or Completed Opt If the proposal is to deepen directiona Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for final Yates Petroleum is submitting vapor recovery system. This s Patriot/Rodke Battery- Sec 21 commingle, these small volum Rodke AOY #1- 30-015-28404 Cutter APC #1- 30-015-28405 Patriot AIZ #6- 30-015-28405 Patriot AIZ #10H- 30-015-28405 Patriot AIZ #11H- 30-015-28405 SUBJECT TO LI APPROVAL BY S 14. Thereby certify that the foregoing is 	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide operations. If the operation re bandonment Notices shall be fil inal inspection.) the attached updated sit system will capture and co ,T19S,R25E which include tes of vapors would be lo <i>Now FEDERAL</i> 10 10 5-28501 <i>MM. offertally</i> 2 IKE TATE s true and correct. Electronic Submission # For YATES PETRE Committed to AFMSS fo E TAYLOR	Plug Back Int details, including estimated starting of give subsurface locations and measure the Bond No. on file with BLM/BIA. Subls in a multiple completion or recom- ted only after all requirements, including ted facility diagram to include the commingle vapors from tanks locates the wells listed below. Without the st. WELLS ACCEPTED for NMOC 243349 verified by the BLM Well I OLEUM CORPORATION, sent to to r processing by LINDA DENNISTO	Water Disposal late of any proposed d and true vertical d Required subsequer pletion in a new intu- g reclamation, have use of a ated on the ut approval to Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord	work and approx epits of all pertina treports shall be erval, a Form 3160 been completed, a REC MAY NMOC	imate duration thereof. ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has CEIVED (19 2014 DARTES ¹ A
 13. Describe Proposed or Completed Optil f the proposal is to deepen directiona Attach the Bond under which the worfollowing completion of the involved testing has been completed. Final At determined that the site is ready for final at determined that the foregoing is Name (<i>Printed/Typed</i>) MICHELLI 	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide operations. If the operation re bandonment Notices shall be fil inal inspection.) the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which inc	Plug Back Int details, including estimated starting of give subsurface locations and measure the Bond No. on file with BLM/BIA. Subls in a multiple completion or recom- ted only after all requirements, including ted facility diagram to include the commingle vapors from tanks locates the wells listed below. Without the st. WELLS ACCEPTED for NMOC Plant Action of the BLM Well I DIEUM CORPORATION, sent to for r processing by LINDA DENNISTO Title REGULA	Water Disposal Water Disposal Water Disposal Required subsequer pletion in a new intu- g reclamation, have use of a ated on the ut approval to Drecord Dref Dref Dref Dref Dref Dref Dref Dref	work and approx epits of all pertina treports shall be erval, a Form 3160 been completed, a REC MAY NMOC	imate duration thereof. ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has CEIVED (19 2014 DARTES ^a A)
 13. Describe Proposed or Completed Optil f the proposal is to deepen directiona Attach the Bond under which the worfollowing completion of the involved testing has been completed. Final At determined that the site is ready for final at determined that the foregoing is Name (<i>Printed/Typed</i>) MICHELLI 	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide to operations. If the operation re bandonment Notices shall be fil inal inspection.) the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which include the attached updated sit system will capture and co ,T19S,R25E which	Plug Back Plug Back Plug Back Plug subsurface locations and measure Plug Back Plug Back	Water Disposal late of any proposed d and true vertical d Required subsequer pletion in a new intu g reclamation, have use of a ated on the ut approval to Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord Drecord 	work and approx epits of all pertina treports shall be erval, a Form 3160 been completed, a REC MAY NMOC	imate duration thereof. ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has CEIVED (19 2014 DARTES ¹ A

Vapor Recovery Unit (VRU) Meter Allocation Process

For VRU gas that is not included in the point of measurement meter(s).

VRU metered volumes will be added to the total gas produced/sold volumes. The VRU volumes will be allocated back monthly to each well that has produced into the stock tanks equipped with a vapor recovery system. The allocation will be based on oil production and the same formula and allocation methods will be used to allocate these volumes as is used to allocate the oil produced/sold volumes back to the individual wells as/if applicable.





105 South 4th Street Artesia, NM 88210 (575) 748-1471

Michael Farmer March 2014

PATRIOT / RODKE BATTERY

Sec 21-T19S-R25E * Unit G * SWNE Eddy County, NM





This diagram is subject to the Yates Petroleum Corporation August 1983 Security Plan. which is on file at 105 South 4th Street, Artesia, NM.