

NM OIL CONSERVATION

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

ARTESIA DISTRICT

JUN 16 2014

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM0555283

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
NMNM884948. Well Name and No.
FEDERAL 12 COM 0019. API Well No.
30-015-2128810. Field and Pool, or Exploratory
GRAYBURG JACKSON;SR-Q-G-S11. County or Parish, and State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator
LINN OPERATING INCContact: TERRY B CALLAHAN
E-Mail: tcallahan@linnenergy.com3a. Address
600 TRAVIS STREET, SUITE 5100
HOUSTON, TX 770023b. Phone No. (include area code)
Ph: 281-840-4272

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 12 T21S R26E Mer NMP NENE 660FNL 660FEL
32.499755 N Lat, 104.239555 W Lon

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

05/12/14 ND wellhead. NU BOP. Worked on stuck packer. Could not un-set.

05/13/14 Worked to un-set packer. Rigged up Rotary wireline. Located packer @ 9785'. 9780', (per Kent Caffal w/ BLM). POH w/ 1600' tbg.

05/14/14 POH w/ tbg. and 5 1/2 packer. RIH w/ tbg open ended to 10057'. (per Kent Caffal w/ BLM).

05/15/14 - Circulated hole w/ mud laden fluid. Spotted 60 sx class H cement @ 10057-9450'. Pulled out of cement. WOC. Tagged plug @ 9492'. Spotted 25 sx class H cement @ 8600-8347'. Spotted 25 sx class C cement @ 5770-5517'. Spotted 25 sx class C cement @ 4780-4527'. Pulled out of cement.

Accepted as to plugging of the well here.
Liability under bond is retained until
surface restoration is completed.RD 6/24/14
Accepted for record
NMDCDRECLAMATION
DUE 11-18-14

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #247404 verified by the BLM Well Information System
For LINN OPERATING INC, sent to the Carlsbad
Committed to AFMSS for processing by LINDA DENNISTON on 06/03/2014 ()

Name (Printed/Typed) TERRY B CALLAHAN

Title REG COMPLIANCE SPECIALIST III

Signature (Electronic Submission)

Date 05/29/2014

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

JUN 3 2014

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **




Current Well Schematic (NM)

Well Name: FEDERAL 12 COM #1

API/UVW 3001521288	Field Name PB-OWEN MESA	County Eddy	State/Prov NM	Section 12	Township 021-S	Range 026-E	Survey	Block
Ground Elevation (ft) 3,187.00	Orig KB Elev (ft) 3,200.00	KB-Grid (ft) 13.00	Initial Spud Date 7/12/1974	Rig Release Date	TD Date 8/16/1974	Latitude (°)	Longitude (°)	Operated? Yes

Original Hole: 5/28/2014 2:50:53 PM



Location & Lat/Long			
NS Dist (ft)	NS Flag	EW Dist (ft)	EW Flag
6,660.0	FNL	660.0	FEL
Latitude (°)		Longitude (°)	
32° 29' 59.118" N		104° 14' 22.398" E	

Casing Strings			
Casing Description	OD (in)	Set Depth (ftKB)	Run Date
Surface	13 3/8	550.0	7/14/1974
Intermediate	9 5/8	2,600.0	7/23/1974
Production	5 1/2	11,400.0	8/19/1974

Cement Stages			
Description	Top (ftKB)	Bot (ftKB)	Comment
Surface Casing Cement	13.0	550.0	600sxs
600sxs Class C cmt w/ 2% CaCl			

Description	Top (ftKB)	Bot (ftKB)	Comment
Intermediate Casing Cement	13.0	2,600.0	2025sxs
2025sxs Class C cmt w/ CaCl blend			

Description	Top (ftKB)	Bot (ftKB)	Comment
Production Casing Cement	1,875.0	11,400.0	1450sxs
1200sxs Class C cmt			

Description	Top (ftKB)	Bot (ftKB)	Comment
Cement Plug	9,492.0	10,057.0	
Spotted 60 sxs Class "H" cmt.			

Description	Top (ftKB)	Bot (ftKB)	Comment
Cement Plug	8,347.0	8,600.0	
Spotted 25 sxs Class "H" cmt.			

Description	Top (ftKB)	Bot (ftKB)	Comment
Cement Plug	5,517.0	5,770.0	
Spotted 25 sxs Class "C" cmt.			

Description	Top (ftKB)	Bot (ftKB)	Comment
Cement Plug	4,527.0	4,780.0	
Spotted 25 sxs Class "C" cmt.			

Description	Top (ftKB)	Bot (ftKB)	Comment
Cement Squeeze	2,216.0	2,700.0	
Spotted 70 sxs cmt, WOC, No Tag. Spotted 100 sxs cmt.			

Description	Top (ftKB)	Bot (ftKB)	Comment
Cement Plug	380.0	701.0	
Sqz'd 100 sxs cmt			

Description	Top (ftKB)	Bot (ftKB)	Comment
Cement Plug	13.0	381.0	
Sqz'd 130 sxs cmt			

Perforations			
Date	Top (ftKB)	Bot (ftKB)	Com
5/20/2014	380.0	380.0	
5/19/2014	700.0	700.0	
5/16/2014	2,500.0	2,500.0	
5/16/2014	2,550.0	2,550.0	
5/16/2014	2,600.0	2,600.0	
5/16/2014	2,650.0	2,650.0	
8/28/1974	10,952.0	10,966.0	1 SPF
1/17/1977	10,952.0	10,966.0	Re-perf, 2 SPF
8/28/1974	11,222.0	11,228.0	1 SPF
1/17/1977	11,222.0	11,228.0	Re-perf, 2 SPF
8/28/1974	11,236.0	11,264.0	1 SPF
1/17/1977	11,236.0	11,264.0	Re-perf, 2 SPF