

Submit To: Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 July 17, 2008		
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name SB State (308700) 6. Well Number: 002			
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER				JUN 09 2014			
8. Name of Operator Apache Corporation				9. OGRID 873			
10. Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705				11. Pool name or Wildcat RECEIVED Artesia; Glorieta-Yeso (O) (96836)			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	
Surface:	E	02	18S	27E		1900	
BH:	E	02	18S	27E		1652	
13. Date Spudded 03/14/2014		14. Date T.D. Reached 03/18/2014		15. Date Rig Released 03/19/2014		16. Date Completed (Ready to Produce) 04/11/2014	
18. Total Measured Depth of Well 4115'		19. Plug Back Measured Depth 4077'		20. Was Directional Survey Made? Yes		17. Elevations (DF and RKB, RT, GR, etc.) 3568'	
21. Type Electric and Other Logs Run CNL/Dig.Acoustic/DLL							
22. Producing Interval(s), of this completion - Top, Bottom, Name Glorieta/Yeso 3076'-3906'							
23. CASING RECORD (Report all strings set in well)							
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED		
8-5/8"	24#	330'	11"	325 sx Class C			
5-1/2"	17#	4115'	7-7/8"	750 sx Class C			
24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	
					2-7/8"	3940'	
26. Perforation record (interval, size, and number) Glorieta/Yeso 3076'-3906' (1 SPF, 32 holes) Producing				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED Glorieta/Yeso 3076'-3906' 238,224 gals 20#, 288,802# sand, 3524 gals acid, 2940 gals gel			
28. PRODUCTION							
Date First Production 04/11/2014		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) 640 Pumping Unit			Well Status (<i>Prod. or Shut-in</i>) Producing		
Date of Test 06/04/2014	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 56	Gas - MCF 226	Water - Bbl. 366	
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>) 38	
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold					30. Test Witnessed By Apache Corp.		
31. List Attachments Inclination Report, C-102, C-103, C-104 (Logs submitted 03/21/2014)							
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							
33. If an on-site burial was used at the well, report the exact location of the on-site burial:							
Latitude			Longitude			NAD 1927 1983	
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief							
Signature		Printed Name Fatima Vasquez		Title Regulatory Analyst II		Date 06/05/2014	
E-mail Address Fatima.Vasquez@apachecorp.com							

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 369'	T. Devonian	T. Cliff House	T. Leadville
T. Queen 911'	T. Silurian	T. Menefee	T. Madison
T. Grayburg 1348'	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 1659'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 3048'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock 3183'	T. Ellenburger	Base Greenhorn	T.Granite
T. Blinbry 3617'	T. Gr. Wash	T. Dakota	
T.Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T.Todilto	
T. Abo	T. Bowers - SD 709'	T. Entrada	
T. Wolfcamp	T. Yeso 3100'	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology