Submit 3 Copies To Appropriate E Office	State of New Mexico		Form C-103
District I 1625 N. French Dr., Hobbs, NM 8	Energy, Minerals and Natural Resourc	WELL API NO.	June 19, 2008
District II 1301 W. Grand Ave., Artesia, NM		5. Indicate Type of Lease	
District III 1000 Rio Brazos Rd., Aztec, NM !	1220 South St. Francis Dr.	, STATE X F	EE 🗌
District IV	Santa Fe, NM 8/505	6. State Oil & Gas Lease N	lo.
1220 S. St. Francis Dr., Santa Fe, 1 87505	N M	X0-0647-0405	
1	Y NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agr	reement Name
	R PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO E "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	N B Tween State Battery	
1. Type of Well: ⊠Oil We	ell 🔲 Gas Well 🔲 Other:	8. Well Number	
2. Name of Operator Apache Corporation		9. OGRID Number 873	
3. Address of Operator		10. Pool name or Wildcat	
303 Veterans Airpark Lane,	Suite 3000 Midland, TX 79705	. Artesia; Glorieta-Yeso (9683	30)
4. Well Location	,		
Unit Letter H	:feet from the line a		
Section 25	Township 17S Range	NMPM 28E County	Eddy
	11. Elevation (Show whether DR, RKB, RT, C	GR, etc.)	
		3464124	
12. C	Check Appropriate Box to Indicate Nature of N	Notice, Report or Other Data	į.
NOTICE	OF INTENTION TO:	SUBSEQUENT REPORT)E.
PERFORM REMEDIAL WO		· · · · · · · · · · · · · · · · · · ·	NG CASING 🗍
TEMPORARILY ABANDON		ICE DRILLING OPNS. P AND A	
PULL OR ALTER CASING		CEMENT JOB	•
DOWNHOLE COMMINGLE	≣ □ · · · · · · · · · · · · · · · · · ·		
OTHER: Flare Gas	EI ATUED.		لمبر 🗆
	or completed operations. (Clearly state all pertinent det	tails and give pertinent dates includ	ing estimated date
	posed work). SEE RULE 1103. For Multiple Completion		
or recompletion.			
	rmission to temporarily flare the NB Tween State wells 1 The API# for each well are as follows:	1-30. Intermittent flaring will occur and	d gas will be
;			
30-015-35915	30-015-36789	30-015-38592	
30-015-35915 30-015-35974	30-015-36789 30-015-37592	30-015-38467	
30-015-35915	30-015-36789		
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405	30-015-38467 30-015-38593 ` 30-015-39074 30-015-39075	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405	30-015-38467 30-015-38593 ` 30-015-39074 30-015-39075	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747	·
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748	·
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-389070 30-015-38590 30-015-38591 Rig Release Date:	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39747 30-015-39748	D8/2014
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39747 30-015-39748	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36627 30-015-36797 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information of the informatio	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-389070 30-015-38590 30-015-38591 Rig Release Date: TITLE Regulatory Analys	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39747 30-015-39748	08/2014 32) 818-1015
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36627 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information of the series of	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-389070 30-015-38590 30-015-38591 Rig Release Date: TITLE Regulatory Analys	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39747 30-015-39748 nowledge and belief. part	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36627 30-015-36797 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information of the properties of the	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38590 30-015-38591 Rig Release Date: TITLE Regulatory Analys Vasquez E-mail address: Fatima.Vas	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39747 30-015-39748	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information of the properties of the provided of th	30-015-36789 30-015-37592 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-389070 30-015-38590 30-015-38591 Rig Release Date: TITLE Regulatory Analys Vasquez E-mail address: Fatima.Vas	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39747 30-015-39748 nowledge and belief. part	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information of the properties of the provided of th	30-015-36789 30-015-37592 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-389070 30-015-38590 30-015-38591 Rig Release Date: TITLE Regulatory Analys Vasquez E-mail address: Fatima.Vas	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39747 30-015-39748 nowledge and belief. part	
30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information of the properties of the provided of th	30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38590 30-015-38591 Rig Release Date: TITLE Regulatory Analys Vasquez E-mail address: Fatima.Vas	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39747 30-015-39748 nowledge and belief. part	

District 1
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC) Apache Corporation Applicant Α. 1945 Bluestem Road, Artesia, NM 88210 whose address is 90 hereby requests an exception to Rule 19.15.18.12 for days or until _, Yr ____, for the following described tank battery (or LACT): N B Tween State
Name of Pool Name of Lease Location of Battery: Unit Letter ____ H ___ Section ___ 25 __ Township _ Number of wells producing into battery B. Başed upon oil production of barrels per day, the estimated * volume 1700 MCF; Value of gas to be flared is per day. C. Name and location of nearest gas gathering facility: Frontier Empire Abo Unit Distance ___ Estimated cost of connection D. This exception is requested for the following reasons: This is for an extension on the E. previous one that will expire April 30, 2014. **OPERATOR** OIL CONSERVATION DIVISION I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above Approved Until is true and complete to the best of my knowledge and belief. Signature Printed Name Fåtima Vasquez - Regulatory Analyst II & Title Fatima.Vasquez@apachecorp.com E-mail Address

Telephone No.

(432) 818-1015

A See Attiched COA'S

^{*} Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- **4.** Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- **5.** Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here $\sqrt{30}$

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin

Cabinet Secretary

Brett F. Woods, Ph.D.

Brett F. Woods, Ph.D. Deputy Cabinet Secretary **Jami Bailey, Division Director**Oil Conservation Division



March 7, 2014

FOR IMMEDIATE RELEASE
Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.