<u></u> (1.1.)	State of New Mexico	
1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources	S Revised August 1, 2011 WELL API NO.
District II (575) 749 1292	OIL CONSERVATION DIVISION	
<u>District III</u> – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease STATE 7 FEE
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
87505 SUNDRY NOTICES A	AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DIFFERENT RESERVOIR. USE "APPLICATION PROPOSALS.)	O DRILL OR TO DEEPEN OR PLU OBES OCC I FOR PERMIT" (FORM C-101) FOR SUCH	
1. Type of Well: Oil Well 🔽 Gas W	Vell Other SEP 1 2 201	A 8. Well Number
2. Name of Operator Apache Corporation		9. OGRID Number 873
3. Address of Operator 303 Veterans Airpark Lane, Suite 3000 Mi	idland, TX, 79705	10. Pool name or Wildcat Yeso (96830)
4. Well Location		
Unit Letter <u>K</u> :1550	feet from the South line and	
Section 33	Township 17S Range 28E	NMPM County Eddy
	Elevation (Show whether DR, RKB, RT, GR	, etc.)
12. Check Appro	priate Box to Indicate Nature of Not	tice. Report or Other Data
NOTICE OF INTEN		SUBSEQUENT REPORT OF:
	IG AND ABANDON	
PULL OR ALTER CASING DOWNHOLE COMMINGLE		MENT JOB
OTHER: Flare Gas	OTHER:	· · · · · · · · · · · · · · · · · · ·
 Describe proposed or completed o of starting any proposed work). S proposed completion or recomplet 	SEE RULE 19.15.7.14 NMAC. For Multipl	ls, and give pertinent dates, including estimated date e Completions: Attach wellbore diagram of
Anache is requesting permission to temp		
	orarily flare the Washington 33 State wells I cluded in the above battery are as follows:	isted below. Intermittent flaring will occur and gas NM OIL CONSERVATION
		NM OIL CONSERVATION ARTESIA DISTRICT
will be measured prior to flaring. Wells in	cluded in the above battery are as follows:	NM OIL CONSERVATION
	cluded in the above battery are as follows:	NM OIL CONSERVATION ARTESIA DISTRICT
will be measured prior to flaring. Wells in 30-015-40116 Washington 33 State #60 30-015-41706 Washington 33 State #66 30-015-41680 Washington 33 State #67	cluded in the above battery are as follows:	NM OIL CONSERVATION ARTESIA DISTRICT OCT 09 2014
will be measured prior to flaring. Wells in 30-015-40116 Washington 33 State #60 30-015-41706 Washington 33 State #66 30-015-41680 Washington 33 State #67	cluded in the above battery are as follows:	NM OIL CONSERVATION ARTESIA DISTRICT OCT 09 2014
will be measured prior to flaring. Wells in 30-015-40116 Washington 33 State #60 30-015-41706 Washington 33 State #66 30-015-41680 Washington 33 State #68 30-015-41681 Washington 33 State #68 Spud Date:	cluded in the above battery are as follows:	NM OIL CONSERVATION ARTESIA DISTRICT OCT 0 9 2014 RECEIVED
will be measured prior to flaring. Wells in 30-015-40116 Washington 33 State #60 30-015-41706 Washington 33 State #66 30-015-41680 Washington 33 State #68 30-015-41681 Washington 33 State #68	cluded in the above battery are as follows:	NM OIL CONSERVATION ARTESIA DISTRICT OCT 0 9 2014 RECEIVED
will be measured prior to flaring. Wells in 30-015-40116 Washington 33 State #60 30-015-41706 Washington 33 State #66 30-015-41680 Washington 33 State #68 30-015-41681 Washington 33 State #68 Spud Date:	cluded in the above battery are as follows:	NM OIL CONSERVATION ARTESIA DISTRICT OCT 0 9 2014 RECEIVED
will be measured prior to flaring. Wells ind 30-015-40116 Washington 33 State #66 30-015-41706 Washington 33 State #66 30-015-41680 Washington 33 State #67 30-015-41681 Washington 33 State #68 Spud Date:	cluded in the above battery are as follows:	NM OIL CONSERVATION ARTESIA DISTRICT OCT 0 9 2014 RECEIVED
will be measured prior to flaring. Wells ind 30-015-40116 Washington 33 State #60 30-015-41706 Washington 33 State #66 30-015-41680 Washington 33 State #67 30-015-41681 Washington 33 State #68 Spud Date:	cluded in the above battery are as follows: Rig Release Date: is true and complete to the best of my know TITLE Regulatory Analyst I	NM OIL CONSERVATION ARTESIA DISTRICT OCT 0 9 2014 RECEIVED
30-015-40116 Washington 33 State #60 30-015-41706 Washington 33 State #66 30-015-41680 Washington 33 State #67 30-015-41680 Washington 33 State #68 30-015-41681 Washington 33 State #68 Spud Date:	cluded in the above battery are as follows: Rig Release Date: is true and complete to the best of my know TITLE Regulatory Analyst I E-mail address: Paige.Futrell@	NM OIL CONSERVATION ARTESIA DISTRICT OCT 0 9 2014 RECEIVED wledge and belief. DATE_09/10/2014 PHONE: (432) 818-1893

.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **BES OCD** Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis DEP 1 2 2014 Santa Fe, NM 87505 SEP 1

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

А.	Applicant Apache Corporation			
	whose address is			
	hereby requests an exception to Rule 19.15.18.12 for90days or unti			
	, Yr, for the following described tank battery (or LACT):			
	Name of Lease Washington 33 ST 56 Battery Name of Pool Yeso			
	Location of Battery: Unit Letter <u>K</u> Section <u>33</u> Township <u>17S</u> Range <u>28E</u>			
	Number of wells producing into battery			
В.	Based upon oil production ofbarrels per day, the estimated * volume			
	of gas to be flared is MCF; Value per day.			
C.	Name and location of nearest gas gathering facility:			
D.	DistanceEstimated cost of connection			
E.	This exception is requested for the following reasons: DCP curtails their gas due to			
	repairs or plant problems. This is an extension to the one that expires			
	Sep 30, 2014.			
OPERATO	by that the rules and regulations of the Oil Conservation			
Division have	been complied with and that the information given above protect to the best of pry knowledge and belief.			
Signature	parier hutre By Majure Brown			
Printed Nar & Title	ne Paige Futrell - Regulatory Analyst I Title Dist Supervisor			
E-mail Add	Paige.Futrell@apachecorp.com Date 9/17/2014			
Date 09/1	0/2014 Telephone No. (432) 818-1893			

* Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- **2.** Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

/ / 2011

Jami Bailey, Division Director

Oil Conservation Division

Susana Martinez Governor

David Martin Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: <u>http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf</u>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

