Submit 1 Copy To Appropriate District State of New Mexico	Form C-103
District 1 – (575) 393-6161 Energy, Minerals and Natural Reso	ources Revised August 1, 2011 WELL API NO.
District II - (575) 748-1283	
811 S. First St., Artesia, NM 88210 OIL CONSERVATION DIVIS District III - (505) 334-6178 1220 South St. Francis Dr.	5. Indicate Type of Lease
IOOO Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 District IV - (505) 476-3460 Santa Fe, NM 87505	• STATE 7 FEE 6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	0. State On & Gas Lease NO.
87505 SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK	TO A AD Chata C 47 Dattant
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well 🗹 Gas Well 🗌 Other	8. Well Number
2. Name of Operator Apache Corporation	9. OGRID Number 873
3. Address of Operator	10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705	Yeso
4. Well Location	
	ne andfeet from theline
Section 32 Township 17S Range 28E	
11. Elevation (Show whether DR, RKB, R	(1, GR, etc.)
12. Check Appropriate Box to Indicate Nature o	of Notice, Report or Other Data
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
— — — — — — — — — — — — — — — — — — — —	IG/CEMENT JOB
OTHER Flare Permit	R
OTHER: Flare Permit OTHEI	
13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M	t details, and give pertinent dates, including estimated date
13 Describe proposed or completed operations. (Clearly state all pertinent	t details, and give pertinent dates, including estimated date
 	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to
 - Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. 	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to
 13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring.Wells include 	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows:
 13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring.Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: NM OIL CONSERVATION
 13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring.Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 #2 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #3 	4 details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #10 47 #11
 13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring.Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 64 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 64 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 64 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 64 	4 details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to add in the above battery are as follows: 47 #9 47 #10 47 #11 47 #12 47 #12
 13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring.Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 #2 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #3 	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #9 47 #10 47 #10 47 #10 47 #12 47 #12 NOV 1 4 2014
 13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring. Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 64 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 64 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 64 30-015-41505 AB STATE 647 #4 30-015-41495 AB STATE 64 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 64 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 64 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 64 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 64 30-015-41491 AB STATE 647 #7 	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #9 47 #10 47 #10 47 #10 47 #10 47 #12 47 #12 47 #12 47 #13 47 #13 47 #14 47 #15 RECEIVED
 13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring.Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 64 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 64 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 64 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 64 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 64 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 64 30-015-41498 AB S	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #9 47 #10 47 #10 47 #10 47 #10 47 #12 47 #12 47 #12 47 #13 47 #13 47 #14 47 #15 RECEIVED
 13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring.Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 64 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 64 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 64 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 64 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 64 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 64 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 64 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 64 	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #9 47 #10 47 #10 47 #10 47 #10 47 #12 47 #12 47 #12 47 #13 47 #13 47 #14 47 #15 RECEIVED
 13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring. Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 64 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 64 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 64 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 64 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 64 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 64 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 64 	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #9 47 #10 47 #10 47 #10 47 #10 47 #12 47 #12 47 #12 47 #13 47 #13 47 #14 47 #15 RECEIVED
 13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 64 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 64 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 64 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 64 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 64 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 64 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 64 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 64 	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #9 47 #10 47 #10 47 #10 47 #10 47 #12 47 #12 47 #12 47 #13 47 #13 47 #14 47 #15 RECEIVED
13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring.Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 30-015-41501 AB STATE 647 #4 30-015-41495 AB STATE 647 30-015-41502 AB STATE 647 #4 30-015-41496 AB STATE 647 30-015-41503 AB STATE 647 #5 30-015-41496 AB STATE 647 30-015-41503 AB STATE 647 #6 30-015-41497 AB STATE 647 30-015-41491 AB STATE 647 #7 30-015-41498 AB STATE 647 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 Spud Date: Rig Release D	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: NM OIL CONSERVATION 47 #10 47 #10 47 #10 47 #11 47 #12 47 #12 47 #13 47 #14 47 #15 RECEIVED
 13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 64 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 64 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 64 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 64 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 64 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 64 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 64 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 64 	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: NM OIL CONSERVATION 47 #10 47 #10 47 #10 47 #11 47 #12 47 #12 47 #13 47 #14 47 #15 RECEIVED
13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring. Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41500 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41501 AB STATE 647 #2 30-015-41494 AB STATE 647 30-015-41505 AB STATE 647 #3 30-015-41495 AB STATE 647 30-015-41502 AB STATE 647 #4 30-015-41496 AB STATE 647 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 647 30-015-41502 AB STATE 647 #6 30-015-41497 AB STATE 647 30-015-41502 AB STATE 647 #6 30-015-41498 AB STATE 647 30-015-41491 AB STATE 647 #6 30-015-41498 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 Spud Date: Rig Release Date: Image: Rig Release Date Image: Rig Release Date <td>t details; and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #9 47 #10 47 #10 47 #10 47 #10 47 #12 47 #12 47 #13 47 #13 47 #14 47 #15 47 #16 RECEIVED y knowledge and belief.</td>	t details; and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #9 47 #10 47 #10 47 #10 47 #10 47 #12 47 #12 47 #13 47 #13 47 #14 47 #15 47 #16 RECEIVED y knowledge and belief.
13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring.Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 30-015-41501 AB STATE 647 #4 30-015-41495 AB STATE 647 30-015-41502 AB STATE 647 #4 30-015-41496 AB STATE 647 30-015-41503 AB STATE 647 #5 30-015-41496 AB STATE 647 30-015-41503 AB STATE 647 #6 30-015-41497 AB STATE 647 30-015-41491 AB STATE 647 #7 30-015-41498 AB STATE 647 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 Spud Date: Rig Release D	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #9 47 #10 47 #10 47 #10 47 #10 47 #12 47 #12 47 #13 47 #13 47 #14 47 #15 47 #16 NOV 1 4 2014 RECEIVED y knowledge and belief.
13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 30-015-41501 AB STATE 647 #2 30-015-41495 AB STATE 647 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 30-015-41502 AB STATE 647 #4 30-015-41496 AB STATE 647 30-015-41502 AB STATE 647 #5 30-015-41496 AB STATE 647 30-015-41503 AB STATE 647 #6 30-015-41497 AB STATE 647 30-015-41491 AB STATE 647 #7 30-015-41498 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 Spud Date: Rig Release Date: Interbulk Interbulk Interbulk In	t details; and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #9 47 #10 47 #10 47 #10 47 #12 47 #12 47 #12 47 #13 47 #14 47 #15 47 #16 RECEIVED y knowledge and belief. alyst II DATE 11/13/2014
13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring. Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41500 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 30-015-41502 AB STATE 647 #4 30-015-41495 AB STATE 647 30-015-41502 AB STATE 647 #6 30-015-41497 AB STATE 647 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 647 30-015-41491 AB STATE 647 #7 30-015-41498 AB STATE 647 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 Spud Date: Rig Release Date: Image: Rig Release Date Image: Rig Release Date <td>t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #10 47 #10 47 #12 47 #12 47 #12 47 #13 47 #14 47 #15 RECEIVED y knowledge and belief. alyst II DATE 11/13/2014</td>	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #10 47 #10 47 #12 47 #12 47 #12 47 #13 47 #14 47 #15 RECEIVED y knowledge and belief. alyst II DATE 11/13/2014
13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring. Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 30-015-41500 AB STATE 647 #3 30-015-41495 AB STATE 647 30-015-41501 AB STATE 647 #3 30-015-41496 AB STATE 647 30-015-41502 AB STATE 647 #4 30-015-41496 AB STATE 647 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 647 30-015-41503 AB STATE 647 #7 30-015-41498 AB STATE 647 30-015-41491 AB STATE 647 #8 30-015-41491 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 Spud Date: Rig Release Date:	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 NM OIL CONSERVATION 47 #10 ARTESIA DISTRICT 47 #12 NOV 1 4 2014 47 #13 RECEIVED 47 #16 DATE 11/13/2014 y knowledge and belief. DATE 11/13/2014 futrell@apachecorp.com PHONE: (432) 818-1893
13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring. Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 30-015-41502 AB STATE 647 #4 30-015-41496 AB STATE 647 30-015-41503 AB STATE 647 #5 30-015-41497 AB STATE 647 30-015-41504 AB STATE 647 #6 30-015-41497 AB STATE 647 30-015-41503 AB STATE 647 #7 30-015-41498 AB STATE 647 30-015-41491 AB STATE 647 #7 30-015-41498 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41497 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41497 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41497 AB STATE 647 Spud Date: Rig Release Date: Interformation above is true and complete to the best of my	t details; and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 47 #9 47 #10 47 #10 47 #10 47 #12 47 #12 47 #12 47 #13 47 #14 47 #15 47 #16 RECEIVED y knowledge and belief. alyst II DATE 11/13/2014
13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41500 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 30-015-41502 AB STATE 647 #4 30-015-41496 AB STATE 643 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 643 30-015-41491 AB STATE 647 #7 30-015-41498 AB STATE 643 30-015-41492 AB STATE 647 #8 30-015-41498 AB STATE 643 30-015-41492 AB STATE 647 #8 30-015-41498 AB STATE 643 30-015-41492 AB STATE 647 #8 30-015-41498 AB STATE 643 Spud Date: Image Futerell I hereby certify that the information above is tr	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 NM OIL CONSERVATION 47 #10 ARTESIA DISTRICT 47 #12 NOV 1 4 2014 47 #13 RECEIVED 47 #16 DATE 11/13/2014 y knowledge and belief. DATE 11/13/2014 futrell@apachecorp.com PHONE: (432) 818-1893
13 Describe proposed or completed operations. (Clearly state all pertinent of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For M proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. take our gas at this battery. Gas will be measured prior to flaring. Wells include 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 30-015-41502 AB STATE 647 #3 30-015-41496 AB STATE 647 30-015-41503 AB STATE 647 #5 30-015-41496 AB STATE 647 30-015-41504 AB STATE 647 #5 30-015-41496 AB STATE 647 30-015-41503 AB STATE 647 #6 30-015-41497 AB STATE 647 30-015-41491 AB STATE 647 #7 30-015-41498 AB STATE 647 30-015-41491 AB STATE 647 #8 30-015-41504 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 30-015-41492 AB STATE 647 #8 30-015-41504 AB STATE 647 Spud Date: Rig Release Date: Interve Interve Interve <tr< td=""><td>t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 NM OIL CONSERVATION 47 #10 ARTESIA DISTRICT 47 #12 NOV 1 4 2014 47 #13 RECEIVED 47 #16 DATE 11/13/2014 y knowledge and belief. DATE 11/13/2014 futrell@apachecorp.com PHONE: (432) 818-1893</td></tr<>	t details, and give pertinent dates, including estimated date Aultiple Completions: Attach wellbore diagram of Intermittent flaring will occur due to Frontier's inability to ed in the above battery are as follows: 47 #9 NM OIL CONSERVATION 47 #10 ARTESIA DISTRICT 47 #12 NOV 1 4 2014 47 #13 RECEIVED 47 #16 DATE 11/13/2014 y knowledge and belief. DATE 11/13/2014 futrell@apachecorp.com PHONE: (432) 818-1893

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

*

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only) .

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

A.	Applicant Apache Corporation	· · · · · · · · · · · · · · · · · · ·	
	whose address is,		
•	hereby requests an exception to Rule 19.15.1	90	
	, Yr, for the following described tank battery (or LACT): Name of Lease AB State 647 Battery Name of Pool Yeso Leastion of Pottery: Unit Letter N Section 32 Township 17S Pange 28E		
	Location of Battery: Unit Letter N	SectionTownship17S28E	
	Number of wells producing into battery		
В.	250		
		_MCF; Valueper day.	
. C.	Name and location of nearest gas gathering f	facility:	
	Frontier Empire Abo Unit		
D	DistanceEstimated cost of connection		
E.	This exception is requested for the following reasons: Frontier Empire Abo Unit Gas Plant cannot take our gas at this new battery. This is an extension to the permit that		
	expires 12/31/2014		
•			
		· · · · · · · · · · · · · · · · · · ·	
vision have t	that the rules and regulations of the Oil Conservation been complied with and that the information given above plete to the best of my knowledge and belief.	OIL CONSERVATION DIVISION Approved Until <u>B28</u> , 2015	
gnature	ay Fuel	By_ Rado	
rinted Nam	le Paige Futrell - Regulatory Analyst I	Title Sor The Spewiss	
-mail Addr	Paige.Futrell@apachecorp.com	Date 11/21/2014	
ate 11/13	3/2014 Telephone No. (432) 818-1893		
Gas-Oil ra	tio test may be required to verify estimated gas	s volume.	

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here SPD

111211 2014

State of New Mexico Energy, Minerals and Natural Resources Department

Jami Bailey, Division Director

Oil Conservation Division

Susana Martinez Governor

David Martin Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: <u>http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf</u>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

