Submit 1 Copy To Appropriate District Office	State of New M	lexico	Form C-103
<u>District I</u> – (575) 393-6161	Energy, Minerals and Nat	tural Resources	Revised August 1, 2011
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283			WELL API NO.
811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178	OIL CONSERVATIO		5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fra Santa Fe, NM 8		STATE FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	. Santa PC, INVIC		6. State Oil & Gas Lease No.
87505	ODE AND REPORTS ON WELL		7 1 N 11.24 A 4 N
SUNDRY NOTI (DO NOT USE THIS FORM FOR PROPOS	CES AND REPORTS ON WELL SALS TO DRILL OR TO DEEPEN OR P		7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLIC PROPOSALS.)			AB State 647 Battery
	Gas Well Other	•	8. Well Number
2. Name of Operator			9. OGRID Number
Apache Corporation 3. Address of Operator	<u> </u>	<u> </u>	873 10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 30	00 Midland, TX 79705		Yeso
4. Well Location	· · · · · · · · · · · · · · · · · · ·	·	
Unit Letter_N :_	feet from the	line and	feet from theline
Section 32		Range 28E	NMPM County Eddy
	11. Elevation (Show whether D	R, RKB, RT, GR, etc.	Assignment of the second second second
-		•	And the second s
12 Check A	appropriate Box to Indicate 1	Nature of Notice	Report or Other Data
	· ·		•
NOTICE OF IN		1	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK TEMPORARILY ABANDON	PLUG AND ABANDON CHANGE PLANS	REMEDIAL WOR	
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN	
DOWNHOLE COMMINGLE	,		
OTUED: Flare Permit		OTHER:	·
OTHER: Flare Permit	leted operations. (Clearly state al		d give pertinent dates, including estimated date
of starting any proposed wo	leted operations. (Glearly state al rk). SEE RULE 19.15.7.14 NMA	l pertinent details, an	d give pertinent dates, including estimated date mpletions: Attach wellbore diagram of
13 Describe proposed or comp	leted operations. (Glearly state al rk). SEE RULE 19.15.7.14 NMA	l pertinent details, an	
of starting any proposed or composed completion or recompletion or recompletion is requesting permission to	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA ompletion. of flare gas from the AB State #647	I pertinent details; an AC. For Multiple Co.	mpletions: Attach wellbore diagram of the flaring will occur due to Frontier's inability to
of starting any proposed wo proposed completion or reco	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA ompletion. of flare gas from the AB State #647	I pertinent details; an AC. For Multiple Co.	mpletions: Attach wellbore diagram of the flaring will occur due to Frontier's inability to
of starting any proposed or composed completion or recompletion or recompletion is requesting permission to	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA ompletion. of flare gas from the AB State #647	I pertinent details; an AC. For Multiple Co.	mpletions: Attach wellbore diagram of the flaring will occur due to Frontier's inability to
of starting any proposed or composed or starting any proposed we proposed completion or recomposed is requesting permission to take our gas at this battery. Gas we also so that the start of the start	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA completion. o flare gas from the AB State #647 ill be measured prior to flaring We	I pertinent details; an AC. For Multiple Co Battery. Intermittent Ils included in the ab	mpletions: Attach wellbore diagram of the transfer of the tran
of starting any proposed or composed wo proposed completion or reconstance is requesting permission to take our gas at this battery. Gas we	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA completion. of flare gas from the AB State #647 ill be measured prior to flaring. We also see the second	l pertinent details; an AC. For Multiple Co. Battery. Intermittent	mpletions: Attach wellbore diagram of t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT
of starting any proposed or composed completion or recomposed completion or recomposed in the start of the st	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA completion. of flare gas from the AB State #647 ill be measured prior to flaring. We 1 30-015-41493 AB 2 30-015-41494 AB 3 30-015-41495 AB 4 30-015-41496 AB	I pertinent details; an AC. For Multiple Co Battery. Intermittent Ils included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12	mpletions: Attach wellbore diagram of the transfer of the tran
of starting any proposed or composed completion or recomposed completion of starting any proposed completion of starting any proposed completion or recomposed completion or recompletion or recompo	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA completion. of flare gas from the AB State #647 ill be measured prior to flaring. We 1 30-015-41493 AB 2 30-015-41494 AB 3 30-015-41495 AB 4 30-015-41496 AB 5 30-015-41497 AB	I pertinent details; an AC. For Multiple Co Battery. Intermittent Ils included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12 STATE 647 #13	mpletions: Attach wellbore diagram of t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT
One of starting any proposed or composed completion or recomposed completion of starting any proposed completion of starting any proposed or completion or recomposed completion or recompletion or recomposed completion or	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA completion. of flare gas from the AB State #647 ill be measured prior to flaring We also an accordance of the state of th	I pertinent details; an AC. For Multiple Co Battery. Intermittent IIIs included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15	mpletions: Attach wellbore diagram of t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014
One of starting any proposed or composed completion or recomposed completion or recompletion or recomposed completion or	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA completion. of flare gas from the AB State #647 ill be measured prior to flaring We also an accordance of the state of th	I pertinent details; an AC. For Multiple Co Battery. Intermittent Ills included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12 STATE 647 #13 STATE 647 #14	mpletions: Attach wellbore diagram of t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT
One of starting any proposed or composed completion or recomposed completion of starting any proposed completion of starting any proposed or completion or recomposed completion or recompletion or recomposed completion or	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA completion. of flare gas from the AB State #647 ill be measured prior to flaring We also an accordance of the state of th	I pertinent details; an AC. For Multiple Co Battery. Intermittent IIIs included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15	mpletions: Attach wellbore diagram of t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014
One of starting any proposed or composed completion or recomposed completion of starting any proposed completion of starting any proposed or completion or recomposed completion or recompletion or recomposed completion or	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA completion. of flare gas from the AB State #647 ill be measured prior to flaring We also an accordance of the state of th	Deptiment details; an AC. For Multiple Co. Battery. Intermittent ells included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #16	mpletions: Attach wellbore diagram of t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014
Of starting any proposed or composed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recompletion or recompletion or recompletion or recompletion or recompletion or recompletion or r	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA completion. of flare gas from the AB State #647 ill be measured prior to flaring. We also also also also also also also also	Deptiment details; an AC. For Multiple Co. Battery. Intermittent ells included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #16	mpletions: Attach wellbore diagram of t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014
One of starting any proposed or composed completion or recomposed completion or recompletion or recomposed completion or recomposed completion or recomposed completion or recomposed completion or recompletion or recomposed completion or recompletion or	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NM/2 completion. of flare gas from the AB State #647 ill be measured prior to flaring. We also as the state of t	Pertinent details; an AC. For Multiple Co. Battery. Intermittent Is included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #16 Date:	t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED
Of starting any proposed or composed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recompletion or recompletion or recompletion or recompletion or recompletion or recompletion or r	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NM/2 completion. of flare gas from the AB State #647 ill be measured prior to flaring. We also as the state of t	Pertinent details; an AC. For Multiple Co. Battery. Intermittent Is included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #16 Date:	t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED
of starting any proposed or composed completion or recomposed completion of starting any proposed completion or recomposed completion or recompletion or recom	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA completion. of flare gas from the AB State #647 ill be measured prior to flaring. We also as a sured prior to flaring. We are a su	Determinent details; an AC. For Multiple Co. Battery. Intermittent alls included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #16 Date:	t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED
One of starting any proposed or composed completion or recomposed completion or recompletion or recomposed completion or recomposed completion or recomposed completion or recomposed completion or recompletion or recomposed completion or recompletion or	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA completion. of flare gas from the AB State #647 ill be measured prior to flaring. We also as a sured prior to flaring. We are a su	Pertinent details; an AC. For Multiple Co. Battery. Intermittent Is included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #16 Date:	t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED
of starting any proposed or composed completion or recomposed completion or recompletion or recomposed completion or recomposed completion or recompletion or	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA ompletion. of flare gas from the AB State #647 ill be measured prior to flaring. We also as a sure of the state of the st	Battery. Intermittent ells included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #13 STATE 647 #15 STATE 647 #15 STATE 647 #16 Date: best of my knowledgulatory Analyst II	mpletions: Attach wellbore diagram of the flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED The part of the property
of starting any proposed or composed completion or recomposed completion of starting any proposed completion or recomposed completion or recompletion or recom	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA ompletion. of flare gas from the AB State #647 ill be measured prior to flaring. We also as a sure of the state of the st	Determinent details; an AC. For Multiple Co. Battery. Intermittent alls included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #16 Date:	mpletions: Attach wellbore diagram of t flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED ge and belief. DATE 11/13/2014
of starting any proposed or composed completion or recomposed completion or recompletion or recomposed completion or recomposed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recompletion or recompleti	leted operations. (Clearly state al rk). SEE RULE 19.15.7.14 NMA ompletion. of flare gas from the AB State #647 ill be measured prior to flaring. We also as a sure of the state of the st	Battery. Intermittent ells included in the ab STATE 647 #9 STATE 647 #10 STATE 647 #11 STATE 647 #13 STATE 647 #15 STATE 647 #15 STATE 647 #16 Date: best of my knowledgulatory Analyst II	mpletions: Attach wellbore diagram of the flaring will occur due to Frontier's inability to ove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED The part of the property

#See Attached COAS

1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

. A.	Applicant Apache Corporation,				
	whose address is				
	hereby requests an exception to Rule 19.15.18.12 fordays or un				
	, Yr, for the following described tank battery (or LACT):				
	Name of Lease AB State 647 Battery Name of Pool Yeso Location of Battery: Unit Letter N Section 32 Township 178 Range 28E				
	Number of wells producing into battery				
B.	Based upon oil production ofbarrels per day, the estimated * volume				
	of gas to be flared is				
. C.	Name and location of nearest gas gathering facility:				
•	Frontier Empire Abo Unit				
D.	DistanceEstimated cost of connection				
E.	This exception is requested for the following reasons: Frontier Empire Abo Unit Gas Plant				
	cannot take our gas at this new battery. This is an extension to the permit that				
	expires 12/31/2014.				
•					
OPERATOR	•				
Division have b	that the rules and regulations of the Oil Conservation been complied with and that the information given above plete to the best of my knowledge and belief. Approved Until				
Signature	Day Fuel By Albado				
Printed Name & Title	e Paige Futrell - Regulatory Analyst I Title STA SUMST				
E-mail Addro	Paige.Futrell@apachecorp.com Date 1/21/2014				
Date 11/13	7/2014 Telephone No. (432) 818-1893				
Gas-Oil rat	tio test may be required to verify estimated gas volume				

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days.

 http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

11/21/2014

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Jami Bailey, Division Director
Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE
Contact: Jim Winchester (505)231-8800 E-Mail: iim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.