Office	New Mexico	Form C-103		
1625 N. French Dr., Hobbs, NM 88240	and Natural Resources	Revised August 1, 2011 WELL API NO.		
	ATION DIVISION St. Francis Dr. , NM 87505	 5. Indicate Type of Lease STATE FEE 6. State Oil & Gas Lease No. 		
87505 SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		7. Lease Name or Unit Agreement Name AB State 647 Battery		
PROPOSALS.) 1. Type of Well: Oil Well ✓ Gas Well Other				
2. Name of Operator Apache Corporation		9. OGRID Number 873		
3. Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705	ress of Operator			
4. Well Location	· · ·	Yeso		
Unit Letter N feet from the _		feet from theline		
Section 32 Township 175	S Range 28E ether DR, RKB, RT, GR, etc	NMPM County Eddy		
 30-015-39927 AB STATE 647 #1 30-015-41500 AB STATE 647 #3 30-015-41501 AB STATE 647 #4 30-015-41505 AB STATE 647 #4 30-015-4149 30-015-4149 30-015-4149 30-015-4149 30-015-41501 AB STATE 647 #4 	state all pertinent details, a 14 NMAC. For Multiple Co ate #647 Battery. Intermitter iring.Wells included in the al 03 AB STATE 647 #9 04 AB STATE 647 #10 05 AB STATE 647 #11 06 AB STATE 647 #12	ompletions: Attach wellbore diagram of nt flaring will occur due to Frontier's inability to bove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT		
of starting any proposed work). SEE RULE 19.15.7. proposed completion or recompletion. Apache is requesting permission to flare gas from the AB Stattake our gas at this battery. Gas will be measured prior to flate 30-015-39927 AB STATE 647 #1 30-015-4149 30-015-41500 AB STATE 647 #2 30-015-4149 30-015-41501 AB STATE 647 #3 30-015-4149	state all pertinent details, a 14 NMAC. For Multiple Co ate #647 Battery. Intermitter aring.Wells included in the al 03 AB STATE 647 #9 04 AB STATE 647 #10 05 AB STATE 647 #11 06 AB STATE 647 #12 07 AB STATE 647 #13 08 AB STATE 647 #13 09 AB STATE 647 #13	ompletions: Attach wellbore diagram of nt flaring will occur due to Frontier's inability to bove battery are as follows: NM OIL CONSERVATION		
of starting any proposed work). SEE RULE 19.15.7. proposed completion or recompletion. Apache is requesting permission to flare gas from the AB Statake our gas at this battery. Gas will be measured prior to flate 30-015-39927 AB STATE 647 #1 30-015-4149 30-015-39927 AB STATE 647 #1 30-015-4149 30-015-41500 AB STATE 647 #1 30-015-4149 30-015-41501 AB STATE 647 #2 30-015-4149 30-015-41501 AB STATE 647 #3 30-015-4149 30-015-41502 AB STATE 647 #4 30-015-4149 30-015-41502 AB STATE 647 #5 30-015-4149 30-015-41503 AB STATE 647 #6 30-015-4149 30-015-41491 AB STATE 647 #7 30-015-4150 30-015-41492 AB STATE 647 #8 30-015-4151	state all pertinent details, a 14 NMAC. For Multiple Co ate #647 Battery. Intermitter aring.Wells included in the al 03 AB STATE 647 #9 04 AB STATE 647 #10 05 AB STATE 647 #11 06 AB STATE 647 #11 07 AB STATE 647 #13 08 AB STATE 647 #13 09 AB STATE 647 #13	ompletions: Attach wellbore diagram of nt flaring will occur due to Frontier's inability to bove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014		
of starting any proposed work). SEE RULE 19.15.7. proposed completion or recompletion. Apache is requesting permission to flare gas from the AB Statake our gas at this battery. Gas will be measured prior to flate 30-015-39927 AB STATE 647 #1 30-015-4149 30-015-39927 AB STATE 647 #1 30-015-4149 30-015-41500 AB STATE 647 #1 30-015-4149 30-015-41501 AB STATE 647 #2 30-015-4149 30-015-41501 AB STATE 647 #3 30-015-4149 30-015-41502 AB STATE 647 #4 30-015-4149 30-015-41502 AB STATE 647 #5 30-015-4149 30-015-41503 AB STATE 647 #6 30-015-4149 30-015-41491 AB STATE 647 #7 30-015-4150 30-015-41492 AB STATE 647 #8 30-015-4151	state all pertinent details, a 14 NMAC. For Multiple Co ate #647 Battery. Intermitter aring.Wells included in the al 03 AB STATE 647 #9 04 AB STATE 647 #10 05 AB STATE 647 #11 06 AB STATE 647 #11 07 AB STATE 647 #12 07 AB STATE 647 #13 08 AB STATE 647 #13 08 AB STATE 647 #16 04 AB STATE 647 #16	ompletions: Attach wellbore diagram of ht flaring will occur due to Frontier's inability to bove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED		
of starting any proposed work). SEE RULE 19.15.7. proposed completion or recompletion. Apache is requesting permission to flare gas from the AB Stattake our gas at this battery. Gas will be measured prior to flar 30-015-39927 AB STATE 647 #1 30-015-4149 30-015-41500 AB STATE 647 #2 30-015-4149 30-015-41501 AB STATE 647 #3 30-015-4149 30-015-41505 AB STATE 647 #3 30-015-4149 30-015-41502 AB STATE 647 #4 30-015-4149 30-015-41503 AB STATE 647 #5 30-015-4149 30-015-41491 AB STATE 647 #6 30-015-4149 30-015-41492 AB STATE 647 #8 30-015-4150 30-015-41492 AB STATE 647 #8 30-015-4151	state all pertinent details, a 14 NMAC. For Multiple Co ate #647 Battery. Intermitter aring.Wells included in the al 03 AB STATE 647 #9 04 AB STATE 647 #10 05 AB STATE 647 #11 06 AB STATE 647 #11 07 AB STATE 647 #12 07 AB STATE 647 #13 08 AB STATE 647 #13 08 AB STATE 647 #16 04 AB STATE 647 #16	ompletions: Attach wellbore diagram of ht flaring will occur due to Frontier's inability to bove battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED		
of starting any proposed work). SEE RULE 19.15.7. proposed completion or recompletion. Apache is requesting permission to flare gas from the AB Stattake our gas at this battery. Gas will be measured prior to fla 30-015-39927 AB STATE 647 #1 30-015-4149 30-015-41500 AB STATE 647 #2 30-015-4149 30-015-41501 AB STATE 647 #3 30-015-4149 30-015-41505 AB STATE 647 #4 30-015-4149 30-015-41502 AB STATE 647 #5 30-015-4149 30-015-41503 AB STATE 647 #6 30-015-4149 30-015-41491 AB STATE 647 #7 30-015-4150 30-015-41492 AB STATE 647 #8 30-015-4150 Spud Date: Rig R I hereby certify that the information above is true and complete SIGNATURE, MAMMA TITLE	state all pertinent details, a 14 NMAC. For Multiple Co ate #647 Battery. Intermitter aring.Wells included in the al 03 AB STATE 647 #9 04 AB STATE 647 #10 05 AB STATE 647 #11 06 AB STATE 647 #12 07 AB STATE 647 #13 08 AB STATE 647 #13 08 AB STATE 647 #16 04 AB STATE 647 #16 04 AB STATE 647 #16 05 AB STATE 647 #16 06 AB STATE 647 #16 06 AB STATE 647 #16 07 AB STATE 647 #16	Ige and belief.		
of starting any proposed work). SEE RULE 19.15.7. proposed completion or recompletion. Apache is requesting permission to flare gas from the AB Stattake our gas at this battery. Gas will be measured prior to flar 30-015-39927 AB STATE 647 #1 30-015-4149 30-015-41500 AB STATE 647 #2 30-015-4149 30-015-41501 AB STATE 647 #3 30-015-4149 30-015-41505 AB STATE 647 #3 30-015-4149 30-015-41502 AB STATE 647 #4 30-015-4149 30-015-41503 AB STATE 647 #5 30-015-4149 30-015-41491 AB STATE 647 #6 30-015-4149 30-015-41492 AB STATE 647 #8 30-015-4150 30-015-41492 AB STATE 647 #8 30-015-4151 Spud Date: Rig R I hereby certify that the information above is true and complete SIGNATURE, MAM TITL	state all pertinent details; a 14 NMAC. For Multiple Co ate #647 Battery. Intermitter aring. Wells included in the al 03 AB STATE 647 #9 04 AB STATE 647 #10 05 AB STATE 647 #11 06 AB STATE 647 #12 07 AB STATE 647 #13 08 AB STATE 647 #13 08 AB STATE 647 #14 04 AB STATE 647 #16 11 AB STATE 647 #16 Lelease Date: e to the best of my knowled CE_Regulatory Analyst II ail address: _paige.futrell@apact	Ige and belief.		

District J 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

ANA 12 1 1 11 11 11

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

Α.	Applicant Apache Corporation				 ,		
	whose address is						
	hereby requests an exception to Rule 19.15.1				days or until		
	, Yr, for the following described tank battery (or LACT):						
	AB State 647 Battery Name of Lease Location of Battery: Unit Letter	Name of P Section32	ool175 _Township175	S Range	28E		
	Number of wells producing into battery		16				
B.	Based upon oil production of	0ba	rrels per day, the e	estimated *	volume		
	of gas to be flared is Name and location of nearest gas gathering f	MCF; Value	•		_per day.		
. C.	Name and location of nearest gas gathering.f	facility:	مىيەر مەرىپىدىنى بىلىرىمىيە بىلىرىمىيە مەرىپىدە مەرىپىدە بىلىرىمىيە بىلىرىمىيە بىلىرىمىيە بىلىرىمىيە بىلىرىمىيە	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • •		
	Frontier Empire Abo Unit						
D	DistanceEstimated cost of connection						
E.	E. This exception is requested for the following reasons: Frontier Empire Abo Unit Gas P cannot take our gas at this new battery. This is an extension to the permit the expires 12/31/2014.						
	· · · · · ·			•			
OPERATOR I hereby certify Division have b is true and com	that the rules and regulations of the Oil Conservation een complied with and that the information given above plete to the best of my knowledge and belief.		til CONDIVIS		15		
Signature	Jay Full	By	1 ado)			
Printed Nam & Title	^e Paige Futrell - Regulatory Analyst I	Title OTC	17 Aperul	507			
E-mail Addr	Paige.Futrell@apachecorp.com	Date 11/21	bory				
Date 11/13	/2014 Telephone No. (432) 818-1893			. *: *			
* Gas-Oil rat	tio test may be required to verify estimated gas	volume.	······	• • , ••			

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here RD

11 1211 2014

State of New Mexico Energy, Minerals and Natural Resources Department

Jami Bailey, Division Director

Oil Conservation Division

Susana Martinez Governor

David Martin Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

