Office	State of New Mexico		Form C-103		
District 1 – (575) 393-6161	Energy Minerals and Natural Resources		Revised August 1, 2011		
1625 N. French Dr., Hobbs, NM 88240	5 N. French Dr., Hobbs, NM 88240		WELL API NO.		
811 S. First St., Artesia, NM 88210	ct II – (575) 748-1283 First St., Artesia, NM 88210 OIL CONSERVATION DIVISION		5. Indicate Type of Lease		
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	34-6178 1220 South St. Francis Dr.		STATE  FEE		
<u>District IV</u> – (505) 476-3460	$\frac{\text{ct IV}}{\text{ct IV}} = (505)476-3460$ Santa Fe, NIVI 8/3U3		6. State Oil & Gas Lease No.		
1220 S. St. Francis Dr., Santa Fe, NM 87505					
SUNDRY NOT	ICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name		
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			AB State 647 Battery		
PROPOSALS.)			8. Well Number		
1. Type of Well: Oil Well  Gas Well  Other			9. OGRID Number		
2. Name of Operator Apache Corporation			9. OGRID Number		
3. Address of Operator			10. Pool name or Wildcat		
303 Veterans Airpark Lane, Suite 3	000 Midland, TX 79705		Yeso		
4. Well Location	· ·				
Unit Letter N :	feet from the	line and	feet from theline		
Section 32	Township 17S Range		NMPM County Eddy		
	11. Elevation (Show whether DR, RK	B, RT, GR, etc.)	And the second s		
Property Company of Company	<u> </u>		Account of the second		
12 (1 - 1	A	CNL.4'D	Description Other Detail		
12. Check A	Appropriate Box to Indicate Natu	re of Notice, R	Report or Other Data		
NOTICE OF IN	ITENTION TÓ:	SUBS	EQUENT REPORT OF:		
PERFORM REMEDIAL WORK		EMEDIAL WORK	<del>-</del>		
TEMPORARILY ABANDON		DMMENCE DRIL			
PULL OR ALTER CASING	MULTIPLE COMPL CA	ASING/CEMENT	JOB		
DOWNHOLE COMMINGLE					
OTHER: Flare Permit	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		
			give pertinent dates, including estimated date		
of starting any proposed w	ork). SEE RULE 19.15.7.14 NMAC. F	or Multiple Com	pletions: Attach wellbore diagram of		
	•				
	o flare gas from the AB State #647 Batte vill be measured prior to flaring.Wells inc		laring will occur due to Frontier's inability to		
take out gas at this battery. Oas t	viii be illeasured prior to namig. v vens nic	nadea in the abov	re ballely are as follows.		
	· ·				
	· ·				
30-015-39927 AB STATE 647 #	1 30-015-41493 AB STAT	E 647 #9	NM OIL CONSERVATION		
30-015-41500 AB STATE 647 #	1 30-015-41493 AB STAT 2 30-015-41494 AB STAT	E 647 #10			
	1 30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT		NM OIL CONSERVATION ARTESIA DISTRICT		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41502 AB STATE 647 #	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT	E 647 #10 E 647 #11 E 647 #12 E 647 #13	NM OIL CONSERVATION		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41502 AB STATE 647 # 30-015-41503 AB STATE 647 #	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41502 AB STATE 647 #	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT	E 647 #10 E 647 #11 E 647 #12 E 647 #13	NM OIL CONSERVATION ARTESIA DISTRICT		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41503 AB STATE 647 # 30-015-41491 AB STATE 647 #	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41502 AB STATE 647 # 30-015-41503 AB STATE 647 # 30-015-41491 AB STATE 647 # 30-015-41492 AB STATE 647 #	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT 8 30-015-41511 AB STAT	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41503 AB STATE 647 # 30-015-41491 AB STATE 647 #	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41502 AB STATE 647 # 30-015-41503 AB STATE 647 # 30-015-41491 AB STATE 647 # 30-015-41492 AB STATE 647 #	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT 8 30-015-41511 AB STAT	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41502 AB STATE 647 # 30-015-41491 AB STATE 647 # 30-015-41492 AB STATE 647 # Spud Date:	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT 8 30-015-41511 AB STAT Rig Release Date:	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15 E 647 #16	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41502 AB STATE 647 # 30-015-41491 AB STATE 647 # 30-015-41492 AB STATE 647 # Spud Date:	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT 8 30-015-41511 AB STAT	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15 E 647 #16	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41502 AB STATE 647 # 30-015-41491 AB STATE 647 # 30-015-41492 AB STATE 647 # Spud Date:	30-015-41493 AB STAT 30-015-41494 AB STAT 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT 8 30-015-41511 AB STAT Rig Release Date:	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15 E 647 #16	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED and belief.		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41502 AB STATE 647 # 30-015-41491 AB STATE 647 # 30-015-41492 AB STATE 647 # Spud Date:	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT 8 30-015-41511 AB STAT Rig Release Date:	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15 E 647 #16	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41502 AB STATE 647 # 30-015-41503 AB STATE 647 # 30-015-41491 AB STATE 647 # 30-015-41492 AB STATE 647 #  Spud Date:	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT 8 30-015-41511 AB STAT Rig Release Date:  Above is true and complete to the best of	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15 E 647 #16	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED  and belief.  DATE 11/13/2014		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41502 AB STATE 647 # 30-015-41503 AB STATE 647 # 30-015-41491 AB STATE 647 # 30-015-41492 AB STATE 647 #  Spud Date:  I hereby certify that the information  SIGNATURED:  Type or print name Paige Futrell	30-015-41493 AB STAT 30-015-41494 AB STAT 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT 8 30-015-41511 AB STAT Rig Release Date:	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15 E 647 #16	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED  and belief.  DATE 11/13/2014		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41502 AB STATE 647 # 30-015-41503 AB STATE 647 # 30-015-41491 AB STATE 647 # 30-015-41492 AB STATE 647 #  Spud Date:  I hereby certify that the information  SIGNATURED AB STATE Full  Type or print name Paige Futrell  For State Use Only	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT 8 30-015-41511 AB STAT Rig Release Date:  TITLE Regulatory  E-mail address: p	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15 E 647 #16	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED  and belief.  DATE 11/13/2014 PHONE: (432) 818-1893		
30-015-41500 AB STATE 647 # 30-015-41501 AB STATE 647 # 30-015-41505 AB STATE 647 # 30-015-41502 AB STATE 647 # 30-015-41503 AB STATE 647 # 30-015-41491 AB STATE 647 # 30-015-41492 AB STATE 647 #  Spud Date:  I hereby certify that the information  SIGNATURED:  Type or print name Paige Futrell	30-015-41493 AB STAT 2 30-015-41494 AB STAT 3 30-015-41495 AB STAT 4 30-015-41496 AB STAT 5 30-015-41497 AB STAT 6 30-015-41498 AB STAT 7 30-015-41504 AB STAT 8 30-015-41511 AB STAT Rig Release Date:  Above is true and complete to the best of	E 647 #10 E 647 #11 E 647 #12 E 647 #13 E 647 #14 E 647 #15 E 647 #16	NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED  and belief.  DATE 11/13/2014		

#See Attached COAS

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

#### APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

,	A.	Applicant Apache Corporation			<b></b> , .		
			ess is, 1945 Bluestem Road, Artesia, NM 88210,				
		hereby requests an exception to Rule 19.15.18		90	days or until		
		, Yr, 1	or the following described	I tank battery (or I	LACT):		
		Name of Lease AB State 647 Battery	Name of PoolYeso	1			
		Location of Battery: Unit LetterS	ectionTownship	17S	28E		
		Number of wells producing into battery	16				
	В.	Based upon oil production of	barrels per day	, the estimated *	volume		
	•	of gas to be flared is	ИСF; Value	· .	per day.		
and the e	C.	Name and location of nearest gas gathering fa	cility:	oper oper gebruik in een een een een een een een een een	المراجع والمستعدد والمستعدد والمستعدد		
		Frontier Empire Abo Unit					
	D.	Distance Estimated cost of connection					
	E.	This exception is requested for the following reasons:  Frontier Empire Abo Unit Gas Plant					
		cannot take our gas at this new battery. This is an extension to the permit that					
		expires 12/31/2014.					
				•			
				,			
	RATOR		OIL CONSERVATION I	DIVISION			
I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.			Approved Until 9e3 28 2015				
Signa	ature 🔎	ay fuel	By Albado				
Printed Name Paige Futrell - Regulatory Analyst I			Title Sort Spewson				
E-mail AddressPaige.Futrell@apachecorp.com			Date 11/21/2014				
Date	11/13/	/2014 Telephone No. (432) 818-1893			-		
Ga	s-Oil rat	io test may be required to verify estimated gas y	/olume				

### NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

#### CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <a href="http://www.gacc.nifc.gov/swcc">http://www.gacc.nifc.gov/swcc</a> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

111211 2014

## State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Jami Bailey, Division Director Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: <u>iim.winchester@state.nm.us</u>

# Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <a href="https://www.nmforestry.com">www.nmforestry.com</a> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.