State of New Mexico State of New Mexico State of New Mexico Serviced Anguet 1, 2011
12.20 South St. Francis Dr. Santa Fe, NM 87505
12.20 South St. Francis Dr. Santa Fe, NM 87505
1000 Rob Brazos Rd, Aztec, NM 87410 Santa Fe, NM 87505 6. State Oil & Gas Lease No.
12:04-SN Francis Dr. SNEECEN ED
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DEBLE OR TO DEFER NOR PLUG BACK TO A DIFFERENT RESERVOR. USE "APPLICATION FOR PERMIT" (FORM CE-101) FOR SUCH PROFOSALS.) 1. Type of Well: Oil Well
Ab State 947 Battlery PROPOSALS
2. Name of Operator Apache Corporation Apache Corporation BEED 1 2 2014 9. OGRID Number 873 9. OGRID Number 873 10. Pool name or Wildcat Yeso 4. Well Location Unit Letter N
Apache Corporation SEP 1 2 2014 873 3. Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705 RECEIVED Unit Letter N
3. Authers of Opterators 4. Well Location Unit Letter N : feet from the line and feet from the line Section 32 Township 17S Range 28E NMPM County Eddy 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS P AND A PULL OR ALTER CASING MULTIPLE COMPL COMMENCE DRILLING OPNS P AND A CASING/CEMENT JOB OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. Intermittent flaring will occur due to Frontier's inability to take our gas at this battery. Gas will be measured prior to flaring Wells included in the above battery are as follows: 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 #10 30-015-41500 AB STATE 647 #3 30-015-41494 AB STATE 647 #13 30-015-41502 AB STATE 647 #6 30-015-41496 AB STATE 647 #13 30-015-41502 AB STATE 647 #6 30-015-41497 AB STATE 647 #13 30-015-41504 AB STATE 647 #15 30-015-41504 AB STATE 647 #16 30-015-41504 AB STATE 647 #16 30-015-41504 AB STATE 647 #15 30-015-41504 AB STATE 647 #16 30-015-41504 AB STATE 647 #16 30-015-41504 AB STATE 647 #15 30-015-41504 AB STATE 647 #16 30-015-41504 AB STATE 647 #16 30-015-41504 AB STATE 647 #16 30-015-41504 AB STATE
Well Location Unit Letter N feet from the line and feet from the line Section 32 Township 17S Range 28E NMPM County Eddy
Unit Letter N : feet from the line and feet from the line Section 32 Township 17S Range 28E NMPM County Eddy 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG ANDA BAANDON REMEDIAL WORK ALTERING CASING TEMPORARILY BABANDON CHANGE PLANS COMMENCE DRILLING OPNS P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB P AND A OTHER: Flare Permit OTHER: OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #847 Battery. Intermittent flaring will occur due to Frontier's inability to take our gas at this battery. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 30-015-39927 AB STATE 647 #1 30-015-41494 AB STATE 647 #11 30-015-41505 AB STATE 647 #3 30-015-41495 AB STATE 647 #11 30-015-41505 AB STATE 647 #3 30-015-41496 AB STATE 647 #13 30-015-41497 AB STATE 647 #14 30-015-41498 AB STATE 647 #14 30-015-41499 AB STATE 647 #14 30-015-41499 AB STATE 647 #14 30-015-41499 AB STATE 647 #16 30-015-41491 AB STATE 647 #16 30-015-41491 AB STATE 647 #16 30-015-41501 AB STATE
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB CASING/CEMENT JOB OTHER: Flare Permit OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. Intermittent flaring will occur due to Frontier's inability to take our gas at this battery. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 30-015-39927 AB STATE 647 #1 30-015-41494 AB STATE 647 #9 30-015-41504 AB STATE 647 #10 30-015-41505 AB STATE 647 #3 30-015-41494 AB STATE 647 #11 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 647 #11 30-015-41503 AB STATE 647 #6 30-015-41496 AB STATE 647 #13 30-015-41497 AB STATE 647 #13 30-015-41491 AB STATE 647 #6 30-015-41496 AB STATE 647 #15 30-015-41491 AB STATE 647 #7 30-015-41497 AB STATE 647 #15 30-015-41491 AB STATE 647 #16 30-015-
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS PAND A CASING/CEMENT JOB DOWNHOLE COMMINGLE OTHER: Flare Permit OTHER: Flare Permit
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS PAND A CASING/CEMENT JOB DOWNHOLE COMMINGLE OTHER: Flare Permit OTHER: Flare Permit
PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS ALTERING CASING OTHER. PAND A OTHER. Flare Permit To There is any proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. Intermittent flaring will occur due to Frontier's inability to take our gas at this battery. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 #9 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #10 30-015-41505 AB STATE 647 #3 30-015-41496 AB STATE 647 #12 30-015-41505 AB STATE 647 #5 30-015-41497 AB STATE 647 #12 30-015-41491 AB STATE 647 #5 30-015-41497 AB STATE 647 #13 30-015-41491 AB STATE 647 #7 30-015-41491 AB STATE 647 #7 30-015-41491 AB STATE 647 #15 30-015-41504 AB STATE 647 #15 30-015-41491 AB STATE 647 #15 30-015-41504 AB STATE 647 #15 30-015-41491 AB STATE 647 #8 30-015-41511 AB STATE 647 #15 30-015-41492 AB STATE 647 #15 30-015-41501 AB STATE 647 #15 30-015-41511 AB STATE 647 #15
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS PAND A CASING/CEMENT JOB COMMENCE COMMINGLE COMPL CASING/CEMENT JOB CASING/CEMENT
PULL OR ALTER CASING DOWNHOLE COMPL CASING/CEMENT JOB DOWNHOLE COMMINGLE OTHER: Flare Permit OTHER: Flare Permit OTHER: Flare Permit OTHER: To OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. Intermittent flaring will occur due to Frontier's inability to take our gas at this battery. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 #9 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #10 30-015-41501 AB STATE 647 #3 30-015-41496 AB STATE 647 #11 30-015-41502 AB STATE 647 #4 30-015-41496 AB STATE 647 #12 30-015-41503 AB STATE 647 #6 30-015-41497 AB STATE 647 #13 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 647 #14 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16
OTHER: Flare Permit 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. Intermittent flaring will occur due to Frontier's inability to take our gas at this battery. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 30-015-39927 AB STATE 647 #1 30-015-41490 AB STATE 647 #2 30-015-41500 AB STATE 647 #3 30-015-41494 AB STATE 647 #10 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 #13 30-015-41502 AB STATE 647 #4 30-015-41496 AB STATE 647 #12 30-015-41503 AB STATE 647 #6 30-015-41497 AB STATE 647 #13 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. Intermittent flaring will occur due to Frontier's inability to take our gas at this battery. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 #9 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #10 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 #11 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 647 #12 30-015-41502 AB STATE 647 #6 30-015-41497 AB STATE 647 #13 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 647 #14 30-015-41491 AB STATE 647 #6 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16 Spud Date: Rig Release Date:
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. Intermittent flaring will occur due to Frontier's inability to take our gas at this battery. Gas will be measured prior to flaring.Wells included in the above battery are as follows: 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 #9 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #10 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 #11 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 647 #12 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 647 #13 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 647 #14 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16 Spud Date: Rig Release Date:
proposed completion or recompletion. Apache is requesting permission to flare gas from the AB State #647 Battery. Intermittent flaring will occur due to Frontier's inability to take our gas at this battery. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 #9 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #10 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 #11 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 647 #12 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 647 #13 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 647 #14 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16 Spud Date: Rig Release Date:
Apache is requesting permission to flare gas from the AB State #647 Battery. Intermittent flaring will occur due to Frontier's inability to take our gas at this battery. Gas will be measured prior to flaring. Wells included in the above battery are as follows: 30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 #9 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #10 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 #11 30-015-41502 AB STATE 647 #4 30-015-41496 AB STATE 647 #12 30-015-41502 AB STATE 647 #6 30-015-41498 AB STATE 647 #13 30-015-41503 AB STATE 647 #6 30-015-41504 AB STATE 647 #14 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16 Spud Date: Rig Release Date:
30-015-39927 AB STATE 647 #1 30-015-41493 AB STATE 647 #9 30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #10 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 #11 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 647 #12 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 647 #13 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 647 #14 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16 Spud Date: Rig Release Date:
30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #10 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 #11 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 647 #12 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 647 #13 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 647 #14 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16 Spud Date: Rig Release Date:
30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #10 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 #11 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 647 #12 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 647 #13 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 647 #14 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16 Spud Date: Rig Release Date:
30-015-41500 AB STATE 647 #2 30-015-41494 AB STATE 647 #10 30-015-41501 AB STATE 647 #3 30-015-41495 AB STATE 647 #11 30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 647 #12 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 647 #13 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 647 #14 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16 Spud Date: Rig Release Date:
30-015-41505 AB STATE 647 #4 30-015-41496 AB STATE 647 #12 30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 647 #13 30-015-41503 AB STATE 647 #6 30-015-41498 AB STATE 647 #14 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 Spud Date: Rig Release Date:
30-015-41502 AB STATE 647 #5 30-015-41497 AB STATE 647 #13 30-015-41503 AB STATE 647 #6 30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 Spud Date: Rig Release Date:
30-015-41491 AB STATE 647 #7 30-015-41504 AB STATE 647 #15 30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16 Spud Date: Rig Release Date:
30-015-41492 AB STATE 647 #8 30-015-41511 AB STATE 647 #16 Spud Date: Rig Release Date:
Spud Date: Rig Release Date:
hereby certify that the information above is true and complete to the best of my knowledge and belief.
hereby certify that the information above is true and complete to the best of my knowledge and belief.
SIGNATURE JULY FUTCE TITLE Regulatory Analyst II DATE 09/10/2014
Type or print name Paige Futrell E-mail address: paige futrell@apachecorp.com PHONE: (432) 818-1893
For State Use Only
APPROVED BY: O DOLL TITLE DIST LINGUISM DATE

* See Attached COA's

1625 N. French Dr., Hobbs, NM 88240 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources**HOBBS OCD**

Form C-129 Revised August 1, 2011 SEP 1 2 2014 it one copy to appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NFO Permit No.

RECEIVED

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

A.	Applicant Apache Corporation ,	
	whose address is	
	hereby requests an exception to Rule 19.15.18.12 for days or un	ntil
	, Yr, for the following described tank battery (or LACT):	
	Name of Lease AB State 647 Battery Name of Pool Yeso	
•	Location of Battery: Unit Letter NSection 32Township 17SRange 28E	
	Number of wells producing into battery	
В.	Based upon oil production ofbarrels per day, the estimated * volume	
*	of gas to be flared isMCF; Value per day.	
C	Name and location of nearest gas gathering facility: Frontier Empire Abo Unit	'2 #F25 -
D.	DistanceEstimated cost of connection	
E.	This exception is requested for the following reasons: Frontier Empire Abo Unit Gas Plant cannot take our gas at this new battery. This is an extension to the permit that	
	expires 09/30/2014.	
PERATOR	that the rules and regulations of the Oil Conservation	
Division have be true and comp	een complied with and that the information given above elete to the best of my knowledge and belief. Approved Until 12/10/2014	·
signature	aight Three By Maky Brown	
rinted Name Title		_
E-mail Addre	Paige.Futrell@apachecorp.com Date 9/17/2014	
Date 09/10/	/2014 Telephone No. (432) 818-1893	

Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

/ / 2011

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin
Cabinet Secretary

Jami Bailey, Division Director
Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.