Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

OCD-ARTESIA

FORM APPROVED OMB NO. 1004-0135

_	Expires: Ju
	Lease Serial No.
	NIMANIMACEOG

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an

6. If Indian, Allottee or Tribe Name

abandoned W			
SUBMIT IN TE	7. If Unit or CA/Agreement, Name and/or No.		
Type of Well ☐ Gas Well ☐ O	8. Well Name and No. COTTON DRAW 10 FED COM 3H		
Name of Operator DEVON ENERGY PRODUC	9. API Well No. 30-015-42126		
3a. Address 333 WEST SHERIDAN AVE OKLAHOMA CITY, OK 731		3b. Phone No. (include area coo Ph: 405-552-3622	de) 10. Field and Pool, or Exploratory PADUCA; BONE SPRING
4. Location of Well (Footage, Sec.,	11. County or Parish, and State		
Sec 10 T25S R31E NENE 2	EDDY COUNTY COUNTY, NM		
12. CHECK API	PROPRIATE BOX(ES)	TO INDICATE NATURE OF	F NOTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	OF ACTION .		
□ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume) ☐ Water Shut-Off
I Notice of fineth	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation ☐ Well Integrity

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

□ Plug Back

■ New Construction

□ Plug and Abandon

Site Name:

Subsequent Report

☐ Final Abandonment Notice

Cotton Draw 10 Fed Com 3H

1. Name(s) of formation(s) producing water on the lease: Paduca; Bone Spring

Amount of water produced from all formations in barrels per day: 1200BBLS

How water is stored on lease:

Water is stored at the Cotton Draw 10 Fed Com 2H in two 500BBLS water tank

Casing Repair

□ Change Plans Convert to Injection

> Accepted for record (1) NMOCD 12/19/14

□ Recomplete

■ Water Disposal

☐ Temporarily Abandon

SEE ATTACHED FOR CONDITIONS OF APPROVAL

NM OIL CONSERVATION

□ Other

ARTESIA DISTRICT

DEC 1 5 2014

14. I hereby certify that t	he foregoing is true and correct. Electronic Submission #254631 verifie For DEVON ENERGY PRODUCTIO Committed to AFMSS for processing t	N ĆOM	PAN, sent to the C	arisba	ď	RECEIVED		
Name(Printed/Typed)	MEGAN MORAVEC	Title REGULATORY ANALYST						
Signature	Signature (Electronic Submission)			APPROVED '				
	THIS SPACE FOR FEDERA	L OR	STATE OFFICE	USE		0.0014		
Approved By Conditions of approval, if a certify that the applicant ho which would entitle the app	Title	2	gs.	JAMES SUPER	Da S A. AMOS VISOR-EPS	te		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #254631 that would not fit on the form

32. Additional remarks, continued

- 4. How water is moved to the disposal facility: Piped
- 5. Identify the Disposal Facility by:
- A. Facility Operators Name: a) Devon Energy Prod Co. b) Devon Energy Prod Co.
- B. Facility or well name/number: a) Cotton Draw Unit 89 b) Cotton Draw Unit SWD 181
- C. Type of Facility or well (WDW) (WIW): a) WDW b) WDW
- D.1) Location by ? ? Section Township Range a) SW/4 SE/4, S3, T25S, R31E b) SE/4 NE/4, S36, T24S, R 31E



Susana Martinez

John H. Bemis Cabinet Secretary-Designate

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



Administrative Order SWD-1307 November 10, 2011

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of 19.15.26.8B NMAC, Devon Energy Production Company, L.P. seeks an administrative order to utilize its Cotton Draw Well No. 89 (API 30-015-31381) located 250 feet from the South line and 1980 feet from the East line, Unit letter O of Section 3, Township 25 South, Range 31 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of 19.15.26.8B NMAC and satisfactory information has been provided that affected parties as defined in said rule have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in 19.15.26.8 NMAC have been met and the operator is in compliance with 19.15.5.9 NMAC.

IT IS THEREFORE ORDERED THAT:

The applicant, Devon Energy Production Company, L.P., is hereby authorized to utilize its Cotton Draw Well No. 89 (API 30-015-31381) located 250 feet from the South line and 1980 feet from the East line, Unit letter O of Section 3, Township 25 South, Range 31 East, NMPM, Eddy County, New Mexico, for disposal of oil field produced water (UIC Class II only) into the Devonian formation through an open hole interval from approximately 17100 to 17400 feet through lined tubing and a packer set less than 100 feet above the permitted disposal interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the proposed disposal interval and is not permitted to escape to other formations or onto the surface.

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and



equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The well shall pass an initial mechanical integrity test ("MIT") prior to initially commencing disposal and prior to resuming disposal each time the disposal packer is unseated. All MIT testing procedures and schedules shall follow the requirements in Division Rule 19.15.26.11A, NMAC.

The wellhead injection pressure on the well shall be limited to **no more than 3420 psi**. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate-Test.

The operator shall notify the supervisor of the Division's district office of the date and time of the installation of disposal equipment and of any MIT test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Division Rules 19.15.26.13 and 19.15.7.24 NMAC.

Without limitation on the duties of the operator as provided in Division Rules 19.15.29 and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's district office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

The injection authority granted under this order is not transferable except upon division approval. The division may require the operator to demonstrate mechanical integrity of any injection well that will be transferred prior to approving transfer of authority to inject.

The division may revoke this injection permit after notice and hearing if the operator is in violation of 19.15.5.9 NMAC.

The disposal authority granted herein shall terminate two years after the effective date of this order if the operator has not commenced injection operations into the subject well. One year after the last date of reported disposal into this well, the Division shall consider the well abandoned, and the authority to dispose will terminate *ipso facto*. The Division, upon written request mailed by the operator prior to the termination date, may grant an extension thereof for good cause.

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

JAMI BAILEY

Director

JB/wvjj

cc: Oil Conservation Division – Artesia

Bureau of Land Management - Carlsbad

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin Cabinet Secretary-Designate

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey, Division Director Oil Conservation Division



Administrative Order SWD-1448 October 23, 2013

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Pursuant to the provisions of 19.15.26.8B. NMAC, Devon Energy Production Company, LP (the "operator") seeks an administrative order for its Cotton Draw Unit SWD Well No. 181 with a location of 1568 feet from the North line and 1189 feet from the East line, Unit letter H of Section 36, Township 24 South, Range 31 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of 19.15.26.8B. NMAC and satisfactory information has been provided that affected parties as defined in said rule have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in 19.15.26.8 NMAC have been met and the operator is in compliance with 19.15.5.9 NMAC.

IT IS THEREFORE ORDERED THAT:

The applicant, Devon Energy Production Company, LP (OGRID 6137), is hereby authorized to utilize its Cotton Draw Unit SWD Well No. 181 (API 30-015-41649) with a location of 1568 feet from the North line and 1189 feet from the East line, Unit letter H of Section 36, Township 24 South, Range 31 East, NMPM, Eddy County, for disposal of oil field produced water (UIC Class II only) into the interval from the Devonian formation to 100 feet below the upper contact of the Ellenburger formation through open hole from approximately 16742 feet to approximately 19185 feet. Injection will occur through internally-coated tubing and a packer set within 100 feet of the permitted interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the approved disposal interval and is not permitted to escape to other formations or onto the surface. This includes the well construction proposed and described in the application.

The operator shall supply the Division with a copy of a mudlog over the permitted disposal interval and an estimated insitu water salinity based on open-hole logs. If significant hydrocarbon shows occur while drilling, the operator shall notify the Division's district II and the operator shall be required to receive written permission prior to commencing disposal. The

operator shall also provide a copy of a cement bond log (CBL) or equivalent to the Division's district II office showing the top of cements for the 9 5/8-inch and 7-inch casings.

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The well shall pass an initial mechanical integrity test ("MIT") prior to initially commencing disposal and prior to resuming disposal each time the disposal packer is unseated. All MIT testing procedures and schedules shall follow the requirements in Division Rule 19.15.26.11A. NMAC. The Division Director retains the right to require at any time wireline verification of completion and packer setting depths in this well.

The wellhead injection pressure on the well shall be limited to **no more than 3348 psig**. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate Test.

The operator shall notify the supervisor of the Division's district II office of the date and time of the installation of disposal equipment and of any MIT test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Division Rules 19.15.26.13 and 19.15.7.24 NMAC.

Without limitation on the duties of the operator as provided in Division Rules 19.15.29 and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's district II office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

The injection authority granted under this order is not transferable except upon division approval. The Division may require the operator to demonstrate mechanical integrity of any injection well that will be transferred prior to approving transfer of authority to inject.

The Division may revoke this injection permit after notice and hearing if the operator is in violation of 19.15.5.9 NMAC.

The disposal authority granted herein shall terminate two (2) years after the effective date of this order if the operator has not commenced injection operations into the subject well. One

year after the last date of reported disposal into this well, the Division shall consider the well abandoned, and the authority to dispose will terminate *ipso facto*. The Division, upon written request mailed by the operator prior to the termination date, may grant an extension thereof for good cause.

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

JAMI BAILEY

Director

JB/prg

cc: Oil Conservation Division – Artesia District Office State Land Office – Oil, Gas, and Minerals Division