

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address COG Operating LLC One Concho Center 600 W. Illinois Ave. Midland, TX 79701		² OGRID Number 229137
		³ Reason for Filing Code/ Effective Date NW Effective 1/16/15
⁴ API Number 30 - 015-41586	⁵ Pool Name DODD; GLORIETA-UPPER YESO	⁶ Pool Code 97917
⁷ Property Code 308195	⁸ Property Name DODD FEDERAL UNIT	⁹ Well Number 637

II. ¹⁰ Surface Location

UL or lot no. P	Section 14	Township 17S	Range 29E	Lot Idn	Feet from the 260	North/South Line South	Feet from the 990	East/West line East	County Eddy
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location

UL or lot no. P	Section 14	Township 17S	Range 29E	Lot Idn	Feet from the 354	North/South line South	Feet from the 988	East/West line East	County Eddy
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	----------------

¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date 1/16/15	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
-----------------------------	---	---	-----------------------------------	------------------------------------	-------------------------------------

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
278421	Holly Transportation, LLC	O
221115	Frontier Field Services, LLC	G
NM OIL CONSERVATION ARTESIA DISTRICT FEB 06 2015 RECEIVED		

IV. Well Completion Data

²¹ Spud Date 12/22/14	²² Ready Date 1/16/15	²³ TD 4600MD 4599TVD	²⁴ PBTD 4539	²⁵ Perforations 4105 - 4413	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2	13-3/8	300	500sx		
11	8-5/8	1006	930sx		
7-7/8	5-1/2	4588	900sx		
	2-7/8 tbg	4492			

V. Well Test Data

³¹ Date New Oil 1/29/15	³² Gas Delivery Date 1/29/15	³³ Test Date 1/31/15	³⁴ Test Length 24	³⁵ Tbg. Pressure 70	³⁶ Csg. Pressure 70
³⁷ Choke Size	³⁸ Oil 76	³⁹ Water 133	⁴⁰ Gas 241		⁴¹ Test Method P

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:

C. Jackson

Printed name:

Chasity Jackson

Title:

Regulatory Analyst

E-mail Address:

cjackson@concho.com

Date:

2/2/15

Phone:

432-686-3087

OIL CONSERVATION DIVISION

Approved by:

[Signature]

Title:

Dir. N. Spence

Approval Date:

2-11-15

Pending BLM approvals will
subsequently be reviewed
and scanned *ADD*

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMLC028731B

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side.7. If Unit or CA/Agreement, Name and/or No.
NMNM111789X

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No.
DODD FEDERAL UNIT 6372. Name of Operator
COG OPERATING LLCContact: CHASITY JACKSON
E-Mail: cjackson@concho.com9. API Well No.
30-015-415863a. Address
ONE CONCHO CENTER 600 W. ILLINOIS AVE
MIDLAND, TX 797013b. Phone No. (include area code)
Ph: 432-686-308710. Field and Pool, or Exploratory
DODD; GLORIETA-UPPER YESO

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 14 T17S R29E Mer NMP SESE 260FSL 990FEL

11. County or Parish, and State

EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

1/6/15 Test 5-1/2 BOP to 3500psi, 30min. ok.

1/8/15 Perf Paddock @ 4105 - 4413 w/2 SPF, 52 holes.

1/9/15 Acidize w/1195 gals acid. Frac w/207,075 gals gel, 233,074# 16/30 brady sand, 26,185# 16/30

SLC.

1/14/15 Clean out to PBTD 4539.

1/15/15 RIH w/136jts 2-7/8" 6.5# J55 tbg EOT @ 4492.

1/16/15 RIH w/2-1/2x1-1/2x20 pump. Turn over to production.

NM OIL CONSERVATION
ARTESIA DISTRICT

FEB 06 2015

RECEIVED

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #290285 verified by the BLM Well Information System
For COG OPERATING LLC, sent to the Carlsbad

Name (Printed/Typed) CHASITY JACKSON

Title PREPARER

Signature (Electronic Submission)

Date 02/02/2015

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED *

Pending BLM approvals will
subsequently be reviewed
and scanned
MITTED **

Agency of the United

NM OIL CONSERVATION ARTESIA DISTRICT

FEB 06 2015

Form 3160-4
(August 2007)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

RECEIVED

1a. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other			5. Lease Serial No. NMLC028731B		
b. Type of Completion <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Diff. Resvr. Other _____			6. If Indian, Allottee or Tribe Name		
2. Name of Operator COG OPERATING LLC			7. Unit or CA Agreement Name and No. NMNM111789X		
Contact: CHASITY JACKSON E-Mail: cjackson@concho.com			8. Lease Name and Well No. DODD FEDERAL UNIT 637		
3. Address ONE CONCHO CENTER 600 W. ILLINOIS AVE MIDLAND, TX 79701			9. API Well No. 30-015-41586		
3a. Phone No. (include area code) Ph: 432-686-3087					
4. Location of Well (Report location clearly and in accordance with Federal requirements)* At surface SESE 260FSL 990FEL At top prod interval reported below SESE 260FSL 990FEL At total depth SESE 354FSL 988FEL			10. Field and Pool, or Exploratory DODD; GLORIETA-UPPER YESO		
			11. Sec., T., R., M., or Block and Survey or Area Sec 14 T17S R29E Mer NMP		
			12. County or Parish EDDY		13. State NM
14. Date Spudded 12/22/2014		15. Date T.D. Reached 12/30/2014	16. Date Completed <input type="checkbox"/> D & A <input checked="" type="checkbox"/> Ready to Prod. 01/16/2015		17. Elevations (DF, KB, RT, GL)* 3608 GL
18. Total Depth: MD 4600 TVD 4599		19. Plug Back T.D.: MD 4539 TVD 4539		20. Depth Bridge Plug Set: MD TVD	
21. Type Electric & Other Mechanical Logs Run (Submit copy of each) COMPENSATED NEUTRON CCL/HNGS			22. Was well cored? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Was DST run? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Directional Survey? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes (Submit analysis)		

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cement Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17.500	13.375 H40	54.5		295		500			
11.000	8.625 J55	24.0		1006		930			
7.875	5.500 J55	17.0		4588		900			

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875	4492							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) PADDOCK	4105	4413	4105 TO 4413	0.410	52	OPEN
B)						
C)						
D)						

26. Perforation Record

Depth Interval	Amount and Type of Material
4105 TO 4413	ACIDIZE W/1195 GALS 15% ACID.
4105 TO 4413	FRAC W/207,075 GALS GEL, 233,074# 16/30 BRADY, 26,185# 16/30-SLC.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
01/29/2015	01/31/2015	24	→	76.0	241.0	133.0	39.8	0.60	ELECTRIC
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
				76	241	133	3171	POW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API
			→				
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio

Pending BLM approvals will
subsequently be reviewed
and scanned *AD*

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #290286 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
TOP SALT	359		SALT	TOP SALT	359
TANSILL	891'		LIMESTONE & DOLOMITE	TANSILL	891
YATES	999		SANDSTONE	YATES	999
QUEEN	1891		SANDSTONE & DOLOMITE	QUEEN	1891
GRAYBURG	2281		SANDSTONE & DOLOMITE	GRAYBURG	2281
GLORIETA	4030		SANDSTONE	GLORIETA	4030
PADDOCK	4076			PADDOCK	4076

32. Additional remarks (include plugging procedure):
Will mail log.

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7. Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #290286 Verified by the BLM Well Information System.
For COG OPERATING LLC, sent to the Carlsbad

Name (please print) CHASITY JACKSON

Title PREPARER

Signature (Electronic Submission)

Date 02/02/2015

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL **