Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

N.M. OIL CONSERVATION DIVISION 811 S. FIRST STREET

FORM APPROVED
OMB NO. 1004-013:
Expires: July 31, 201

_		
1	_	٦
-	(

ARTESIA, NM 88210

5. Lease Serial No.

Do not use th		ll or to re-enter an	
abandoned we	is form for proposals to dril II. Use form 3160-3 (APD) f	or such proposals.	6. If Indian, Allottee or Tribe Name
SUBMIT IN TRI	PLICATE - Other instruction	ns on reverse side.	7. If Unit or CA/Agreement, Name and/or No. 891000303X
Type of Well	her		8. Well Name and No.
2. Name of Operator BOPCO LP	Contact: TR/ E-Mail: tjcherry@bassţ	ACIE J CHERRY pet.com	9. API Well No. 30-015-39018-00-S1
. 3a. Address MIDLAND, TX 79702	3b Pt	b. Phone No. (include area code h: 432-221-7379) 10. Field and Pool, or Exploratory UNKNOWN
4. Location of Well (Footage, Sec., 7	., R., M., or Survey Description)		11. County or Parish, and State
Sec 25 T24S R30E SWSE 10	0FSL 2240FEL		EDDY COUNTY, NM
12. CHECK APPI	ROPRIATE BOX(ES) TO IN	DICATE NATURE OF	NOTICE, REPORT, OR OTHER DATA
· TYPE OF SUBMISSION	,	ТҮРЕ О	FACTION
Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume) ☐ Water Shut-Off
_	☐ Alter Casing	☐ Fracture Treat	Reclamation
☐ Subsequent Report	☐ Casing Repair	□ New Construction	☐ Recomplete Other
☐ Final Abandonment Notice	☐ Change Plans	□ Plug and Abandon	☐ Temporarily Abandon Venting and/or Flaring
	☐ Convert to Injection	□ Plug Back	☐ Water Disposal
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved	ally or recomplete horizontally, give rk will be performed or provide the I I operations. If the operation results pandonment Notices shall be filed or	Bond No. on file with BLM/BI/ in a multiple completion or reco aly after all requirements, include	ired and true vertical depths of all pertinent markers and zones. A. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al	ally or recomplete horizontally, give rk will be performed or provide the I I operations. If the operation results bandonment Notices shall be filed or inal inspection.) hits this sundry for Notice of Ir	subsurface locations and measi Bond No. on file with BLM/BI/ in a multiple completion or reconly after all requirements, include	ired and true vertical depths of all pertinent markers and zones. A. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has
If the proposal is to deepen directions Attach the Bond under which the worfollowing completion of the involved testing has been completed. Final Al determined that the site is ready for f BOPCO, LP respectfully subm 90-days, April ? June 2013.	ally or recomplete horizontally, give rk will be performed or provide the I I operations. If the operation results bandonment Notices shall be filed or inal inspection.) hits this sundry for Notice of Ir	subsurface locations and measi Bond No. on file with BLM/BI/ in a multiple completion or reconly after all requirements, include	ired and true vertical depths of all pertinent markers and zones. A. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f BOPCO, LP respectfully subm 90-days, April ? June 2013. Wells at facility	ally or recomplete horizontally, give rk will be performed or provide the I I operations. If the operation results bandonment Notices shall be filed or inal inspection.) hits this sundry for Notice of Ir	subsurface locations and measi Bond No. on file with BLM/BI/ in a multiple completion or reconly after all requirements, include	ired and true vertical depths of all pertinent markers and zones. A. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f BOPCO, LP respectfully subm 90-days, April ? June 2013.	ally or recomplete horizontally, give rk will be performed or provide the I operations. If the operation results bandonment Notices shall be filed or inal inspection.) nits this sundry for Notice of Ir	subsurface locations and measi Bond No. on file with BLM/BI/ in a multiple completion or reconly after all requirements, include	red and true vertical depths of all pertinent markers and zones. A. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has for the complete of
If the proposal is to deepen directions Attach the Bond under which the worfollowing completion of the involved testing has been completed. Final Aldetermined that the site is ready for f BOPCO, LP respectfully subm 90-days, April? June 2013. Wells at facility Well / API PLU Big Sinks 24 24 30 USA PLU Big Sinks 25 Federal HH PLU Big Sinks 35-24 30 USA	ally or recomplete horizontally, give rk will be performed or provide the It operations. If the operation results bandonment Notices shall be filed or inal inspection.) nits this sundry for Notice of Ir 179 / 30-015-39846-00-S1 / 30-015-39018-00-S1 / 30-015-40155-00-S1 is necessary due to restricted true and correct.	subsurface locations and meast Bond No. on file with BLM/BI/ in a multiple completion or recordly after all requirements, includentent to intermittently flare NM OIL CONSERVA ARTESIA DISTRICT FEB 2 2015 d pipeline capacity Desting	red and true vertical depths of all pertinent markers and zones. A. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has for the control of the con
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f BOPCO, LP respectfully subm 90-days, April ? June 2013. Wells at facility Well / API PLU Big Sinks 24 24 30 USA PLU Big Sinks 25 Federal LH-PLU Big Sinks 35 24 30 USA Flaring will be intermittent and	ally or recomplete horizontally, give rk will be performed or provide the I operations. If the operation results candoment Notices shall be filed or inal inspection.) This sundry for Notice of Ir 30-015-39846-00-S1 / 30-015-39018-00-S1 / 30-015-40155-00-S1 is necessary due to restricted true and correct. Electronic Submission #2337 For BOPC	subsurface locations and measurement of the with BLM/BI/m a multiple completion or received after all requirements, including the model of the second of the	ared and true vertical depths of all pertinent markers and zones. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has for the contract of th
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f BOPCO, LP respectfully subm 90-days, April? June 2013. Wells at facility Well / API PLU Big Sinks 24 24 30 USA PLU Big Sinks 25 Federal 114 PLU Big Sinks 35 24-30 USA Flaring will be intermittent and	ally or recomplete horizontally, give rk will be performed or provide the I operations. If the operation results bandonment Notices shall be filed or inal inspection.) This sundry for Notice of Ir 10 of	subsurface locations and meast Bond No. on file with BLM/BI/ in a multiple completion or reculy after all requirements, includent to intermittently flare of the state of the	red and true vertical depths of all pertinent markers and zones. A. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has for the contract of
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f BOPCO, LP respectfully subm 90-days, April ? June 2013. Wells at facility Well / API PLU Big Sinks 24 24 30 USA PLU Big Sinks 25 Federal LPP PLU Big Sinks 35-24-30 USA Flaring will be intermittent and	ally or recomplete horizontally, give rk will be performed or provide the I operations. If the operation results bandonment Notices shall be filed or inal inspection.) This sundry for Notice of Ir 10 of	subsurface locations and meast Bond No. on file with BLM/BI/ in a multiple completion or reculy after all requirements, includent to intermittently flare of the state of the	ared and true vertical depths of all pertinent markers and zones. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has for the contract of th
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f BOPCO, LP respectfully subm 90-days, April ? June 2013. Wells at facility Well / API PLU Big Sinks 24 24 30 USA PLU Big Sinks 25 Federal 114 PLU Big Sinks 35-24-30 USA Flaring will be intermittent and	ally or recomplete horizontally, give rk will be performed or provide the I operations. If the operation results candoment Notices shall be filed or inal inspection.) Inits this sundry for Notice of Ir 30-015-39846-00-S1 / 30-015-39018-00-S1 / 30-015-40155-00-S1 is necessary due to restricted true and correct. Electronic Submission #2337 For BOPC d to AFMSS for processing by CHERRY	subsurface locations and meast Bond No. on file with BLM/BI/ in a multiple completion or reculy after all requirements, includent to intermittently flare of the state of the	ared and true vertical depths of all pertinent markers and zones. A. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has for the control of the co
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f BOPCO, LP respectfully subm 90-days, April ? June 2013. Wells at facility Well / API PLU Big Sinks 24 24 30 USA PLU Big Sinks 25 Federal LPP PLU Big Sinks 35-24-30 USA Flaring will be intermittent and 14. I hereby certify that the foregoing is Committee Name (Printed/Typed) TRACIE J	ally or recomplete horizontally, give rk will be performed or provide the I operations. If the operation results bandonment Notices shall be filed or inal inspection.) nits this sundry for Notice of Ir 1730-015-39846-00-S1 130-015-39018-00-S1 130-015-40155-00-S1 is necessary due to restricted true and correct. Electronic Submission #2337 For BOPO d to AFMSS for processing by CHERRY	subsurface locations and measurement of the with BLM/BI/m in a multiple completion or received after all requirements, including the modern of	red and true vertical depths of all pertinent markers and zones. A. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has for the control of the con
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f BOPCO, LP respectfully subm 90-days, April ? June 2013. Wells at facility Well / API PLU Big Sinks 24 24 30 USA PLU Big Sinks 25 Federal LPP PLU Big Sinks 35-24-30 USA Flaring will be intermittent and 14. I hereby certify that the foregoing is Committee Name (Printed/Typed) TRACIE J	ally or recomplete horizontally, give rk will be performed or provide the I operations. If the operation results bandonment Notices shall be filed or inal inspection.) nits this sundry for Notice of Ir 1730-015-39846-00-S1 130-015-39018-00-S1 130-015-40155-00-S1 is necessary due to restricted true and correct. Electronic Submission #2337 For BOPO d to AFMSS for processing by CHERRY	subsurface locations and meast Bond No. on file with BLM/BI/ in a multiple completion or reculy after all requirements, included the number of the substitution of the	red and true vertical depths of all pertinent markers and zones. A. Required subsequent reports shall be filed within 30 days ompletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has for the control of the con

Additional data for EC transaction #233728 that would not fit on the form

32. Additional remarks, continued

MCFD could go to flare depending on pipeline conditions.

Flared volumes will be reported on monthly production reports.

PLU CVX JV BS 5H 30-015-39018 BOPCO, L.P. January 23, 2015 Conditions of Approval

- 1. Report all volumes on OGOR reports.
- 2. Comply with NTL-4A requirements
- 3. Subject to like approval from NMOCD
- 4. Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5. Include meter serial number on sundry.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days for date of approval.
- 9. Submit Subsequent Report to this sundry with actual volumes of gas flared monthly on 3160-5 (sundry notice).
- 10. If flaring is still required past 90 days submit new request for approval.
- 11. If a portable unit is used to flare gas it must be monitored at all times.
- 12. Comply with any restrictions or regulations when on State or Fee surface.

012315 JAM