2. Nan LIN 3a. Ad 600 HO 4. Loc: Sec TY TY SM F 13. Des If,th Atta folk	SUNDRY Do not use th abandoned we SUBMIT IN TRI e of Well Gas Well Oth ne of Operator IN OPERATING INCORPO Idress D TRAVIS STREET SUITE USTON, TX 77002 ation of Well (Footage, Sec., 7 c 30 T17S R31E NENE 12	Contact: DRATED E-Mail: abolanos@ 5100 T., R., M., or Survey Description	RTS ON WE drill or to re D) for such p ctions on rev ALEX BOLAI Plinnenergy.cor 3b. Phone No Ph: 281-84 Fx: 832-209 D INDICATE	ELLSEB 12 -enter an proposals. -erse side. NOS n . (include area code 0-4352 9-4338	2015 /ED ) NOTICE, RE	<ul> <li>NMLC065014</li> <li>6. If Indian, Allottee of The Indian Allottee of The In</li></ul>	ement, Name 00-S1 Exploratory and State 7, NM	· .			
2. Nan LIN 3a. Ad 600 HO 4. Loc: Sec TY TY S TY 13. Des If,th Atta folk	Do not use th abandoned we SUBMIT IN TRI e of Well Gas Well Oth ne of Operator IN OPERATING INCORPO IN OPERATING I	is form for proposals to II. Use form 3160-3 (AP PLICATE - Other instructure her Contact: DRATED E-Mail: abolanos @ 5100 ., R., M., or Survey Description 70FNL 100FEL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair	drill or to re D) for such p ctions on rev ALEX BOLAI Plinnenergy.cor 3b. Phone No Ph: 281-84 Fx: 832-205	-enter an proposals. RECEN rerse side. NOS n (include area code 0-4352 9-4338	) NOTICE, RE	<ol> <li>6. If Indian, Allottee of</li> <li>7. If Unit or CA/Agree</li> <li>8. Well Name and No. MAX FRIESS 5</li> <li>9. API Well No. 30-015-26656-0</li> <li>10. Field and Pool, or GRAYBURG</li> <li>11. County or Parish, and EDDY COUNTY</li> </ol>	ement, Name 00-S1 Exploratory and State 7, NM	·			
2. Nan LIN 3a. Ad 600 HO 4. Loc: Sec TY TY S TY 13. Des If,th Atta folk	e of Well Oil Well Gas Well Oth ne of Operator IN OPERATING INCORPO IN OPERATING INCORPO Idress D TRAVIS STREET SUITE DUSTON, TX 77002 ation of Well (Footage, Sec., 7 c 30 T17S R31E NENE 12 12. CHECK APPI YPE OF SUBMISSION Notice of Intent Subsequent Report	her Contact: DRATED E-Mail: abolanos @ 5100 C, R., M., or Survey Description 70FNL 100FEL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair	ALEX BOLAI linnenergy.cor 3b. Phone No Ph: 281-84 Fx: 832-209 DINDICATE	rerse side. NOS n . (include area code 0-4352 9-4338 2 NATURE OF 1 TYPE O	) NOTICE, RE F ACTION	<ol> <li>Well Name and No. MAX FRIESS 5</li> <li>API Well No. 30-015-26656-0</li> <li>Field and Pool, or GRAYBURG</li> <li>County or Parish, a EDDY COUNTY</li> </ol>	0-S1 Exploratory and State 7, NM	and/or No.			
2. Nan LIN 3a. Ad 600 HO 4. Loc: Sec TY TY S TY 13. Des If,th Atta folk	Oil Well       Gas Well       Ottom         ne of Operator       OTTOM       OTTOM         IN OPERATING INCORPORT       OTTOM       OTTOM         Idress       OTTAVIS STREET SUITE       OTTOM         USTON, TX 77002       OTTOM       OTTOM         ation of Well       (Footage, Sec., The second	Contact: DRATED E-Mail: abolanos@ 5100 T., R., M., or Survey Description 70FNL 100FEL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair	3b. Phone No Ph: 281-84 Fx: 832-209	n . (include area code 40-4352 9-4338 E NATURE OF 1 TYPE O	NOTICE, RE F ACTION	MAX FRIESS 5 9. API Well No. 30-015-26656-0 10. Field and Pool, or GRAYBURG 11. County or Parish, a EDDY COUNTY	Exploratory and State 7, NM				
2. Nan LIN 3a. Ad 600 HO 4. Loc. Sec TY TY S TY 13. Des If,th Atta follo	ne of Operator IN OPERATING INCORPC Idress D TRAVIS STREET SUITE DUSTON, TX 77002 ation of Well (Footage, Sec., 7 c 30 T17S R31E NENE 12 12. CHECK APPI YPE OF SUBMISSION Notice of Intent Subsequent Report	Contact: DRATED E-Mail: abolanos@ 5100 T., R., M., or Survey Description 70FNL 100FEL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair	3b. Phone No Ph: 281-84 Fx: 832-209	n . (include area code 40-4352 9-4338 E NATURE OF 1 TYPE O	NOTICE, RE F ACTION	30-015-26656-0 10. Field and Pool, or GRAYBURG 11. County or Parish, a EDDY COUNTY	Exploratory and State 7, NM				
600 HO 4. Loc Sec TY TY S TY I S I TY I S I I S I I S I I S I I S I S I I S I S I S I S I S I S I S I S	D TRAVIS STREET SUITE DUSTON, TX 77002 ation of Well (Footage, Sec., 7 c 30 T17S R31E NENE 12 12. CHECK APPI YPE OF SUBMISSION Notice of Intent Subsequent Report	T, R., M., or Survey Description 70FNL 100FEL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair	Ph: 281-84 Fx: 832-209	10-4352 9-4338 E NATURE OF 1 TYPE O	NOTICE, RE F ACTION	GRAYBURG 11. County or Parish, a EDDY COUNTY	and State	· ·			
Sec TY S S F 13. Des If, th Atta follo testi	c 30 T17S R31E NENE 12 12. CHECK APPI YPE OF SUBMISSION Notice of Intent Subsequent Report	70FNL 100FEL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair	O INDICATE	ТҮРЕ О	F ACTION	EDDY COUNTY	Υ, NM				
TY S N S S F 13. Des If,th Atta follo testi	12. CHECK APP YPE OF SUBMISSION Notice of Intent Subsequent Report	ROPRIATE BOX(ES) TO Acidize	Dee	ТҮРЕ О	F ACTION		· ·				
I3. Des If,th Atta follo testi	YPE OF SUBMISSION Notice of Intent Subsequent Report	<ul> <li>Acidize</li> <li>Alter Casing</li> <li>Casing Repair</li> </ul>	Dee	ТҮРЕ О	F ACTION	PORT, OR OTHE	R DATA	· · ·			
I3. Des If,th Atta follo testi	YPE OF SUBMISSION Notice of Intent Subsequent Report	<ul> <li>Acidize</li> <li>Alter Casing</li> <li>Casing Repair</li> </ul>	Dee	ТҮРЕ О	F ACTION	· · ·					
13. Des If,th Atta follo testi	Subsequent Report	<ul> <li>Alter Casing</li> <li>Casing Repair</li> </ul>									
13. Des If,th Atta follo testi		Casing Repair	Frac	-		on'(Start/Resume)	Water Shut-Off				
13. Des If,th Atta follo testi				cture Treat	□ Reclama □ Recomp		U Well In	ntegrity			
13. Des If.th Atta follo testi		Change Flans		g and Abandon		arily Abandon					
If,th Atta follo testi	Convert to I			· · · ·		·					
	cribe Proposed or Completed Op he proposal is to deepen direction ach the Bond under which the wo owing completion of the involvec ing has been completed. Final Al rmined that the site is ready for f	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil	give subsurface the Bond No. or sults in a multipl	locations and measure n file with BLM/BL le completion or rec	ared and true ve A. Required sub completion in a r	rtical depths of all pertin sequent reports shall be winterval, a Form 316	ent markers a filed within 3 0-4 shall be fi	ind zones. 30 days iled once			
TH	IN CURRENTLY HAS AN E ABOVE MENTIONED W E WELL:	UN-RETRIEVABLE FISH IELL BY JIM AMOS. LINN	STUCK IN H WAS PROV	OLE AND WAS IDED THE FOL	LOWING INS	STRUCTIONS IN OI	RDER TO I	ig Plug			
2. F 3. F 4. F 5. F	MIRU WSU RIH W/ SINKE POH W/ BARS RIH W/ GAUGE RING TO POH W/ GAUGE RING RIH W/ PACKER TO 1350 REPORT TO JIM AMOS FO	1405' SET & TEST CASING A			C	EE ATTACHE ONDITIONS (		ROVA			
AS	PREVIOUSLY MENTION	ED JIM AMOS PROVIDE	D LINN WITH	I VERBAL APPF	ROVAL TO C	OMMENCE PLUG	GING OPE	RATION			
•	ereby certify that the foregoing is C ne(Printed/Typed) ALEX BO	Electronic Submission # For LINN OPERA ommitted to AFMSS for pr	TING INCORP	ORATED, sent to AMES AMOS on	o the Carlsba	5JA0196SE)	ATION PRO ATTACHEI	DCEDUR D			
Sigr	nature (Electronic	Submission)		Date 02/05/2	2015	Accepted for record OND NRAOCD 2/13/15					
	1 1	THIS SPACE FO		L OR STATE	OFFICE US	SE		_			
Approv	ved By_JAMES A AMOS			TitleSUPERVI			Date	02/06/2			
Condition certify th	ns of approval, if any, are attached the applicant holds legal or equilation the applicant to conduct the applicant the applicant to conduct the applicant the applicant to conduct the applicant the	uitable title to those rights in the	s not warrant or e subject lease	Office Carlsba							
Title 18 U	U.S.C. Section 1001 and Title 43 any false, fictitious or fraudulent	U.S.C. Section 1212, make it a	crime for any pe to any matter w	erson knowingly and	l willfully to ma	ke to any department or	agency of the	e United			
	** BIM BEV	ISED ** BLM REVISE					D **				

# **NM P&A Schematic**

LINN Energy Well Name: FRIESS MAX M A 5

.

	26656		PB-GRAYBURG		NM	Inc	L Contraction of the second seco	Fownship 017-S		31-E			
Ground	Elevation (ft) Orig KB E 3,613.00	lev (ft) 3,626.00	KB-Grd (ft) 13.00	Initial Spud Date 1/1/1900	Rig Release Date	TD Dat	te	Latitu	<sup>idə (°)</sup> 32° 4	8' 33,552	Longitude	(°) 03° 53' 59.964	Operated W Yes
	and a compare		Hole, 2/4/2015	7:31:03 AM	an a	Â.º		arthining Arthining		Origina	l Hole Da	ta	
MD 🐮		2 . K. /	1. A. M.	Stor All and All and	A Start in Algert in the second	لل تحدث	/ellbores		12 Sie 4, 24 Pr	C. C			The second
13.1					lbore; 17 1/2; 13.0-		orth-South Dis	tance (ft		NS Flag	East-West [	Distance (ft)	EW FI
29.9				333		C	asing Stri	ngs		<u></u>	<b>.</b>		
325.1				325.	.0		g Des urface	S		D Nom ID 12 3/4		n (I String Grade 2.50 J-55	Run Date 3/12/19
333.0 -					face Casing Cement; )-325.0		g Des roduction		t Dept O			n (I String Grade 1.00 J-55	
549,9 ,				8 C C C	lbore; 11; 333.0	Cs	g Des	Se		8 5/8 D Nom ID	Nom Wt/Le	n (I String Grade	
1,344,2				Proc	duction Casing		ner ement Sta		,810.0	5 1/2	4.892 17	7.00 J-55	3/20/199
1.391.1 、	·	· · · ····			1ent; 13.0-1,391.0 duction; Casing; 13.0		scription	-	Top (ftKB)	Btm (ftKB)	Eval Method	Comment	,
1,404.9 -	a san an a			1,39		1 1 20	urface Cas ement	ing	13.0	325.	0	500 sx Clas 180 sx to p	ss "C" cmt. c it
1,440.0 -	·	,, <b>.</b> .					scription		Top (ftKB)	Btm (ftKB)		Comment	
1,494,1		· · · · · · · · · · · · · · · · · · ·			. 1 405 0 3 500 0. 0		roduction asing Cerr	ent	13.0	1,391.	0	sx Class "C	lsx. LW + 30 " cmt. Circ
1,858.9				7/8	; 1,405.0-3,592.0; 2		scription		Top (ftKB)	Btm (ftKB)	Eval Method	150 sx to p Comment	it
2,492,1				Well	lbore; 7 7/8; 1,440.0- 0.0	-	ner Cemei	nt	13.0 <sup>100</sup>			cmt w/ 250	sx. LW+850
2,886,2	D. (	2 020 0										sx. Class "0 120 sx to pi	
3,036,1		3,036.0- 3,037.0-				O	ther In Ho	· .					· · · · · ·
3,070.9							Des ·		,405.0	Btm (ftKB) 3,592.0	Run Date 3/15/2011		Com s and pump
3,071.9	,	3,071.0- 3,072.0-			······································							left in hole.	
3,092.8		3,093.0-			a. g.s. artes, .e. ,	E	ormations	<u> </u>	l	;	· · · · ·	1405'.	
3,094.2 .	•	3,094.0-			· · . · ·	For	rmation		Final Top	Final Btm.	Comment	• •	
3,183,1	Perf;	3,183.0-			· · · · ›. · ···.		ALT rmation		550.0 Final Top	1,344.0	Comment		
3,184,1		3,184.0-					ATES			1,859.0			
3,185,0 .	Perf;	3,185.0-			ورامينية والمراجعة المراجع والمراجع	· · · SE	EVEN RIV	ERS	1,859.0	2,492.0			
3,207.0		3,207.0-			···············		rmation UEEN	,	Final Top 2,492.0		. Comment		
3,208.0		3,208.0-							Final Top 2,886.0	Final Btm.,	. Comment		
3,209.0		3,209.0-			···· · · · · · · · · · · · · · · · · ·	For	mation		Final Top	Final Btm			
3,213,9		3,214.0-			<b></b> ,	S/	AN ANDRE	-S	3,310.0	<u>ا</u> ــــــــــــــــــــــــــــــــــــ	I		
3,219.2		3,219.0- 3,220.0-											~
3,221.1		3,221.0-											
3,248.0 •	Perf;	3,248.0-											
3,251.0	Perf; 3,251.0												
3,258.9		3,259.0 -	<b>_</b>						•				
3,310.0				×		_							
3,347,1 -	Perf;	3,347.0-											
3,349,1 •		3,349.0-											
3,351.0 .		3,351.0-				•							
3,353.0		3,353.0-											
3,532.2 .		3,532.0 -											
3,536.1		3,536.0			• • • •					•			
3,537,1		3,537.0- 3,538.0-											
3,539,0 -		3,539.0											
3,540.0	Perf; 3,540.0	; 15/31" _			· · ·								
3,591.9	bullet	/interval		Liner	Cement; 13.0- 0.0								
3,732.0				Liner	; Casing; 13.0-	_							
3,810.0	• • • • • • • • • • • • • •			(13,810 Welli	0.0 bore; 3,810.0								
. o.o.,													



# **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

#### **Reclamation Objectives and Procedures**

**Reclamation Objective:** Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

#### Jim Amos

Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Duncan Whitlock Environmental Protection Specialist 575-234-5926

Linda Denniston Environmental Protection Specialist 575-234-5974 Cody Layton Supervisory Multi Resources 575-234-5959

Trishia Bad Bear Natural Resource Specialist 575-393-3612

Jeffery Robertson Natural Resource Specialist 575-234-2230

Solomon Hughes Natural Resource Specialist 575-234-5951

### BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# Permanent Abandonment of Federal Wells Conditions of Approval (LPC Habitat)

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.

3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.

5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. <u>Below Ground Level Cap (Lesser Prairie-Chicken Habitat)</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off. Upon the plugging and subsequent abandonment of wells that are located in lesser prairie-chicken habitat, the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least ¼ inch thick and welded in place. A weep hole shall be left in the plate and/or casing.

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

7. <u>Subsequent Plugging Reporting</u>: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date well was plugged.</u>

8. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

<u>Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken:</u> From March 1<sup>st</sup> through June 15<sup>th</sup> annually, abandonment activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted