




April 8, 2013



Mr. Mike Bratcher  
NMOCD District 2  
811 S. 1<sup>st</sup> Street  
Artesia, NM 88210

AMARILLO  
921 North Bivins  
Amarillo, Texas 79107  
Phone 806.467.0607  
Fax 806.467.0622

ARTESIA  
408 West Texas Ave.  
Artesia, New Mexico 88210  
Phone 575.746.8768  
Fax 575.746.8905

AUSTIN  
911 West Anderson Lane  
Suite 202  
Austin, Texas 78757  
Phone 512.989.3428  
Fax 512.989.3487

HOBBS  
318 East Taylor Street  
Hobbs, New Mexico 88240  
Phone 575.393.4261  
Fax 575.393.4658

MIDLAND  
2901 State Hwy 349  
Midland, Texas 79706  
Phone 432.522.2133  
Fax 432.522.2180

SAN ANTONIO  
11 Commercial Place  
Schertz, Texas 78154  
Phone 210.265.8025  
Fax 210.568.2191

TULSA  
525 South Main Street  
Suite 535  
Tulsa, Oklahoma 74103  
Phone 918.742.0871  
Fax 918.382.0232

Subject: **Remediation and Closure Report**  
Lime Rock Resource, Operating, LLC  
Corral Fly 10 Tank Battery  
API # 30-015-35623 2RP-1539

Dear Mr. Bratcher,

LRE Operating, LLC has contracted Talon/LPE (Talon) to perform soil assessment and remediation services at the above referenced Corral Fly 10 Tank Battery release. Our soil assessment and complete remediation activities consist of the following:

#### Incident Date

January 1, 2013

#### Background Information

The Corral Fly 10 Battery is located approximately forty-five (45) miles southeast of Carlsbad, New Mexico. The legal location for the site is Section 10, Township 25 South and Range 29 East in Eddy County, New Mexico. More specifically the latitude and longitude for the release are 32.145057 North and - 103.969135 West.

According to the soil survey provided by the United States Department of Agriculture National Resources Conservation Services, the soil in this area is made up of Pajarito-Dune land complex with 0 to 3 percent slopes. The local surface and shallow geology, Quaternary Age sedimentary deposits, is comprised of loamy alluvium and eolian sands which include silty soils underlain by hard caliches. The New Mexico State Engineer web site indicates the nearest ground water data to be in S10-T25S-R29E. The ground water in Section 10 is reported to be a depth of 40' below ground surface (bgs). The referenced groundwater data is presented in Appendix I.

The ranking for this site is 20 based on the as following:

Depth to ground water	<50'
Wellhead Protection Area	>1000'
Distance to surface water body	>1000'

ENVIRONMENTAL CONSULTING  
ENGINEERING  
DRILLING  
CONSTRUCTION  
SPILL MANAGEMENT  
GENERAL CONTRACTING

Toll Free: 866.742.0742  
www.talonlpe.com

## Incident Description

On January 26, 2013 the transfer pump failed to start causing a release of 39 barrels of oil inside the berms of the battery. A vacuum truck was immediately called to the location and recovered 21 barrels of oil. The interior berm at the Corral Fly 10 battery is lined. The berm contained a drain line which allowed fluid to flow outside berm.

## Actions Taken

The impacted area was excavated and the removed material was transported to Lea Land LLC for disposal. On February 19, 2013 Talon/LPE mobilized personnel to collect confirmation soil samples. Grab soil samples were collected from the excavated area located south of battery. Soil sample locations are illustrated on the attached site plan.

All soil samples were collected by Talon personnel wearing clean nitrile gloves. The soil samples were placed in laboratory provided sample containers, iced and transported to Cardinal Laboratories in Hobbs, New Mexico for analysis. The samples were tested for TPH (Total Petroleum Hydrocarbons) using EPA Method 8015M, and volatile organics (BTEX) using EPA Method 8021B. The chloride samples were analyzed per method SM4500Cl-B. The complete laboratory reports are attached as Appendix II.

## Analytical Results

Analytical results received from Cardinal Laboratories are summarized below:

February 27, 2013

<u>Sample</u>	<u>Depth</u>	<u>BTEX</u>	<u>TPH</u>	<u>Chlorides</u>
S-1	2.5'	<0.300	<60	336
S-2, sidewall		<0.300	<60	160
S-3, sidewall		<0.300	<60	<16
S-4, sidewall		<0.300	<60	368
S-5	1.5'	<0.300	<60	80
S-6, sidewall		<0.300	<60	<16
S-7, sidewall		<0.300	<60	<16
S-8	2'	<0.300	<60	368
S-9, sidewall		<0.300	<60	<16
S-10, sidewall		<0.300	<60	<16
S-11, sidewall		<0.300	<60	<16
S-12	1.5	<0.300	<60	80
S-13, sidewall		<0.300	<60	<16
S-14, sidewall		<0.300	<60	32
S-15	1.5'	<0.300	<60	<16
S-16, sidewall		<0.300	<60	32
S-17, sidewall		<0.300	<60	32
S-18	1.5	<0.300	<60	64
S-19, sidewall		<0.300	<60	32
S-20, sidewall		<0.300	<60	32

February 27, 2013, continued

<u>Sample</u>	<u>Depth</u>	<u>BTEX</u>	<u>TPH</u>	<u>Chlorides</u>
S-21, sidewall		<0.300	<60	32
S-22	1'	--	--	32
S-23	1'	<0.300	<60	32
S-24	1'	--	--	32
S-25	1'	--	--	<16
S-26	1'	--	--	<16
S-27	1'	--	--	32
S-28	2.5	<0.300	<60	32

--Analyte Not Tested

For this site's ranking, New Mexico Oil Conservation District action level criterion for BTEX is 50 mg/kg, Benzene is 10 mg/kg and TPH is 100 mg/kg. The chloride remediation standard is considered to be 1,000 mg/kg.

#### **Summary and Remedial Actions Completed**

- Ground water in the project vicinity is 40-feet below land surface per the New Mexico State Engineer Database.
- The impacted area was excavated to a depth of 1-foot to 2.5-feet deep. The excavated soil was transported to a NMOCD approved solid waste disposal facility.
- On February 13, 2013 confirmation samples were collected from the bottom and sidewalls of the excavated areas and presented to the BLM and NMOCD for permission to complete excavation activities.
- On February 19, 2013 based upon analytical test results provided to BLM, Jennifer Van Curen granted approval to backfill the excavated area. The excavated area was backfilled to grade using clean local soil. The backfilled area was contoured to match existing terrain.
- Based on the depth to groundwater, it is unlikely that the impacts identified from this release will pose a threat to groundwater.


## Closure

Therefore on behalf of Lime Rock Resource, Operating, LLC, we respectfully request that no further actions be required and that closure with regard to this release be granted.

Should you have any questions or if further information is required, please do not hesitate to contact our office at 575.746.8768.

Respectfully submitted,

TALON/LPE


A handwritten signature in black ink, appearing to read "Mike Stubblefield".

Mike Stubblefield  
Project Manager


A handwritten signature in black ink, appearing to read "David J. Adkins".

David J. Adkins  
District Manager


## **SITE MAP**



Producing Oil Well  
 ○ □



Legend  
 ◆ - Sample Location



Date: 04/11/2013

Scale: NTS

Drawn By: TJS

Corral Fly 10 Battery  
 Lime Rock Resources, LLC  
 Eddy County, New Mexico  
 Figure 1 - Site Plan

**APPENDIX I**  
**GROUNDWATER DATA**



# New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the  
POD suffix indicates the  
POD has been replaced  
& no longer serves a  
water right file.)

(R=POD has  
been replaced,  
O=orphaned,  
C=the file is  
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Subbasin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
<u>C 02459</u>	C		ED	4	4	1	02	25S	29E	598422	3558663*	1010	150		
<u>RA 07162 EXP2</u>			ED	1	3	1	10	25S	29E	596214	3557222*	2892	55	40	15
<u>C 02371</u>	C		ED	2	3	15	25S	29E	596741	3555106*	3584	200	60	140	
<u>C 02680</u>	C		ED	2	3	15	25S	29E	596741	3555106*	3584	200			

Average Depth to Water: 50 feet

Minimum Depth: 40 feet

Maximum Depth: 60 feet

Record Count: 4

UTMNAD83 Radius Search (in meters):

Easting (X): 599035

Northing (Y): 3557860

Radius: 5000

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

February 27, 2013

MIKE STUBBLEFIELD

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: CORRAL FLY 10 BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 02/20/13 8:22.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 1 2.5' (H300461-01)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2013	ND	2.07	104	2.00	5.77	
Toluene*	<0.050	0.050	02/22/2013	ND	2.03	102	2.00	5.46	
Ethylbenzene*	<0.050	0.050	02/22/2013	ND	1.96	98.1	2.00	5.81	
Total Xylenes*	<0.150	0.150	02/22/2013	ND	6.10	102	6.00	5.38	
Total BTEX	<0.300	0.300	02/22/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 111 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	02/22/2013	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	02/25/2013	ND	200	100	200	2.66		
DRO >C10-C28	<50.0	50.0	02/25/2013	ND	194	96.9	200	3.20		


Surrogate: 1-Chlorooctane 98.7 % 65.2-140

Surrogate: 1-Chlorooctadecane 114 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 TALON LPE  
 MIKE STUBBLEFIELD  
 408 W. TEXAS AVE.  
 ARTESIA NM, 88210  
 Fax To: (575) 745-8905

 Received: 02/20/2013  
 Reported: 02/27/2013  
 Project Name: CORRAL FLY 10 BATTERY  
 Project Number: 701307046.01  
 Project Location: SEC. 10 - T25S - R29E

 Sampling Date: 02/19/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Daniel Wade

**Sample ID: S - 2 (H300461-02)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2013	ND	2.07	104	2.00	5.77	
Toluene*	<0.050	0.050	02/22/2013	ND	2.03	102	2.00	5.46	
Ethylbenzene*	<0.050	0.050	02/22/2013	ND	1.96	98.1	2.00	5.81	
Total Xylenes*	<0.150	0.150	02/22/2013	ND	6.10	102	6.00	5.38	
Total BTEX	<0.300	0.300	02/22/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 110 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	02/22/2013	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/25/2013	ND	200	100	200	2.66	
DRO >C10-C28	<50.0	50.0	02/25/2013	ND	194	96.9	200	3.20	


Surrogate: 1-Chlorooctane 90.9 % 65.2-140

Surrogate: 1-Chlorooctadecane 108 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 3 (H300461-03)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2013	ND	2.07	104	2.00	5.77	
Toluene*	<0.050	0.050	02/22/2013	ND	2.03	102	2.00	5.46	
Ethylbenzene*	<0.050	0.050	02/22/2013	ND	1.96	98.1	2.00	5.81	
Total Xylenes*	<0.150	0.150	02/22/2013	ND	6.10	102	6.00	5.38	
Total BTEX	<0.300	0.300	02/22/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/25/2013	ND	200	100	200	2.66	
DRO >C10-C28	<50.0	50.0	02/25/2013	ND	194	96.9	200	3.20	


Surrogate: 1-Chlorooctane 97.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 114 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 4 (H300461-04)**

BTEX 8021B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.07	104	2.00	5.77	
<b>Toluene*</b>	<b>0.094</b>	0.050	02/23/2013	ND	2.03	102	2.00	5.46	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	1.96	98.1	2.00	5.81	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.10	102	6.00	5.38	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 110 % 89.4-126

Chloride, SM4500Cl-B		mg/kg	Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>368</b>	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/25/2013	ND	200	100	200	2.66	
DRO >C10-C28	<50.0	50.0	02/25/2013	ND	194	96.9	200	3.20	

Surrogate: 1-Chlorooctane 85.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 99.5 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received:	02/20/2013	Sampling Date:	02/19/2013
Reported:	02/27/2013	Sampling Type:	Soil
Project Name:	CORRAL FLY 10 BATTERY	Sampling Condition:	Cool & Intact
Project Number:	701307046.01	Sample Received By:	Daniel Wade
Project Location:	SEC. 10 - T25S - R29E		

**Sample ID: S - 5 1.5' (H300461-05)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.07	104	2.00	5.77	
Toluene*	<0.050	0.050	02/23/2013	ND	2.03	102	2.00	5.46	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	1.96	98.1	2.00	5.81	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.10	102	6.00	5.38	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 111 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	200	100	200	2.66	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	194	96.9	200	3.20	


Surrogate: 1-Chlorooctane 93.2 % 65.2-140

Surrogate: 1-Chlorooctadecane 106 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 6 (H300461-06)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.07	104	2.00	5.77	
Toluene*	<0.050	0.050	02/23/2013	ND	2.03	102	2.00	5.46	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	1.96	98.1	2.00	5.81	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.10	102	6.00	5.38	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 113 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	200	100	200	2.66	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	194	96.9	200	3.20	


Surrogate: 1-Chlorooctane 81.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 93.6 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 TALON LPE  
 MIKE STUBBLEFIELD  
 408 W. TEXAS AVE.  
 ARTESIA NM, 88210  
 Fax To: (575) 745-8905

 Received: 02/20/2013  
 Reported: 02/27/2013  
 Project Name: CORRAL FLY 10 BATTERY  
 Project Number: 701307046.01  
 Project Location: SEC. 10 - T25S - R29E

 Sampling Date: 02/19/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Daniel Wade

**Sample ID: S - 7 (H300461-07)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 110 % 89.4-126

Chloride, SM4500Cl-B			mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	02/26/2013	ND	200	100	200	2.66		
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	194	96.9	200	3.20		


Surrogate: 1-Chlorooctane 85.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 102 % 63.6-154

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 8 2' (H300461-08)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 110 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	368	16.0	02/22/2013	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	200	100	200	2.66	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	194	96.9	200	3.20	


Surrogate: 1-Chlorooctane 81.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 97.5 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 9 (H300461-09)**

BTEX 8021B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 112 % 89.4-126

Chloride, SM4500Cl-B		mg/kg	Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	200	100	200	2.66	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	194	96.9	200	3.20	


Surrogate: 1-Chlorooctane 82.9 % 65.2-140

Surrogate: 1-Chlorooctadecane 94.5 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 10 (H300461-10)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 110 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	200	100	200	2.66	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	194	96.9	200	3.20	


Surrogate: 1-Chlorooctane 96.5 % 65.2-140

Surrogate: 1-Chlorooctadecane 114 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 TALON LPE  
 MIKE STUBBLEFIELD  
 408 W. TEXAS AVE.  
 ARTESIA NM, 88210  
 Fax To: (575) 745-8905

 Received: 02/20/2013  
 Reported: 02/27/2013  
 Project Name: CORRAL FLY 10 BATTERY  
 Project Number: 701307046.01  
 Project Location: SEC. 10 - T25S - R29E

 Sampling Date: 02/19/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Daniel Wade

**Sample ID: S - 11 (H300461-11)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 111 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	200	100	200	2.66	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	194	96.9	200	3.20	


Surrogate: 1-Chlorooctane 93.5 % 65.2-140

Surrogate: 1-Chlorooctadecane 109 % 63.6-154

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celest D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received:	02/20/2013	Sampling Date:	02/19/2013
Reported:	02/27/2013	Sampling Type:	Soil
Project Name:	CORRAL FLY 10 BATTERY	Sampling Condition:	Cool & Intact
Project Number:	701307046.01	Sample Received By:	Daniel Wade
Project Location:	SEC. 10 - T25S - R29E		

**Sample ID: S - 12 1.5' (H300461-12)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 109 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	200	100	200	2.66	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	194	96.9	200	3.20	


Surrogate: 1-Chlorooctane 92.0 % 65.2-140

Surrogate: 1-Chlorooctadecane 110 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 13 (H300461-13)**

BTEX 8021B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 111 % 89.4-126

Chloride, SM4500Cl-B		mg/kg	Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	200	100	200	2.66	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	194	96.9	200	3.20	


Surrogate: 1-Chlorooctane 97.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 116 % 63.6-154

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 14 (H300461-14)**

BTEX 8021B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 89.4-126

Chloride, SM4500Cl-B		mg/kg	Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	177	88.3	200	12.4	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	161	80.7	200	15.8	


Surrogate: 1-Chlorooctane 98.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 134 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 TALON LPE  
 MIKE STUBBLEFIELD  
 408 W. TEXAS AVE.  
 ARTESIA NM, 88210  
 Fax To: (575) 745-8905

 Received: 02/20/2013  
 Reported: 02/27/2013  
 Project Name: CORRAL FLY 10 BATTERY  
 Project Number: 701307046.01  
 Project Location: SEC. 10 - T25S - R29E

 Sampling Date: 02/19/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Daniel Wade

**Sample ID: S - 15 1.5' (H300461-15)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 110 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	177	88.3	200	12.4	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	161	80.7	200	15.8	


Surrogate: 1-Chlorooctane 94.2 % 65.2-140

Surrogate: 1-Chlorooctadecane 104 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received:	02/20/2013	Sampling Date:	02/19/2013
Reported:	02/27/2013	Sampling Type:	Soil
Project Name:	CORRAL FLY 10 BATTERY	Sampling Condition:	Cool & Intact
Project Number:	701307046.01	Sample Received By:	Daniel Wade
Project Location:	SEC. 10 - T25S - R29E		

**Sample ID: S - 16 (H300461-16)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 110 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	177	88.3	200	12.4	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	161	80.7	200	15.8	


Surrogate: 1-Chlorooctane 90.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 105 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 18 1.5' (H300461-18)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 109 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	02/26/2013	ND	177	88.3	200	12.4		
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	161	80.7	200	15.8		


Surrogate: 1-Chlorooctane 92.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 105 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 19 (H300461-19)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 112 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	177	88.3	200	12.4	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	161	80.7	200	15.8	


Surrogate: 1-Chlorooctane 94.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 105 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 20 (H300461-20)**

BTEX 8021B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/23/2013	ND	2.20	110	2.00	4.46	
Toluene*	<0.050	0.050	02/23/2013	ND	2.15	108	2.00	4.81	
Ethylbenzene*	<0.050	0.050	02/23/2013	ND	2.10	105	2.00	4.20	
Total Xylenes*	<0.150	0.150	02/23/2013	ND	6.44	107	6.00	3.90	
Total BTEX	<0.300	0.300	02/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 111 % 89.4-126

Chloride, SM4500Cl-B		mg/kg	Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	177	88.3	200	12.4	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	161	80.7	200	15.8	


Surrogate: 1-Chlorooctane 85.2 % 65.2-140

Surrogate: 1-Chlorooctadecane 102 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Coley D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 TALON LPE  
 MIKE STUBBLEFIELD  
 408 W. TEXAS AVE.  
 ARTESIA NM, 88210  
 Fax To: (575) 745-8905

 Received: 02/20/2013  
 Reported: 02/27/2013  
 Project Name: CORRAL FLY 10 BATTERY  
 Project Number: 701307046.01  
 Project Location: SEC. 10 - T25S - R29E

 Sampling Date: 02/19/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Daniel Wade

**Sample ID: S - 21 (H300461-21)**

BTEX 8021B			mg/kg		Analyzed By: AP				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/25/2013	ND	2.25	113	2.00	3.27	
Toluene*	<0.050	0.050	02/25/2013	ND	2.29	115	2.00	0.454	
Ethylbenzene*	<0.050	0.050	02/25/2013	ND	2.26	113	2.00	1.32	
Total Xylenes*	<0.150	0.150	02/25/2013	ND	7.03	117	6.00	3.37	
Total BTEX	<0.300	0.300	02/25/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 109 % 89.4-126

Chloride, SM4500Cl-B			mg/kg		Analyzed By: DW				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/22/2013	ND	432	108	400	3.77	

TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	177	88.3	200	12.4	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	161	80.7	200	15.8	

Surrogate: 1-Chlorooctane 87.5 % 65.2-140

Surrogate: 1-Chlorooctadecane 103 % 63.6-154


**Sample ID: S - 22 1' (H300461-22)**

Chloride, SM4500Cl-B			mg/kg		Analyzed By: DW				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/22/2013	ND	432	108	400	3.64	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received:	02/20/2013	Sampling Date:	02/19/2013
Reported:	02/27/2013	Sampling Type:	Soil
Project Name:	CORRAL FLY 10 BATTERY	Sampling Condition:	Cool & Intact
Project Number:	701307046.01	Sample Received By:	Daniel Wade
Project Location:	SEC. 10 - T25S - R29E		

**Sample ID: S - 23 1' (H300461-23)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/25/2013	ND	2.25	113	2.00	3.27	
Toluene*	<0.050	0.050	02/25/2013	ND	2.29	115	2.00	0.454	
Ethylbenzene*	<0.050	0.050	02/25/2013	ND	2.26	113	2.00	1.32	
Total Xylenes*	<0.150	0.150	02/25/2013	ND	7.03	117	6.00	3.37	
Total BTEX	<0.300	0.300	02/25/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 110 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	177	88.3	200	12.4	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	161	80.7	200	15.8	

Surrogate: 1-Chlorooctane 75.2 % 65.2-140

Surrogate: 1-Chlorooctadecane 95.0 % 63.6-154


**Sample ID: S - 24 1' (H300461-24)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/22/2013	ND	432	108	400	3.64		

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received:	02/20/2013	Sampling Date:	02/19/2013
Reported:	02/27/2013	Sampling Type:	Soil
Project Name:	CORRAL FLY 10 BATTERY	Sampling Condition:	Cool & Intact
Project Number:	701307046.01	Sample Received By:	Daniel Wade
Project Location:	SEC. 10 - T25S - R29E		

**Sample ID: S - 25 1' (H300461-25)**

Chloride, SM4500Cl-B		mg/kg	Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.64	

**Sample ID: S - 26 1' (H300461-26)**

Chloride, SM4500Cl-B		mg/kg	Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.64	


**Sample ID: S - 27 1' (H300461-27)**

Chloride, SM4500Cl-B		mg/kg	Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/22/2013	ND	432	108	400	3.64	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

TALON LPE  
MIKE STUBBLEFIELD  
408 W. TEXAS AVE.  
ARTESIA NM, 88210  
Fax To: (575) 745-8905

Received: 02/20/2013  
Reported: 02/27/2013  
Project Name: CORRAL FLY 10 BATTERY  
Project Number: 701307046.01  
Project Location: SEC. 10 - T25S - R29E

Sampling Date: 02/19/2013  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Daniel Wade

**Sample ID: S - 28 2.5' (H300461-28)**

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/27/2013	ND	1.85	92.6	2.00	17.8	
Toluene*	<0.050	0.050	02/27/2013	ND	1.82	91.2	2.00	16.9	
Ethylbenzene*	<0.050	0.050	02/27/2013	ND	1.78	89.0	2.00	16.3	
Total Xylenes*	<0.150	0.150	02/27/2013	ND	5.40	90.0	6.00	17.0	
Total BTEX	<0.300	0.300	02/27/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 121 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/22/2013	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/26/2013	ND	177	88.3	200	12.4	
DRO >C10-C28	<50.0	50.0	02/26/2013	ND	161	80.7	200	15.8	


Surrogate: 1-Chlorooctane 92.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 109 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celest D. Keene, Lab Director/Quality Manager

### Notes and Definitions


ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



---

Celey D. Keene, Lab Director/Quality Manager



# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

2

Company Name: <u>Talon/LPE</u>				<b>BILL TO</b>				<b>ANALYSIS REQUEST</b>											
Project Manager: <u>Mike Stubblefield</u>				P.O. #:															
Address: <u>408 West Tower Ave.</u>				Company: <u>Talon/LPE</u>															
City: <u>Artesia</u> State: <u>N.M.</u> Zip: <u>88216</u>				Attn:															
Phone #: <u>574-441-7254</u> Fax #:				Address:															
Project #: <u>701307.046.01</u> Project Owner: <u>Lime Rock Res. LLC</u>				City:															
Project Name: <u>Corral Fly 10 Battery</u>				State: Zip:															
Project Location: <u>sec. 10 T35C-R29E</u>				Phone #:															
Sampler Name: <u>Mike Stubblefield</u>				Fax #:															
FOR LAB USE ONLY				MATRIX		PRESERV		SAMPLING		TPH		BTEX		Total chlorides					
Lab I.D.	Sample I.D.	# CONTAINERS	GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER	ACID/BASE ICE/COOL OTHER	DATE	TIME													
113004101																			
1	S-1 2.5	5	/	/	2/19/13	11:05A	/	/	/										
2	S-2	5	/	/	2/19/13	11:07A	/	/	/										
3	S-3	5	/	/	2/19/13	11:11A	/	/	/										
4	S-4	5	/	/	2/19/13	11:14A	/	/	/										
5	S-5 1.5	5	/	/	2/19/12	11:18A	/	/	/										
6	S-6	5	/	/	2/19/13	11:21A	/	/	/										
7	S-7	5	/	/	2/19/13	11:24A	/	/	/										
8	S-8 3	5	/	/	2/19/13	11:30A	/	/	/										
9	S-9	5	/	/	2/19/13	11:34A	/	/	/										
10	S-10	5	/	/	2/19/13	11:38A	/	/	/										

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: <u>2/20/13</u>	Received By:	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
<u>Mike Stubblefield</u>	Time: <u>8:22am</u>	<u>[Signature]</u>	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Relinquished By:	Date:	Received By:	REMARKS:	
	Time:			
Delivered By: (Circle One)	Sample Condition	CHECKED BY:		
Sampler - UPS - Bus - Other:	Cool, Intact	(Initials)		
	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<u>[Signature]</u>		
	<input type="checkbox"/> Yes <input type="checkbox"/> No			

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

Company Name: <u>Talon/LPE</u>				<b>BILL TO</b>				<b>ANALYSIS REQUEST</b>													
Project Manager: <u>Mike Stubblefield</u>				P.O. #:																	
Address: <u>708 West Texas Ave.</u>				Company: <u>Talon/LPE</u>																	
City: <u>Artesia, N.M.</u> State: <u>N.M.</u> Zip: <u>88210</u>				Attn:																	
Phone #: <u>575-441-7254</u> Fax #:				Address:																	
Project #: <u>701307.046.01</u> Project Owner: <u>Line Rock Rec. LLC</u>				City:																	
Project Name: <u>Corral Fly 10 Battery</u>				State: Zip:																	
Project Location: <u>SEC. 10 - T255 - R29E</u>				Phone #:																	
Sampler Name: <u>Mike Stubblefield</u>				Fax #:																	
FOR LAB USE ONLY				MATRIX		PRESERV		SAMPLING		8015M TPH		8021B BTEX		Total chlorides							
Lab I.D.	Sample I.D.	(G/RAB OR C/COMP. #) CONTAINERS	GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER	ACID/BASE ICE / COOL OTHER	DATE	TIME															
<u>H3004161</u>																					
<u>11</u>	<u>S-11</u>	<u>C</u>	<u>/</u>	<u>/</u>	<u>2/19/13</u>	<u>11:31A</u>															
<u>12</u>	<u>S-12 1.5'</u>	<u>C</u>	<u>/</u>	<u>/</u>	<u>2/19/13</u>	<u>11:50A</u>															
<u>13</u>	<u>S-13</u>	<u>C</u>	<u>/</u>	<u>/</u>	<u>2/19/13</u>	<u>11:52A</u>															
<u>14</u>	<u>S-14</u>	<u>C</u>	<u>/</u>	<u>/</u>	<u>2/19/13</u>	<u>11:59A</u>															
<u>15</u>	<u>S-15 1.5'</u>	<u>C</u>	<u>/</u>	<u>/</u>	<u>2/19/13</u>	<u>12:03P</u>															
<u>16</u>	<u>S-16</u>	<u>C</u>	<u>/</u>	<u>/</u>	<u>2/19/13</u>	<u>12:04P</u>															
<u>17</u>	<u>S-17</u>	<u>C</u>	<u>/</u>	<u>/</u>	<u>2/19/13</u>	<u>12:06P</u>															
<u>18</u>	<u>S-18 1.5'</u>	<u>C</u>	<u>/</u>	<u>/</u>	<u>2/19/13</u>	<u>12:08P</u>															
<u>19</u>	<u>S-19</u>	<u>C</u>	<u>/</u>	<u>/</u>	<u>2/19/13</u>	<u>12:13P</u>															
<u>20</u>	<u>S-20</u>	<u>C</u>	<u>/</u>	<u>/</u>	<u>2/19/13</u>	<u>12:11P</u>															

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: <u>Mike Stubblefield</u>	Date: <u>2/20/13</u>	Received By: <u>Paul Wade</u>	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
Relinquished By: <u>Mike Stubblefield</u>	Time: <u>8:22a</u>	Received By: <u>Paul Wade</u>	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
REMARKS:				
Delivered By: (Circle One) Sampler - UPS - Bus - Other: <u>52</u>				
Sample Condition Cool / Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				
CHECKED BY: <u>Paul Wade</u>				

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

Company Name: Tuba/LPE Project Manager: Mike C. White				<b>BILL TO</b>		<b>ANALYSIS REQUEST</b>															
Address: 403 West Terrace Dr. City: Arden State: PA Zip: 19020 Phone #: 610-441-7254 Fax #: Project #: 701307, 046.01 Project Owner: L.V. Rock Pte., LLC Project Name: Corral Fly. Co. Battery Project Location: sec. 10 - T 2S - R 2E Sampler Name: Mike Smedley				P.O. #:  Company: Tuba/LPE Attn:  Address:  City:  State: Zip:  Phone #:  Fax #:																	
FOR LAB USE ONLY	Lab I.D.	Sample I.D.	GRAB OR (COMP.) # CONTAINERS	MATRIX	PRESERV.	SAMPLING															
				GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER	ACID/BASE ICE / COOL OTHER	DATE	TIME														
	S-21		G	/	/	2/19/13	12:18P														
	S-22	1'	G	/	/	2/19/13	12:20P														
	S-23	1'	G	/	/	2/19/13	12:22P														
	S-24	1'	G	/	/	2/19/13	12:30P														
	S-25	1'	G	/	/	2/19/13	12:34P														
	S-26	1'	G	/	/	2/19/13	12:36P														
	S-27	1'	G	/	/	2/19/13	12:39P														
	S-28	2.5'	G	/	/	2/19/13	12:48P														
				Total Chlorides																	

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.


Relinquished By: Mike Smedley	Date: 2/20/13 Time: 8:22am	Received By: [Signature]	Phone Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:	REMARKS:
Relinquished By:	Date:	Received By:	Fax Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Fax #:	
Delivered By: (Circle One)		Sample Condition Cool Intact	CHECKED BY: [Initials]		
Sampler - UPS - Bus - Other:		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			

**FINAL C-141**

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505



Form C-141  
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

**OPERATOR**

☐ Initial Report ☒ Final Report

Name of Company LRE Operating, LLC	Contact Michael Barrett	
Address Bagby Street Suite 4600 Houston, TX 77002	Telephone No. 575-623-8424	
Facility Name Corral Fly 10 Battery	Facility Type Battery	
Surface Owner Unknown	Mineral Owner Federal	API No. 30-015-35623

**LOCATION OF RELEASE**

Unit Letter G	Section 10	Township 25S	Range 29E	Feet from the 2520	North/South Line North	Feet from the 1650	East/West Line West	County Eddy County
------------------	---------------	-----------------	--------------	-----------------------	---------------------------	-----------------------	------------------------	-----------------------

Latitude 32.145057 Longitude 103.969135

**NATURE OF RELEASE**

Type of Release Oil	Volume of Release 39 bbls	Volume Recovered 21 bbls
Source of Release Transfer pump failure	Date and Hour of Occurrence 1/26/2012 am	Date and Hour of Discovery 1/23/2013 @4:00pm
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Mike Bratcher/NMOCD by Voice mail Jim Amos/BLM	
By Whom? Michael Barrett	Date and Hour 01/26/13 8:45am	
Was a Watercourse Reached? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.*		
Describe Cause of Problem and Remedial Action Taken.* Transfer pump failed to start, overflowed stock tank into berm. The berm contained a drain line which was open at the time of release.		
Describe Area Affected and Cleanup Action Taken.* Impacted area was lined berm, the dune area located south of battery was impacted. Fluid was removed from lined berm area, the impacted area located south of battery was excavated, and removed materials were transported to Lea Land LLC for disposal. Talon/LPE was contacted for soil sampling and construction of final report.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: 	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Mike Barrett	Approved by Environmental Specialist:	
Title: Production Supervisor	Approval Date:	Expiration Date:
E-mail Address: mbarrett@limerockresources.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 4/4/2013	Phone: 575-623-8424	