M	Subnit 3 Copies To Appropriate District Office	State of N	New M	exico		Form C-103
***	District I	Energy, Minerals a	nd Nati	ural Resources		Revised March 25, 1999
	1625 N. French Dr., Hobbs, NM 88240 District II				WELL API NO.	
	811 South First, Artesia, NM 88210	OIL CONSERV.	ATION	DIVISION	30-005-62779	
	District III 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South	St. Fra	ncis Dr.	5. Indicate Type	
	District IV	Santa Fe,	NM 8	7505		X FEE Gas Lease No.
	1220 S. St. Francis Dr., Santa Fe, NM 87505				LG-5246	Jas Lease IVO.
Γ	SUNDRY NOTI	CES AND REPORTS ON	WELLS	3		r Unit Agreement Name:
1	(DO NOT USE THIS FORM FOR PROPOS	SALS TO DRILL OR TO DEEP	EN OR PL	UG BACK TO A	, Louise Turne o	omt Agreement Name.
	DIFFERENT RESERVOIR. USE "APPLIC PROPOSALS.)	ATION FOR PERMIT" (FORM	C-101) F	OR SUCH 28 29 25	Pathfinder AF	T State
	1. Type of Well:		3262	28293037		
-	Oil Well X Gas Well	Other _	V A			
	2. Name of Operator	ration	11.37	5003	8. Well No.	
-	Yates Petroleum Corpo. 3. Address of Operator	ration 2	11/2	CENTED	8	
	-	ia, NM 88210 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	RE	ARTESIA	Pool name or Wil	1
	100 3. 4 Sileel Alles	ia, NM 88210	OCD	CEIVED ARTESIA	Diablo San A	ndres
T	4. Well Location		<u>.</u> 		L	
		·	1919	State 2230		
1	Unit Letter <u>G: 231</u>	0 feet from the NC	orth	line and 2239	feet from the E	ast line
	Section 21	Township 10S	Range	27E	NMPM Ch	aves County
		10. Elevation (Show wh			.)	
	11 Charle A	nnnonmiete Devr te Indi	3833		2 (0.1	
Г	NOTICE OF IN	ppropriate Box to Indi	icate N			
-				SUB	SEQUENT RE	
_	PERFORM REMEDIAL WORK	PLUG AND ABANDON	X	REMEDIAL WORK	<	ALTERING CASING
	TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DRII		PLUG AND ABANDONMENT
	PULL OR ALTER CASING	MULTIPLE COMPLETION		CASING TEST AN CEMENT JOB	ID	
	OTHER:			OTHER:		
L	Describe proposed or completed op	perations. (Clearly state all	Dertine	nt details, and give r	ertinent dates, incl	Iding estimated date of
	starting any proposed work). SEE F	RULE 1103. For Multiple	Comple	tions: Attach wellbo	ore diagram of prop	osed completion or
	recompilation.		_		0 1 1	.
	Propose to plug and about de	U f - U -				
	Propose to plug and abandor	1 well as tollows:				
	Notify the NMOCD at least	24 hrs. before starting	the pli	iaaina work MIR	ell a WSII and a	av safaty aquiament
	Load the tubing and the casir	ng with 2% KCL water t	then N) the wellhead a	nd NU the BOP	then POOH with the
	rods, pump and tubing.					
	2. Circulate hole with 10.0 pp	g mud with 25#/bbl g	el in the	e mud, spot 25 sx	cement plug fro	om 2065' to 1900'+/
	wait three hrs and tag this plu	a.			1000	c Inn'd CATIN 512 -
	3. Shoot 4 holes at 585' then F	RIH with a packer on th	ne tubi	ng at -535 '. Sque	eze 50 sy cemer	at behind the carinal
-	to cover the base of the 8-5/8	iii casina. Shoot 4 hole	es at 10	O' then RIH with a	a nacker on the	tubing to 50'
	Squeeze 50 sx cement behind 4. Remove the wellhead and	ine casing to the surf	ace. S	pot 5 sx cement	at the surface to	o fill up the casing
	Perf CSs. @ 272' Place 100' a	Install a dry-note mark	er and	clean up the loc	cation.	
Ł	I hereby certify that the information	jabove is true and complete	10 点 (e to the l	est of my knowledge	e and helief	
	SIGNATURE					
)		egulata	ry Compliance S	<u>upervisor</u> DATE	<u>May 27, 2003</u>
-	Type or print name Ting Huerto	1			Telephone No	505-748-1471
((This space for State use)	/ XX		A -NN		
	APPPROVED BY	/ 0 \ _{_T}	TTLE	Juld	Sen 10	HIN 4 2003
	Conditions of approval, if any:	1			-	WINNIE
					¥.	

WELL NAME: Pathfinder "AFT" #8 Field: Diablo San Andres

LOCATION: Unit G, sec 21, 10S-27E 2310 FNL & 2339 FEL Chaves County

GL: 3833 GR

ZERO:


KB:

SPUD DATE: 5/23/90 COMPLETION DATE: 8/12/90

COMMENTS: 30-005-62779

CASING PROGRAI	١	Ü							į	į	١				Ì	ı	J				١								•										ı		i																			1							ŀ					3					ľ		l		İ															ĺ		۱			ı		İ		١		١				I						Į																							١						
----------------	---	---	--	--	--	--	--	--	---	---	---	--	--	--	---	---	---	--	--	--	---	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	---	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	---	--	--	--	--	---	--	--	--	--	---	--	---	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	---	--	--	---	--	---	--	---	--	---	--	--	--	---	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--

535'
2080'



TOPS

272
355'
8651
1395

AFTER

25 SACK plug 1900 PBTD @ 2040'

Est Toc- No Report

San Andres
Perf's: 1992-2065' w/27 .42 holes Shot on 8/8/090 Acidize: 10000 g 20%

5 1/2" @ 2080' w/725 sx

TD 2100'

10.0 PPG MUD

> Not to Scale Cam 5/9/03

OPERATOR: Yates Petroleum Co	orp.Inc.	API# 30-00	05-62779
WELL: Pathfinder AFT State # 8		LOCATION:	G-21-10-27
SURFACE CSG-HOLE SIZE "	CSG. SIZE 8 5/8"	SET @ 585'	SX. CMT. TOC. Circ
LONG STRING- HOLE SIZE 8"	CSG. SIZE 5 1/2"	SET @ 2080	SX. CMT. 725 TOC .
OTHER			

