District 14 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax; (575) 748-9720

District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone, (505) 476-3460 Fax: (505) 476-3462

NM

strict 1 4 25 N. French Dr., Hobbs, NM 88240 one: (575) 393-6161 Fax: (575) 393-0720 strict II 1 S. First St., Artesia, NM 88210			NM OIL CO	NSERVA A DISTRECE	esources	Form C- Revised July 18, 2			
	1-1283 Fax; (57:		OCT	Oil Conserva	n	□AMENDED REPO			
<u>strict III</u> 30 Brazos Road, Aztec, NM 87410 31 (505) 334-6178 Fax; (505) 334-6170 31 strict IV			25		1220 South S				t. Francis D
20 S. St Franc	is Dr., Santa Fe i-3460 Fax: (50)		RECEIVED		Santa Fe,				
APPLI	CATIC	N FOR	PERMIT T		., RE-ENTE	R, DEEPEN	, PLUGBAC	K, OR AD	
			BC Operation P.O. Box 5 Midland, Tex	ng, Inc. 50820			160825	ATTNumbe	
315	394			Mai	2 Property Name 1 Cave 7 State Co	om			/ell No. 3H
	-			7.	Surface Location	1			
UL - Lot O	Section 6	Township 23S	Range 26E	Lot Idn	Feet from 270	N/S Line South	Feet From 1700	E/W Line East	County Eddy
				* Propo	sed Bottom Hol	e Location		 	
UL - Lot N	Section 7	Township 23S	Range 26E	Lot Idn	Feet from 240	N/S Line South	Feet From 1700	E/W Line East	County Eddy
				9.]	Pool Information	1			
	016		101 01 0	Pc	ol Name	1 15			0 00 y 60 y

9. Pool Information								
WC-015	52326060	Pool Name Wildest ; Wolfcamp	(GAS)	•	98770			

Additional Well Information							
11. Work Type	12	Well Type	13 Cable/Rotary	14 Lease Type	15 Ground Level Elevation		
New Well		Gas	Rotary	State	3415'		
¹⁶ Multiple	17. Pr	oposed Depth	18 Formation 19 Contrac		^{20.} Spud Date		
No 14,496' I		4D/9050' TVD	Wolfcamp	TBD	05/01/2016		
Depth to Ground water		Distance from nearest fresh water well		Dis	tance to nearest surface water		
•							

We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Туре	ype Hole Size Casing Size		Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC	
Surface	16"	13 3/8"	48#	400'	400	0,	
Intermediate	12 ¼"	9 5/8"	40#	5100'	1400	0'	
Production	8 3/4"	5 ½"	17#	14,196'	1800	5000'	

Casing/Cement Program: Additional Comments

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer	
Double Ram Annular	3000#	2000#	Hydrill/Shaeffer	

best of my knowledge and belief.	given above is true and complete to the	OIL CONSERVATION DIVISION Approved By: Approved By:				
I further certify that I have complied 19.15.14.9 (B) NMAC ⊠, if applicat	l with 19.15.14.9 (A) NMAC 🛛 and/or ole.					
Signature: Pam Steven	_					
Printed name: Pam Stevens		Title: 257 # Sepewis # Expiration Date: 11/5/2017				
Title: Regulatory Analyst		Approved Date: 11/5/2015 Expiration Date: 11/5/2017				
E-mail Address: pstevens@bcope	erating.com	. , , , , , , , , , , , , , , , , , , ,				
Date: 09/30/2015	Phone: 432-684-9696	Conditions of Approval Attached				

District II 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505


Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

	AMENDED	REPORT
--	----------------	--------


WELL LOCATION AND ACREAGE DEDICATION PLAT

200	A Bil Numbe	1/2//	0 0	O 1904 (34)) wc					
		7277	1 70	<u> </u>	<u>ノー</u>	Wildea	t; Wolfca	imp (6AS)	
コピザル	2 Property Code		⁵ Property Name MAN CAVE 7 STATE COM						6 Well Number	
	Z			MAN	CAVE /	STATE COM			3H	
OGRID!					Operator	Name			Elevation	
16082	25	B.C. OPERATING, INC.							3415'	
" Surface Location										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
0	6	T23S	R26E		270'	SOUTH	1700'	EAST	EDDY	
			"Bo	ttom Hol	e Location I	Different Fron	Surface			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
0	7	T23S	R26E	į	240'	SOUTH	1700'	EAST	EDDY	
12 Dedicated Acres	13 Joint or	r Infill 14 (onsolidation	Code 15 Or	der No.					
320.00	191150)		ļ						
	¢			-				 	 1	

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



LOCATION VERIFICATION MAP



SEC. 6 TWP, 23 S RGE. 26 E

SURVEY: N.M.P.M.

COUNTY: EDDY

DESCRIPTION: 270' FSL & 1700' FEL


ELEVATION: 3415'

OPERATOR: B.C. OPERATING, INC. LEASE: MAN CAVE 7 STATE COM

U.S.G.S. TOPOGRAPHIC MAP: KITCHEN COVE, N.M.

CONTOUR INTERVAL = 20'

VICINITY MAP



SEC. 6 TWP. 23 S RGE. 26 E

SURVEY: N,M.P.M. COUNTY: EDDY

DESCRIPTION: 270' FSL & 1700' FEL

ELEVATION: 3415'

OPERATOR: B.C. OPERATING, INC. LEASE: MAN CAVE 7 STATE COM

U.S.G.S. TOPOGRAPHIC MAP: KITCHEN COVE, N.M.

₹7

SCALE: 1" = 2 MILES

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 S. FIRST ARTESIA, NM 88210

(575)748-1283

CONDITIONS OF APPROVAL:

NAME OF OPERATOR: BC OPERATING
WELL NAME & NUMBER: MAN CAVE 7 State COM 3H
30-0/5- 43/49

- 1. Trucking companies being used to haul oilfield waste to disposal facilities commercial or private-shall have an approved NMOCD C-133 Permit. A copy of this permit shall be available in each truck used to transport waste products. It is the responsibility of the operator as well as the contractor to verify that this permit is in place. Drivers shall make permit available upon request of an OCD inspector. It is the responsibility of the operator to see to it that waste from their wells is being disposed of in a proper manner.
- 2. Once well is spud, to prevent groundwater contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the freshwater zone or zones and shall immediately set in cement the water protection string.

DATE 11/5/15