Form 3160-5 (August 2007)

1. .

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NMOCD Artesia FORM APPROVED OMB NO: 1004-0135 Expires: July 31, 2010

BUREAU OF LAND MANAGEMENT Artesia
SUNDRY NOTICES AND REPORTS ON WELLS

5. Lease Serial No. NMLC061783A

OUNDIX	'"'						
Do not use the abandoned we	6. If I	6. If Indian, Allottee or Tribe Name					
SUBMIT IN TRI	7. If U	7. If Unit or CA/Agreement, Name and/or No.					
Type of Well     ☐ Gas Well ☐ Ott		8. Well Name and No. WINDFOHR 4 O FEDERAL 12					
2. Name of Operator LIME ROCK RESOURCES II		9. API Well No. 30-015-42037-00-X1					
3a. Address 1111 BAGBY STREET SUITE HOUSTON, TX 77002		hone No. (include area code 505.327.4573		10. Field and Pool, or Exploratory RED LAKE			
4. Location of Well (Footage, Sec., 7	., R., M., or Survey Description)		11. Co	11. County or Parish, and State			
Sec 4 T18S R27E Lot 19 430 32.769452 N Lat, 104.274343			EC	EDDY COUNTY, NM			
12. CHECK APPI	ROPRIATE BOX(ES) TO INDI	CATE NATURE OF	NOTICE, REPORT	OR OTHER D	АТА		
TYPE OF SUBMISSION							
☐ Notice of Intent	☐ Acidize	□ Deepen	□ Production (Sta	rt/Resume)	Water Shut-Off		
	☐ Alter Casing		☐ Reclamation		Well Integrity		
Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recomplete		) Other		
☐ Final Abandonment Notice		☐ Plug and Abandon	☐ Temporarily Al				
13. Describe Proposed or Completed Op		☐ Plug Back	☐ Water Disposal				
testing has been completed. Final Al determined that the site is ready for f		after all requirements, inclu	ding reclamation, have b	een completed, and t	he operator has		
On 4/3/15, PT 5-1/2" csg to 50 4448', 4516', 4583', 4635' w/6 HCL acid & fraced w/60,461# Set 5-1/2" CBP @ 4250'. PT 0 4113', 4165' w/6-0.42" spf. To fraced w/32,070# 100 mesh & Set 5-1/2" CBP @ 3878'. PT 0	000 psi for 30 min-OK. CO TO P -0.42" spf. Total 30 holes. On 4/ 100 mesh & 48,660# 40/70 Wisi CBP & 5-1/2" csg to 3500 psi-Ok tal 30 holes. On 4/14/15, treated 285,729# 40/70 Wisconsin san CBP & 5-1/2" csg to 3500 psi-Ok	8/15, treated perfs w/1 consin sand in slick wa c. Perfed Yeso @ 3928 I perfs w/506 gal 15% d in slick water. c. Perfed Yeso @ 3580	524 gal 15% ster. 3', 4000', 4054', HCL acid & 0', 3637', 3701',	ARTES	ONSERVATION BIA DISTRICT 3 () 2015		
3772', 3828' w/6-0.42" spf. To mesh & 314,322# 40/70 Wisco	tal 30 holes. Treated perfs w/14!	93 gal 15% HCL & frac	ed w/31,351# 100	` •	CEIVED		
14. I hereby certify that the foregoing is	true and correct. Electronic Submission #298630 For LIME ROCK RESOLUTION FOR SUBMISSION FOR PROCESSING BY	URCESIIÀLP, sent to	the Carlsbad				
Name (Printed/Typed) MIKE PIP	PIN	Title PETRO	DLEUM ENG (AGEN	NT)			
Signature (Electronic S	Submission)	Date 04/18/2	2015				
	THIS SPACE FOR FE	DERAL OR STATE	OFFICE USE	<del></del>			
Approved By ACCEPT	ED	DAVID R TitlePETROLE	GLASS EUM ENGINEER		Date 10/23/2015		
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conductive the applicant to conduct the applicant	nitable title to those rights in the subject		d				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a crime for statements or representations as to any n			y department or agen	cy of the United		

### Additional data for EC transaction #298630 that would not fit on the form

#### 32. Additional remarks, continued

Set 5-1/2" CBP @ 3482'. PT CBP & 5-1/2" csg to 3500 psi-OK. Perfed Yeso @ 3113', 3180', 3246', 3303', 3385' w/6-0.42" spf. Total 30 holes. Treated perfs w/1062 gal 15% HCL & fraced w/32,225 100 mesh & 313,750# 40/70 Wisconsin sand in slick water.
On 4/15/15, MIRUSU. CO after frac, drill out CBPs @ 3482', 3878', & 4250', & CO to PBTD @ 4642'. On 4/17/15, landed ESP on 2-7/8" 6.5# J-55 tbg @ 3088'. Released completion rig on 4/18/15.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

## State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, NM 87505

. Form C-102 Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

## AC DDITTED

1220 S. St. Franc	is Dr., Santa	Fe, NM 87505			AS DRI	LLED			ļ	☐ AME	ENDED REPORT
			VELL LC			REAGE DEDIC	CATI				
	API Numbe			<sup>2</sup> Pool Code <sup>3</sup> Pool Name							
	0-015-420	37 .		51120			Red	Lake, Glo	ricta-Yes		
<sup>4</sup> Property				<sup>5</sup> Property Name				Well Number			
3089				WINDFOHR 4 FEDERAL					12		
<sup>7</sup> OGRID No. 277558 LIME R					Operator Name ME ROCK RESOURCES II-A, L.P.					'Elevation 3563' GL	
2113.	36	<del></del> -	•	LIME			•				303 GL
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	Location North/South line	Feet	from the	East/We	et line	County
19	4	18-S	27-E	19	430	SOUTH	l	Feet from the East/N 2140 EA			EDDY
17	<u> </u>	1 .00	1 1		1	f Different From				<u> </u>	
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line		from the	East/We	est line	County
. 19	4	18-S	27-E	19	358	SOUTH		2276	EAS	3	EDDY
12 Dedicated Acr			Consolidation (		Order No.	,					
38.01											
				T				<sup>17</sup> O	PERATO	R CERT	TIFICATION
											ed herein is true and complet
							o the best of my knowledge and belief, and that this organization either				
					owns a working interest or unleased mineral interest in the land the proposed bottom hole location or has a right to drill this we						
						•					rgni io arui inis weu ai inis r of such a mineral or worki
											or a compulsory pooling
							-	order heretofe	ore entered by th	e division.	
								٥			1/13/15
								Signature			Date
								Mike Pippin Printed Name			
				4 -		<u></u>		18CLID	VEVOR	CEDT	TFICATION
				1							tion shown on this
,	i										of actual surveys
		,						1	- •		sion, and that the
											est of my belief.
							5,	8/11/12			io. cy my comey.
				<u> </u>			3.4	Date of Sur	VPV		
					OUDEAGE		2503.45		vey nd Seal of Prof	fessional Sur	vevor.
	,	ВОТТС	M HOLE		SURFACE		(1	Filmont F. J			
		AS DRI				2140			_		
			\	1	O.	2140'		ļ			
,			•	<b>*</b> 0	<u> </u>			12797			
				58,	430,	2276'	'	Certificate N	umber	<del>-</del> -	
		I		₩.	1 &	I		1			