Office Office		te of New Me		Form C-103	
<u>District I</u> – (575) 393-6161	Energy, Min	erals and Natu	ral Resources	Revised July 18, 2013	3_
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283				WELL API NO.	
811 S. First St., Artesia, NM 88210	OIL CONS	SERVATION	DIVISION	30-015-37875 5. Indicate Type of Lease	_
District III - (505) 334-6178	1220 \$	South St. Fran	icis Dr.	STATE STATE FEE	
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Sar	nta Fe, NM 87	7505	6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM					
87505 SUNDAY NOT	TICES AND DEDOD	TS ON WELLS		7. Lease Name or Unit Agreement Name	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A				Cooter 16 State	
DIFFERENT RESERVOIR. USE "APPLI				8. Well Number	
PROPOSALS.)	Coa Wall Coth			5H	
 Type of Well: Oil Well Name of Operator 	Gas Well Oth	ier		9. OGRID Number	
	ON ENERGY PROI	DUCTION COM	IPANY LP	6137	
3. Address of Operator	ON ENERGY TROP	Beether con		10. Pool name or Wildcat	_
	EST SHERIDAN A	VENUE, OKC,	OK 73102	96217 Willow Lake; Bone Spring,	
		, ,		Southeast	
4. Well Location	•	·			
Unit Letter O: 330	feet from the	South lir	ne and2310	_ feet from the _ <u>East</u> line	
Section 16	Towns		Range 29H		
Doutlett 10			RKB, RT, GR, etc.		
n		2998'	,,,		
12 Check	Annronriate Roy	to Indicate N	ature of Notice	Report or Other Data	
12. Check	Appropriate Box	to marcate in	ature or notice,	Report of Other Bata	
NOTICE OF IN	NTENTION TO:		SUE	SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK	PLUG AND ABAI		REMEDIAL WOR	-	
TEMPORARILY ABANDON 🗌	CHANGE PLANS		COMMENCE DR	ILLING OPNS.□ P AND A □	
PULL OR ALTER CASING	MULTIPLE COM	PL 🗌	CASING/CEMEN	T JOB 🔲	
DOWNHOLE COMMINGLE					
CLOSED-LOOP SYSTEM		_			
OTHER: Flare Extension	1		OTHER:		<u>-</u>
				d give pertinent dates, including estimated da	te
	•	9.13.7.14 NMAC	. For Multiple Co	mpletions: Attach wellbore diagram of	
proposed completion or re-	completion.				
Devon Energy Production C	Company, LP respect	fully requests to f	lare the Cooter 16 S	State 5H Battery as per the attached C-129.	
Flaring is due to DCP Plant					
Ü	•				
Wells contributing to the to			NM OIL CON	RERVATION	
Cooter 16 State Com 5H Cooter 16 State Com 6H	(30-015-37875)		NM OIL CON	DISTRICT	
Cooter 16 State Com 6H	(30-015-37876) (30-015-37877)				
Cooter 16 State Com 8H	(30-015-37878)		FEB 0	8 5010	
Cottontail 16 State Com 1H	(30-015-42321)				
			pECI	=tVED	
Attachments: C-129			RECI	EIVED	
Attachments: C-129	-	1	REC	EIVED	
Attachments: C-129]	REC	EIVED	
		Rig Release		EIVED	
Attachments: C-129 Spud Date:		Rig Release		EIVED	
		Rig Release		EIVED	
Spud Date:			Date:		
	above is true and co		Date:		
Spud Date:	above is true and co		Date:		
Spud Date: I hereby certify that the information	above is true and co	omplete to the be	Date:	ge and belief.	
Spud Date:	above is true and co	omplete to the be	Date:	ge and belief.	
Spud Date: I hereby certify that the information SIGNATURE	rla	omplete to the be	Date: est of my knowledg	ge and belief. Professional DATE 01.28.16	
Spud Date: I hereby certify that the information SIGNATURE Type or print name Erin Wo	rla	omplete to the be	Date:	ge and belief. Professional DATE 01.28.16	
Spud Date: I hereby certify that the information SIGNATURE	rla	omplete to the be	Date: est of my knowledg	ge and belief. Professional DATE 01.28.16	
Spud Date: I hereby certify that the information SIGNATURE Type or print name Erin Wo	rla	omplete to the be	Date: est of my knowledg	ge and belief. Professional DATE 01.28.16	
Spud Date: I hereby certify that the information SIGNATURE Type or print name Erin Wo For State Use Only	rla	TITLE Regul	Date: est of my knowledg	pe and belief. Professional DATE 01.28.16 DM PHONE: (405) 552-7970	_

District 1
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. _____

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

A.	Applicant Devon Energy Prod	uction Company, LP ,			
	whose address is 333 West Sheridan	Avenue, OKC, OK 73102 ,			
	hereby requests an exception to Rule 19.15.1	8.12 fordays or until			
	, N/A, Yr, for the	e following described tank battery (or LACT):			
	Name of Lease <u>Cooter 16 State 5H</u> Na	me of Pool (96217) Willow Lake; Bone Spring			
	Location of Battery: Unit Letter N Section	on 16 Township 25S Range 29E			
	Number of wells producing into battery: 5 WI (30-015-37877), 8H (30-015-37878), Cottontail 16 Sta	ELLS- Cooter 16 State 5H (30-015-37875), 6H (30-015-37876), 7H ate Com 1H (30-015-42321)			
В.	Based upon oil production of 562	barrels per day, the estimated * volume			
	of gas to be flared isMC	F; Valueper day.			
C.	Name and location of nearest gas gathering facility: Currently tied into DCP Midstream				
D.	Distance Estimated cost of connection				
E.	This exception is requested for the following reasons:				
2.		ng down. We are requesting 15 days starting			
	01.28.16 to 02.12.16. Verbal received 01.28	3.16			
OPERATOR		OIL CONSERVATION DIVISION			
Division have be	that the rules and regulations of the Oil Conservation een complied with and that the information given above plete to the best of my knowledge and belief.	Approved Until <u>483 29 2016</u>			
Signature		2 Doda			
Printed Name	e e	By Nouce			
	rin Workman, Regulatory Compliance Prof.	Title Dis- H Spluisn			
E-mail Addre	ess <u>Erin.workman@dvn.com</u>	Date 2/10/16			
Date 01.28	3.16 Telephone No. (405) 552-7970	& See Attached WH:			

^{*} Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.
- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

DATE: 2/10/14

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin Cabinet Secretary

Jami Bailey, Division Director Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE

Contact: Jlm Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

David Martin Cabinet Secretary

Jami Balley, Division Director Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.