
Form 3160-5 (August 2007)	DEPARTMENT OF THE I	UNITED STATES EPARTMENT OF THE INTERIOR UREAU OF LAND MANAGEMENT		FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010 5. Lease Serial No.	
, SUI	SUBMIT IN TRIPLICATE - Other instructions on reverse side 1		NMNM41645		
Do not abandor			6. If Indian, Allottee	6. If Indian, Allottee or Tribe Name	
SUBMIT	IN TRIPLICATE - Other instru	ctions on reverse slde	7. If Unit or CA/Age 8. VGI Name and No FEDERAL 13 CO	eement, Name and/or No.	
1. Type of Well			8. Well Name and Na		
🛛 Oil Well 🗖 Gas Well	l 🔲 Other			UM 8H	
2. Name of Operator CIMAREX ENERGY C	Contact: COMPANY E-Mail: aeasterling	ARICKA EASTERLING g@cimarex.com	9. API Well No.	-4277	
3a. Address 202 S CHEYENNE AV TULSA, OK 74103		3b. Phone No. (include area code Ph: 918-560-7060) 10. Field and Pool, c WILDCAT; BO	r Exploratory NE SPRING	
4. Location of Well' (Footag	e, Sec., T., R., M., or Survey Description	n)	11. County or Parish	, and State	
Sec 13 T25S R26E NV	WNE 330FNL 1980FEL		EDDY COUNT	Y, NM	
12. ĆHECI	K APPROPRIATE BOX(ES) T	O INDICATE NATURE OF 1	NOTICE, REPORT, OR OTHI	ER DATA	
TYPE OF SUBMISSIO	DN	TYPE OF ACTION			
Notice of Intent		Deepen	Production (Start/Resume)	U Water Shut-Off	
_	Alter Casing	Fracture Treat	Reclamation	Well Integrity	
Subsequent Report	🗖 Casing Repair	New Construction	Recomplete	🔀 Other	
Final Abandonment N		Plug and Abandon	Temporarily Abandon		
•					
If the proposal is to deepen on Attach the Bond under whic	Convert to Injection eleted Operation (clearly state all pertine directionally or recomplete horizontally the work will be performed or provide involved operations. If the operation	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/	ared and true vertical depths of all pert A. Required subsequent reports shall b	inent markers and zones. e filed within 30 days	
If the proposal is to deepen of Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Cimarex respectfully re	equests approval to lay 2202.86' the Federal 13 Fed #9H battery	rnt details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/ esults in a multiple completion or reco led only after all requirements, includ of 4" flex & 4" HP steel flow li	g date of any proposed work and appri- ared and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 bing reclamation, have been completed ne from the	inent markers and zones. e filed within 30 days .60-4 shall be filed once	
If the proposal is to deepen a Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Cimarex respectfully re Federal 13 Fed #8H to	bleted Operation (clearly state all pertine directionally or recomplete horizontally the work will be performed or provide involved operations. If the operation re- Final Abandonment Notices shall be fi- eady for final inspection.) equests approval to lay 2202.86° the Federal 13 Fed #9H battery used on lease route.	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec led only after all requirements, includ of 4" flex & 4" HP steel flow li located in the NENW of Sec.	g date of any proposed work and appr pred and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ling reclamation, have been completed ne from the 13. Please see	inent markers and zones. e filed within 30 days .60-4 shall be filed once	
If the proposal is to deepen a Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Cimarex respectfully re Federal 13 Fed #8H to	equests approval to lay 2202.86' the Federal 13 Fed #9H battery	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/ soults in a multiple completion or rec led only after all requirements, includ of 4" flex & 4" HP steel flow li located in the NENW of Sec. TION	g date of any proposed work and appr ared and true vertical depths of all pert A. Required subsequent reports shall be completion in a new interval, a Form 31 ling reclamation, have been completed ne from the 13. Please see TTACHED FOR	inent markers and zones. e filed within 30 days 60-4 shall be filed once l, and the operator has	
If the proposal is to deepen a Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Cimarex respectfully re Federal 13 Fed #8H to	bleted Operation (clearly state all pertine directionally or recomplete horizontally the work will be performed or provide involved operations. If the operation re- Final Abandonment Notices shall be fi- eady for final inspection.) equests approval to lay 2202.86° the Federal 13 Fed #9H battery used on lease route.	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/ soults in a multiple completion or rec led only after all requirements, includ of 4" flex & 4" HP steel flow li located in the NENW of Sec. TION	g date of any proposed work and appr pred and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ling reclamation, have been completed ne from the 13. Please see	inent markers and zones. e filed within 30 days 60-4 shall be filed once l, and the operator has	
If the proposal is to deepen a Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Cimarex respectfully re Federal 13 Fed #8H to	oleted Operation (clearly state all pertine directionally or recomplete horizontally the work will be performed or provide involved operations. If the operation re- Final Abandonment Notices shall be fi- eady for final inspection.) equests approval to lay 2202.86' the Federal 13 Fed #9H battery used on lease route. NM OIL CONSERVA ARTESIA DISTRICT	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/ soults in a multiple completion or rec led only after all requirements, includ of 4" flex & 4" HP steel flow li located in the NENW of Sec. TION	g date of any proposed work and appr ared and true vertical depths of all pert A. Required subsequent reports shall be completion in a new interval, a Form 31 ling reclamation, have been completed ne from the 13. Please see TTACHED FOR	inent markers and zones. e filed within 30 days 60-4 shall be filed once l, and the operator has	
If the proposal is to deepen a Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Cimarex respectfully re Federal 13 Fed #8H to attached plat for propo	eleted Operation (clearly state all pertine directionally or recomplete horizontally in the work will be performed or provide involved operations. If the operation re Final Abandonment Notices shall be file ady for final inspection.) equests approval to lay 2202.86' the Federal 13 Fed #9H battery ised on lease route. NM OIL CONSERVA ARTESIA DISTRICT FEB 17 2016 RECEIVED regoing is true and correct. Electronic Submission # For CIMAREX Committed to AFMSS for	rant details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec- led only after all requirements, includ of 4" flex & 4" HP steel flow li located in the NENW of Sec. TION SEE A COND 4302454 verified by the BLM We ENERGY COMPANY, sent to th or processing by LINDA DENNIS	g date of any proposed work and appri- red and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ting reclamation, have been completed ne from the 13. Please see TTACHED FOR ITIONS OF APPRO	inent markers and zones. e filed within 30 days 60-4 shall be filed once I, and the operator has	
If the proposal is to deepen to Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Cimarex respectfully re Federal 13 Fed #8H to attached plat for propo	eleted Operation (clearly state all pertine directionally or recomplete horizontally in the work will be performed or provide involved operations. If the operation re Final Abandonment Notices shall be file ady for final inspection.) equests approval to lay 2202.86' the Federal 13 Fed #9H battery ised on lease route. NM OIL CONSERVA ARTESIA DISTRICT FEB 17 2016 RECEIVED regoing is true and correct. Electronic Submission # For CIMAREX Committed to AFMSS for	rant details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec- led only after all requirements, includ of 4" flex & 4" HP steel flow li located in the NENW of Sec. TION SEE A COND 4302454 verified by the BLM We ENERGY COMPANY, sent to th or processing by LINDA DENNIS	g date of any proposed work and appri- red and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ling reclamation, have been completed ne from the 13. Please see TTACHED FOR ITIONS OF APPRO	inent markers and zones. e filed within 30 days 60-4 shall be filed once l, and the operator has	
If the proposal is to deepen a Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Cimarex respectfully re Federal 13 Fed #8H to attached plat for propo	ectronic Submission)	rin details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/ esults in a multiple completion or reci- led only after all requirements, including of 4" flex & 4" HP steel flow ling relocated in the NENW of Sec. TION SEE A COND f302454 verified by the BLM We ENERGY COMPANY, sent to the processing by LINDA DENNIS Title REGUL Date 05/21/2	g date of any proposed work and appri- red and true vertical depths of all pert sequent subsequent reports shall b completion in a new interval, a Form 31 ling reclamation, have been completed ne from the 13. Please see TTACHED FOR ITIONS OF APPR(ITIONS OF APPR(III Information System te Carlsbad STON on 08/19/2015 () ATORY ANALYST 2015	inent markers and zones. e filed within 30 days 60-4 shall be filed once l, and the operator has	
If the proposal is to deepen a Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Cimarex respectfully re Federal 13 Fed #8H to attached plat for propo	ectronic Submission)	rant details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/ esults in a multiple completion or recu- led only after all requirements, includ of 4" flex & 4" HP steel flow li located in the NENW of Sec. TION SEE A COND #302454 verified by the BLM We ENERGY COMPANY, sent to th or processing by LINDA DENNIS Title REGUL	g date of any proposed work and appri- red and true vertical depths of all pert sequent subsequent reports shall b completion in a new interval, a Form 31 ling reclamation, have been completed ne from the 13. Please see TTACHED FOR ITIONS OF APPR(ITIONS OF APPR(III Information System te Carlsbad STON on 08/19/2015 () ATORY ANALYST 2015	inent markers and zones. e filed within 30 days 60-4 shall be filed once l, and the operator has	
If the proposal is to deepen to Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Cimarex respectfully re Federal 13 Fed #8H to attached plat for propo 14. I hereby certify that the for Name (<i>Printed/Typed</i>) AR Signature (Ele	ectronic Submission)	ent details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/ esults in a multiple completion or reci- led only after all requirements, includ- of 4" flex & 4" HP steel flow li plocated in the NENW of Sec. TION SEE A COND f302454 verified by the BLM We ENERGY COMPANY, sent to the processing by LINDA DENNIS Title REGUL Date 05/21/2 OR FEDERAL OR STATE	g date of any proposed work and appri- red and true vertical depths of all pert sequent subsequent reports shall b completion in a new interval, a Form 31 ling reclamation, have been completed ne from the 13. Please see TTACHED FOR ITIONS OF APPR(ITIONS OF APPR(III Information System te Carlsbad STON on 08/19/2015 () ATORY ANALYST 2015	inent markers and zones. e filed within 30 days 60-4 shall be filed once I, and the operator has	
If the proposal is to deepen to Attach the Bond under whic following completion of the testing has been completed. determined that the site is re Cimarex respectfully re Federal 13 Fed #8H to attached plat for propo 14. I hereby certify that the for Name (<i>Printed/Typed</i>) AR Signature (Ele 1	ectronic Submission) THIS SPACE FO	rit details, including estimated startin , give subsurface locations and measu e the Bond No. on file with BLM/BI/ esults in a multiple completion or rec- led only after all requirements, includ of 4" flex & 4" HP steel flow li located in the NENW of Sec. TION SEE A COND f302454 verified by the BLM We ENERGY COMPANY, sent to th or processing by LINDA DENNIS Title REGUL Date 05/21/2 OR FEDERAL OR STATE FOR FI	g date of any proposed work and appri- red and true vertical depths of all pert bompletion in a new interval, a Form 31 ling reclamation, have been completed ne from the 13. Please see TTACHED FOR ITIONS OF APPR(III Information System the Carlsbad STON on 08/19/2015 () ATORY ANALYST 2015 OFFICE USE	inent markers and zones. te filed within 30 days 60-4 shall be filed once and the operator has DVAL Date2/2//	

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **



BLM LEASE NUMBER: NMNM 41645 COMPANY NAME: CIMAREX ENERGY COMPANY ASSOCIATED WELL NAME: FEDERAL 13 COM 7H, 8H, AND 9H

BURIED PIPELINE STIPULATIONS

Э

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

5. All construction and maintenance activity will be confined to the authorized right-of-way.

6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level.

Blading of all vegetation will not be allowed. Blading is defined as the complete removal of brush and ground vegetation. Clearing of brush species will be allowed. Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, *etc.*) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface. In areas where blading and/or clearing is allowed, the maximum width of these operations will not exceed <u>30 feet</u>.

7. The maximum allowable disturbance for construction in this right-of-way will be $\underline{30}$ feet:

- Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed <u>20</u> feet. The trench is included in this area. (*Blading is defined as the complete removal of brush and ground vegetation.*)
- Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed <u>30</u> feet. The trench and bladed area are included in this area. (*Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.*)
- The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (*Compressing can be caused by vehicle tires, placement of equipment, etc.*)

8. The holder shall stockpile an adequate amount of topsoil where blading is allowed. The topsoil to be stripped is approximately 6_{--} inches in depth. The topsoil will be segregated from other spoil piles from trench construction. The topsoil will be evenly distributed over the bladed area for the preparation of seeding.

9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.

11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.

12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.

(X) seed mixture 1	() seed mixture 3
() seed mixture 2	() seed mixture 4
() seed mixture 2/LPC	() Aplomado Falcon Mixture

13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" – **Shale Green**, Munsell Soil Color No. 5Y 4/2.

14. The pipeline will be identified by signs at the point of origin and completion of the right-ofway and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.

15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.

16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

18. <u>Escape Ramps</u> - The operator will construct and maintain pipeline/utility trenches that are not otherwise fenced, screened, or netted to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:

a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.

b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.

19. The period of time that any trenches or other excavations are kept open will be held to the minimum compatible with construction requirements. The holder shall not leave more than one-half mile of trench open overnight or otherwise unattended. Open trenches will have ramps, bridges, or earthen plugs, at least six feet wide, every one-quarter mile to pass livestock and wildlife.

20. The BLM, Carlsbad Field Office, will be informed immediately if any subsurface drainage channels, passages, or voids are intersected by trenching, and no pipe will be laid in the trench at that point until clearance has been issued by the Authorized Officer. If a void is encountered alignments may be rerouted to avoid the karst feature to avoid or lessen the potential of subsidence or collapse of karst features, toxic or combustible gas buildup, or other possible impacts to cave and karst resources from the buried pipeline. Special restoration stipulations or realignment may be required at such intersections, if any. Leak detection systems, back flow eliminators, and differential pressure shut-off valves may be required to minimize the impacts of leaking or ruptured pipelines. To eliminate these extreme possibilities, regular monitoring is needed to quickly identify leaks for their immediate and proper treatment.

Seed Mixture 1 for Loamy Sites

Holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)* per acre. There shall be no primary or secondary noxious weeds in the seed mixture. Seed shall be tested and the viability testing of seed will be done in accordance with State law(s) and within nine (9) months prior to purchase. Commercial seed shall be either certified or registered seed. The seed container shall be tagged in accordance with State law(s) and available for inspection by the Authorized Officer.

Seed shall be planted using a drill equipped with a depth regulator to ensure proper depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture shall be evenly and uniformly planted over the disturbed area (small/heavier seeds have a tendency to drop the bottom of the drill and are planted first). Holder shall take appropriate measures to ensure this does not occur. Where drilling is not possible, seed shall be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre shall be doubled. The seeding shall be repeated until a satisfactory stand is established as determined by the Authorized Officer. Evaluation of growth may not be made before completion of at least one full growing season after seeding.

Species to be planted in pounds of pure live seed* per acre:

Species	<u>lb/acre</u>
Plains lovegrass (Eragrostis intermedia)	0.5
Sand dropseed (Sporobolus cryptandrus)	1.0
Sideoats grama (Bouteloua curtipendula)	5.0
Plains bristlegrass (Setaria macrostachya)	2.0

*Pounds of pure live seed:

Pounds of seed x percent purity x percent germination = pounds pure live seed