oed Artesia

Form 3160-5 (August 2007)

**UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135

	Expires:	July	<u>31,</u>	20
Lease Seri	ial No.			
*** ** **				

SUNDRY NOTICES AND REPORTS ON WELLS	NMLC029426B
Do not use this form for proposals to drill or to re-enter an bandoned well. Use form 3160-3 (APD) for such proposals.	6. If Indian, Allottee or Tribe Name
	7 If Unit or CA/Agreement Name

SUBMIT IN TRI	PLICATE - Other instruc	ctions on reverse side.		7. If Unit or CA/Agre	ement, Name and/or No.
Type of Well	ner			8. Well Name and No. CROW FEDERAL	
Name of Operator     APACHE CORPORATION		SORINA FLORES es@apachecorp.com		9. API Well No. 30-015-43326-0	00-X1
3a. Address 303 VETERANS AIRPARK LA MIDLAND, TX 79705	NE SUITE 3000	3b. Phone No. (include area code Ph: 432.818.1167	)	10. Field and Pool, or FREN	Exploratory
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description	i)		11. County or Parish,	and State
Sec 9 T17S R31E NWNW 110	00FNL 515FWL			EDDY COUNT	Y, NM
12. CHECK APPE	ROPRIATE BOX(ES) TO	O INDICATE NATURE OF	NOTICE, RE	EPORT, OR OTHE	R DATA
TYPE OF SUBMISSION		ТҮРЕ О	F ACTION		
☑ Notice of Intent	☐ Acidize☐ Alter Casing	☐ Deepen ☐ Fracture Treat	☐ Producti	ion (Start/Resume)	☐ Water Shut-Off ☐ Well Integrity
☐ Subsequent Report	☐ Casing Repair	☐ New Construction	☐ Recomp		Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon		arily Abandon	Change to Original A

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

☐ Plug Back

BLM-CO-1463 NATIONWIDE; NMB000736

which would entitle the applicant to conduct operations thereon.

Apache request change in Surface Use Plan - Proposed production facilities:

Convert to Injection

OLD: 6" buried Steel, 740psi, 458' pipeline from proposed well to offsite facility at the Crow Federal Pad 27W Satellite. 30' work area needed to install pipeline.

NEW: 3" buried, 3.53 OD, 2.96 ID, 750psi Fiberspar flowline approx 458' in in length to the Crow Federal Pad 27W Satellite following same path as on approved APD (Exhibit 1A attached). A 50 wide work area will be needed to install pipeline.

**NM OIL CONSERVATION** 

ARTESIA DISTRICT

APR 0.6 2016

Accepted 30 Acced RECEIVED

■ Water Disposal .

14. I hereby certify that the	ne foregoing is true and correct. Electronic Submission #323434 verifie For APACHE CORPORAT Committed to AFMSS for processing by JENN	ON. se	ent to the Carlsbad	
Name (Printed/Typed)	SORINA FLORES	Title	SUBMITTING CONTACT	·····
Signature	(Electronic Submission)	Date	11/12/2015	
	THIS SPACE FOR FEDERA	L OR	STATE OFFICE USE	
Approved By	Sopritery	Title	de FIELD MANAGER	Date 3/36/16
certify that the applicant hol	ny, are attached. Approval of this notice does not warrant or ds legal or equitable title to those rights in the subject lease	Office	CARLSBAD FIELD OFFICE	• .

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Revisions to Operator-Submitted EC Data for Sundry Notice #323434

**Operator Submitted** 

**BLM Revised (AFMSS)** 

Sundry Type:

**APDCH** 

NOI

NMLC029426B

**APDCH** 

NOI - NMLC029426B

Agreement:

Operator:

Lease:

APACHE CORPORATION 303 VETERANS AIRPARK LANE SUITE 3000 MIDLAND, TX 79705 Ph: 432-818-1167

APACHE CORPORATION 303 VETERANS AIRPARK LANE SUITE 3000 MIDLAND, TX 79705 Ph: 432.818.1000

Admin Contact:

SORINA FLORES SUBMITTING CONTACT E-Mail: sorina.flores@apachecorp.com

Ph: 432-818-1167

SORINA FLORES SUBMITTING CONTACT E-Mail: sorina.flores@apachecorp.com

Ph: 432.818.1167

**Tech Contact:** 

SORINA FLORES SUBMITTING CONTACT

E-Mail: sorina.flores@apachecorp.com

Ph: 432-818-1167

SORINA FLORES SUBMITTING CONTACT

E-Mail: sorina.flores@apachecorp.com

Ph: 432.818.1167

Location:

State:

NM

County: **EDDY** 

NM **EDDY** 

FREN

Well/Facility:


Field/Pool:

FREN; GLORIETA-YESO

CROW FEDERAL COM 50H Sec 9 T17S R31E Mer NMP 1100FNL 515FWL

32.853183 N Lat, 103.881117 W Lon

CROW FEDERAL COM 50H Sec 9 T17S R31E NWNW 1100FNL 515FWL



#### DESCRIPTION

SURVEY OF A STRIP OF LAND 50.0 FEET WIDE AND 457.8 FEET OR 0.087 MILES IN LENGTH CROSSING USA LAND IN SECTION 9, TOWNSHIP 17 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO, AND BEING 25.0 FEET LEFT AND 25.0 FEET RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

# NOTE

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES.

I, RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR NO. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT, IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERMISON: THAT THAT THIS SURVEY MEETS. THE MUMMUM STANDARDS FOR SURVEYING IN NEW MEXICO SUD-THAT-TITIS THUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DATE:

PROVIDING SURVEYING SERVICES **SINCE 1946** 

JOHN WEST SURVEYING COMPANY 412 N. DAL PASO HOBBS, N.M. 88240 (575) 393-3117 www.ywsc.biz

TBPLS# 10021000

#### **LEGEND**

@ DENOTES FOUND CORNER AS NOTED

2000 FEET Scale: 1"=1000"

# APACHE CORPORATION

SURVEY FOR A PIPELINE TO THE CROW FEDERAL #49H, #50H & #51H WELLS CROSSING SECTION 9, TOWNSHIP 17 SOUTH, RANGE 31 EAST, N.M.P.M.

EDDY COUNTY, NEW MEXICO

CAD Date: 1/24/15 Survey Date: 1/9/15 Drawn By: ACK W.O. No.: 15110003 Rel. W.O.: Sheet 1 of 1 **COMPANY NAME**: Apache Corporation

ASSOCIATED WELL NAME: Crow Federal Com 49H, 50H, 51H

## **BURIED PIPELINE STIPULATIONS**

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

6 Th	e pipeline will be buried w	ith a minimum co	ver of 36	inches between	en the top of
	nd ground level.	im a minimam co	ver or <u>50</u>	menes between	on the top of
7. Th	e maximum allowable dist	urbance for constr	uction in this r	ight-of-way will	be <u>30</u> feet:
•	Blading of vegetation w	-	-		
	blading operations will r is defined as the complete				s area. ( <i>Blad</i>
•	Clearing of brush specie	s within the right-	of-way will be	allowed: maxin	num width of
	clearing operations will this area. (Clearing is (grasses; weeds, etc.) intinches above the ground	defined as the rem act. Clearing is be	oval of brush v	vhile leaving gro	ound vegetati
•	The remaining area of the the vegetation. (Compreed)				
topsoi	e holder shall stockpile an I to be stripped is approxin ther spoil piles from trenc area for the preparation o	nately6 inc h construction. Th	ches in depth.	The topsoil will	be segregated
	area for the preparation of	f seeding.		•	-
lands. Funct owner line, t	e holder shall minimize dis. The holder is required to onal use of these improver of any improvements prior the fence shall be braced on ment gates will be allowed.	turbance to existing promptly repair in ments will be main to disturbing the both sides of the	nprovements to stained at all time. When necespassageway pro	other improveme at least their for mes. The holder essary to pass thr ior to cutting of	ents on public rmer state. will contact ough a fence
lands. Funct owner line, t perma 10. V rando otherv match	e holder shall minimize dis The holder is required to onal use of these improver of any improvements prion the fence shall be braced on	turbance to existing promptly repair in ments will be main to disturbing the both sides of the unless approved but as a result of coof-way and will no prized Officer. The	ntrained at all time. When necespassageway property the Authorize onstruction or root be left in rowe entire right-oxidishall be constructed.	other improvement at least their formes. The holder essary to pass thrifor to cutting of ed Officer.  naintenance actions, piles, or bernof-way shall be re-	ents on public rmer state.  will contact rough a fence the fence. No vity will be as, unless econtoured to
lands. Funct owner line, t perma 10. V rando otherv match be left 11. In holder	c holder shall minimize dis The holder is required to onal use of these improver of any improvements prio be fence shall be braced on ment gates will be allowed egetation, soil, and rocks leading scattered on this right- rise approved by the Author the surrounding landscape	turbance to existing promptly repair in ments will be main to disturbing the both sides of the funless approved bett as a result of coof-way and will no prized Officer. The backfilled so for settling back control structures as are suitable for	provements to atained at all time. When necespassageway property the Authorize onstruction or root be left in rowe entire right-cool shall be conto grade.	other improvement at least their formes. The holder essary to pass thricor to cutting of the ded officer.  Inaintenance actions, piles, or bernof-way shall be represented and a 6 of stabilize soil cooli conditions be	ents on public rmer state.  will contact rough a fence the fence. No vity will be as, unless econtoured to inch berm we
lands. Funct owner line, t perma 10. V rando otherv match be left 11. Ir holder and w 12. T	c holder shall minimize distriction on al use of these improver of any improvements prior the fence shall be braced on the gates will be allowed egetation, soil, and rocks lead to state on this right-rise approved by the Authorite surrounding landscape over the ditch line to allow those areas where erosion will install such structures	turbance to existing promptly repair in ments will be main to disturbing the both sides of the funless approved been as a result of coof-way and will not prized Officer. The backfilled so for settling back control structures as are suitable for sound resource in sturbed areas. See	provements to atained at all time. When necessageway provide the Authorization or root be left in row e entire right-original shall be contograde.  The specific senanagement providing will be defined to grade.	other improvement at least their formes. The holder essary to pass thrifor to cutting of the deficer.  Inaintenance actives, piles, or bernof-way shall be rempacted and a 6 to stabilize soil cooli conditions be actices.	ents on public rmer state.  will contact rough a fence the fence. No vity will be as, unless econtoured to inch berm we conditions, the
lands. Funct owner line, t perma 10. V rando otherv match be left 11. Ir holder and w 12. T	c holder shall minimize districted to conal use of these improver of any improvements prior the fence shall be braced on ment gates will be allowed egetation, soil, and rocks leading scattered on this right-rise approved by the Author the surrounding landscape over the ditch line to allow those areas where erosion will install such structures nich are in accordance with the holder will reseed all die grequirements, using the first contact of the seed mixture of the holder will reseed all die grequirements, using the first contact of the holder will reseed mixture of the holder will reseed all die grequirements, using the first contact of the holder will reseed mixture of the holder will reseed all die grequirements, using the first contact of the holder will reseed mixture of the holder will reseed all dieseed mixture of the holder will reseed mixture of the holder will reseed mixture of the holder will reseed all dieseed mixture of the holder will reseed mixture of the holder will reseed all dieseed mixture of the holder will reseed mixture of	turbance to existing promptly repair in ments will be main to disturbing the both sides of the unless approved but the eft as a result of coof-way and will not be for settling back to for settling back to control structures as are suitable for sound resource in sturbed areas. See following seed mixtures the settling back to settling back to sound resource in the settling back to sound resource in the settling back to sound resource in the settling back to settling back to sound resource in the settling back to	provements to atained at all time. When necespassageway provides the Authorization or root be left in row e entire right-octories shall be contograde.  The specific senanagement providing will be done.	other improvement at least their formes. The holder essary to pass thrifor to cutting of ed Officer.  maintenance actives, piles, or bernoft-way shall be rempacted and a 6 of stabilize soil cooli conditions be actices.	ents on public rmer state.  will contact rough a fence the fence. No vity will be as, unless econtoured to inch berm we onditions, the
lands. Funct owner line, t perma 10. V rando otherv match be left 11. Ir holder and w 12. T	c holder shall minimize districted to conal use of these improver of any improvements prior the fence shall be braced on the gates will be allowed egetation, soil, and rocks lead to see the control of the surrounding landscape over the ditch line to allow those areas where erosion will install such structures nich are in accordance with the surrounding landscape over the ditch line to allow those areas where erosion will install such structures nich are in accordance with the holder will reseed all die grequirements, using the following requirements, using the following seed mixture ( ) seed mi	turbance to existing promptly repair in ments will be main to disturbing the both sides of the junless approved but as a result of coof-way and will not prized Officer. The backfilled so for settling back control structures as are suitable for sound resource in sturbed areas. See collowing seed mixtured to the collowing seed mixtured to th	provements to atained at all time. When necespassageway provide Authorized the Authorized to grade.  The specific sequence of the specific sequenc	other improvement at least their formes. The holder essary to pass thrifor to cutting of ed Officer.  maintenance actives, piles, or bernous shall be represented and a 6 of stabilize soil cooli conditions be actices.	ents on public rmer state.  will contact rough a fence the fence. No vity will be as, unless econtoured to inch berm we conditions, the sing encounter
lands. Funct owner line, t perma 10. V rando otherv match be left 11. It holder and w 12. T	c holder shall minimize districted to conal use of these improver of any improvements prior the fence shall be braced on ment gates will be allowed egetation, soil, and rocks leading scattered on this right-rise approved by the Author the surrounding landscape over the ditch line to allow those areas where erosion will install such structures nich are in accordance with the holder will reseed all die grequirements, using the first contact of the seed mixture of the holder will reseed all die grequirements, using the first contact of the holder will reseed mixture of the holder will reseed all die grequirements, using the first contact of the holder will reseed mixture of the holder will reseed all die grequirements, using the first contact of the holder will reseed mixture of the holder will reseed all dieseed mixture of the holder will reseed mixture of the holder will reseed mixture of the holder will reseed all dieseed mixture of the holder will reseed mixture of the holder will reseed all dieseed mixture of the holder will reseed mixture of	turbance to existing promptly repair in ments will be main to disturbing the both sides of the junless approved but as a result of coof-way and will not prized Officer. The backfilled so for settling back control structures as are suitable for sound resource in sturbed areas. See collowing seed mixtured to the collowing seed mixtured to th	provements to atained at all time. When necespassageway provides the Authorization or root be left in row e entire right-octories shall be contograde.  The specific senanagement providing will be done.	other improvement at least their formes. The holder essary to pass thrifor to cutting of ed Officer.  maintenance actives, piles, or bernous shall be represented and a 6 of stabilize soil cooli conditions be actices.	ents on public rmer state.  will contact rough a fence the fence. No vity will be as, unless econtoured to inch berm we conditions, the sing encounter
lands. Funct owner line, to perma 10. We rando otherw match be left 11. In holder and we 12. To the second	c holder shall minimize districted to conal use of these improver of any improvements prior the fence shall be braced on the gates will be allowed egetation, soil, and rocks lead to see the control of the surrounding landscape over the ditch line to allow those areas where erosion will install such structures nich are in accordance with the surrounding landscape over the ditch line to allow those areas where erosion will install such structures nich are in accordance with the holder will reseed all die grequirements, using the following requirements, using the following seed mixture ( ) seed mi	turbance to existing promptly repair in ments will be main to disturbing the both sides of the junless approved but as a result of coof-way and will not prized Officer. The backfilled so for settling back control structures as are suitable for sound resource in sturbed areas. See collowing seed mixtured to the collowing seed mixtured to th	provements to atained at all time. When necespassageway provide Authorized the Authorized to grade.  The specific sequence of the specific sequenc	other improvement at least their formes. The holder essary to pass thrifor to cutting of ed Officer.  maintenance actives, piles, or bernous shall be represented and a 6 of stabilize soil cooli conditions be actices.	ents on publication state.  will contact rough a fence the fence. No vity will be as, unless econtoured to inch berm would be as the fence to be a

- 13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" Shale Green, Munsell Soil Color No. 5Y 4/2.
- 14. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.
- 15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.
- 16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.
- 17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.
- 18. <u>Escape Ramps</u> The operator will construct and maintain pipeline/utility trenches [that are not otherwise fenced, screened, or netted] to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:
  - a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
  - b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.
- 19. Special Stipulations:

## Lesser Prairie-Chicken

Oil and gas activities will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration

other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.

This authorization is subject to your Certificate of Participation and/or Certificate of Inclusion under the New Mexico Candidate Conservation Agreement. Because it involves surface disturbing activities covered under your Certificate, your Habitat Conservation Fund Account with the Center of Excellence for Hazardous Materials Management (CEHMM) will be debited according to Exhibit B Part 2 of the Certificate of Participation.