

SUNDRY	NOTICES AND REPO	RTS ON WELLS 👖 🕉	Field Officere E CRO ^{Lease Serial No.}		
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.			7. If Unit or CA/Ag	reement, Name and/or N	
1. Type of Well Gas Well Other				8. Well Name and No. CEDAR CANYON 21 FEDERAL COM	
2. Name of Operator OXY USA INCORPORATED Contact: TAYLOR L STILLMAN E-Mail: TAYLOR_STILLMAN@OXY.COM			9. API Well No. 30-015-43749	9. API Well No. 30-015-43749-00-X1	
3a. Address 5 GREENWAY PLAZA SUIT		3b. Phone No. (include area code) Ph: 713-366-5945) 10. Field and Pool, o UNKNOWN	10. Field and Pool, or Exploratory UNKNOWN	
HOUSTON, TX 77046-0521 4. Location of Well (Footage, Sec.,		 V	11. County or Parish	1, and State	
Sec 22 T24S R29E SWSW 1090FSL 207FWL 32.198549 N Lat, 103.979724 W Lon			EDDY COUN	TY, NM	
12. CHECK API	PROPRIATE BOX(ES) T	O INDICATE NATURE OF 1	I NOTICE, REPORT, OR OTH	ER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION			
Notice of Intent	C Acidize	Deepen	Production (Start/Resume)	UWater Shut-C	
_	□ Alter Casing	Fracture Treat	Reclamation	🗖 Well Integrit	
Subsequent Report	Casing Repair	New Construction	Recomplete	🛛 Other Onshore Order	
Final Abandonment Notice	Change Plans	Plug and Abandon Plug Back	Temporarily Abandon Water Disposal	ce .	
13. Describe Proposed or Completed O	peration (clearly state all pertine	nt details, including estimated startin	g date of any proposed work and appr ured and true vertical depths of all per	oximate duration there	
testing has been completed. Final A determined that the site is ready for Oxy USA respectfully reques Facility Measurement Point (be located at the Cedar Can	Abandonment Notices shall be fi final inspection.) sts approval to install an or FMP), for gas from the Ce	ifice meter (S/N T152831854) dar Canyon 21 Federal COM uirements meet Onshore Ord	005H. The meter will	d, and the operator has	
standards. In addition, Oxy USA Inc respectfully requests approval to install a permanent 2" Coriolis meter, MicroMotion m/n CMF200M418NRAUECZZ s/n 14260824, to be known as Facility Measurement Point (I for oil from the Cedar Canyon 21 Federal COM 005H. The meter will be located at the Cedar Canyon 22 Satellite. Meter requirements meet Onshore Order #4 and API standards.			Measurement Point (FMP),	OIL CONSERV ARTESIA DISTRI AUG 2 9 201	
Royalty to BLM will be paid off of the above mentioned meters.				AUU 2 3 201	
In addition, Oxy requests ap	proval for off-lease measure	rement and storage.	· · · <u>·</u>	RECEIVED	
14. I hereby certify that the foregoing	is true and correct.		· · · · · · · · · · · · · · · · · · ·		
-	For OXY US/	347177 verified by the BLM We A INCORPORATED, sent to the	Carisbad		
	R L STILLMAN	essing by PRISCILLA PEREZ o Title PRODU	JCTION ENGINEER		
Signature (Electronic	Submission)	Date 08/09/2			
	THIS SPACE FO	DR FEDERAL OR STATE	OFFICE USE		
Approved By J. W. Whitlock g		Title TLPE	7	Date 23	
onditions of approval, if any, are attach	quitable title to those rights in the	s not warrant or	<u> </u>		
rtify that the applicant holds legal or each high would entitle the applicant to cond	luct operations thereon.				

9

.

.





Coriolis LACT Meter Conditions of Approval

<u>Cedar Canyon 21 Federal Com 5H - 3001543749</u> NMNM13996, Sec. 22, SWSW, T24S, R29E Oxy USA INC

- 1. Approval is for meter number <u>CMF200M418NRAUECZZ Serial No. 14260824</u>, and transmitter number: *Information not yet supplied;* (example:<u>2700C12ABUEAZX- Serial No. 3196280</u>).
- 2. The Coriolis meter shall be designed, installed and operated in accordance with all applicable API standards, including API 5.6, as may be amended or revised from time to time.
- 3. The metering facility shall include a temperature probe to monitor the actual oil temperature during custody transfer. This information will be recorded and used in calculating the volume of oil metered during each transaction.
- 4. The meter shall have a non-resettable totalizer.
- 5. The custody transfer meter shall be proven in conformance with Onshore Oil and Gas Order No. 4.III.D.3.b. The meter proving is to be *witnessed by BLM, contact 575-361-2822; a minimum of 24 hours prior to meter proving.* Meter proving records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 6. A copy of the meter proving will be submitted to the appropriate BLM office within 30 days of proving.
- 7. The run ticket associated with each oil transfer shall include the measured or calculated BS&W, oil gravity, temperature recorded during the transfer and beginning & ending totalizer readings. Such records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 8. A copy of run ticket shall be submitted to the appropriate BLM office upon request and will be made available for audit upon request.
- 9. Operator to maintain tank gauging data to be used as a comparison with the LACT meter readings.
- 10. All other provisions of the Onshore Oil and Gas Orders, especially No. 3 and No. 4 shall be met.
- 11. This approval may be subject to future review and if determined inadequate with regards to accurate measurement, the approval will be withdrawn.
- 12. Upon installation of LACT, submit an updated facility diagram as per Onshore Order No. 3.

JDW 8.23.2016

1