BI	UNITED STA <b>TE</b> PARTMENT OF THE I UREAU OF LAND MANA	arlsbad Fiel NTER BCD Art	lesia 📃	OMB NO	APPROVED ). 1004-0135 July 31, 2010	
SUNDRY	RTS ON WELLS		lultipleSee At	tached		
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRI	7. In N	7. If Unit or CA/Agreement, Name and/or No. MultipleSee Attached				
Type of Well Gas Well Oth	8. W N	8. Well Name and No. MultipleSee Attached				
2. Name of Operator Contact: PATTY URIAS XTO ENERGY INCORPORATED E-Mail: patty_urias@xtoenergy.com				9. API Well No. MultipleSee Attached		
3a. Address         3b. Phone No.           500 W ILLINOIS STREET SUITE 100         Ph: 432-620           MIDLAND, TX 79701         Fx: 432-618				10. Field and Pool, or Exploratory CHERRY CANYON NASH DRAW		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			- 11.	County or Parish, a	and State	
MultipleSee Attached			. E	DDY COUNTY	(, NM	
	ROPRIATE BOX(ES) TO	O INDICATE NATURE (		RT, OR OTHE	R DATA	
TYPE OF SUBMISSION		TYPE OF ACTION				
🛛 Notice of Intent	<ul> <li>Acidize</li> <li>Alter Casing</li> </ul>	Deepen Fracture Treat	Production (	,	□ Water Shut-Off □ Well Integrity	
🗖 Subsequent Report	Casing Repair	□ New Construction	—		Other	
Final Abandonment Notice	Change Plans	Plug and Abando	_	orarily Abandon Venting and/or F		
	Convert to Injection		. Water Dispo			
3. Describe Proposed or Completed Op If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f	ally or recomplete horizontally rk will be performed or provide d operations. If the operation re bandonment Notices shall be fi	, give subsurface locations and n e the Bond No. on file with BLM esults in a multiple completion o	neasured and true vertical I/BIA. Required subsequ r recompletion in a new it	depths of all pertin ent reports shall be iterval, a Form 316	nent markers and zones. filed within 30 days 50-4 shall be filed once	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY	ally or recomplete horizontally rk will be performed or provide d operations. If the operation re bandonment Notices shall be fi	, give subsurface locations and n e the Bond No. on file with BLM esults in a multiple completion o	neasured and true vertical I/BIA. Required subsequ r recompletion in a new it	depths of all pertin ent reports shall be iterval, a Form 316	nent markers and zones. filed within 30 days 50-4 shall be filed once	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH_UNIT #001 30-015-212 NASH_UNIT #006 30-015-218	ally or recomplete horizontally rk will be performed or provid operations. If the operation re bandonment Notices shall be fi inal inspection.) 277 S 303 F	, give subsurface locations and n e the Bond No. on file with BLM esults in a multiple completion o	reasured and true vertical I/BIA. Required subsequ r recompletion in a new in neluding reclamation, hav	depths of all pertin ent reports shall be iterval, a Form 316 e been completed,	nent markers and zones. filed within 30 days 50-4 shall be filed once	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH_UNIT #001 30-015-212	ally or recomplete horizontally rk will be performed or provid l operations. If the operation re bandonment Notices shall be fi inal inspection.) 277 S 303 F 510 S 377 F 237 F	, give subsurface locations and r e the Bond No. on file with BLM esults in a multiple completion o led only after all requirements, i	reasured and true vertical I/BIA. Required subsequ r recompletion in a new in neluding reclamation, hav	depths of all pertin ent reports shall be iterval, a Form 316 e been completed, <b>NM OIL CO</b> ARTESIA	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final AI determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH UNIT #001 30-015-212 NASH UNIT #006 30-015-212 NASH UNIT #014 30-015-275 NASH UNIT #014 30-015-278 NASH UNIT #020 30-015-278 NASH UNIT #038 30-015-297	ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices shall be fi inal inspection.) 277 S 303 F 303 F 310 S 377 F 7194 F	, give subsurface locations and n e the Bond No. on file with BLM esults in a multiple completion o	neasured and true vertical //BIA. Required subsequ r recompletion in a new in neluding reclamation, hav	depths of all pertin ent reports shall be iterval, a Form 316 e been completed, <b>NM OIL CO</b> I ARTESIA AUG 2	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>NSERVATION</b> DISTRICT <b>9</b> 2016	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH_UNIT #001 30-015-212 NASH_UNIT #006 30-015-218 NASH_UNIT #014 30-015-275 NASH_UNIT #020 30-015-275 NASH_UNIT #028 30-015-237 NASH_UNIT #042H 30-015-33	ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices shall be fi inal inspection.) 277 S 303 F 303 F 310 S 377 F 7194 F	, give subsurface locations and re the Bond No. on file with BLM esults in a multiple completion o led only after all requirements, i <b>ACCEPTED FOR RE</b>	neasured and true vertical //BIA. Required subsequ r recompletion in a new in neluding reclamation, hav	depths of all pertin ent reports shall be iterval, a Form 316 e been completed, <b>NM OIL CO</b> I ARTESIA AUG 2	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>NSERVATION</b> DISTRICT	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH UNIT #001 30-015-212 NASH UNIT #006 30-015-212 NASH UNIT #006 30-015-218 NASH UNIT #014 30-015-275 NASH UNIT #014 30-015-275 NASH UNIT #042H 30-015-33 NASH UNIT #049H 30-015-38 Revised	ally or recomplete horizontally rk will be performed or provid operations. If the operation re bandonment Notices shall be fi inal inspection.) 277 S 303 F 510 S 377 F 7194 F 3663 F 5663 F 5 true and correct. Electronic Submission # For XTO ENER	, give subsurface locations and r e the Bond No. on file with BLM esults in a multiple completion o led only after all requirements, i ACCEPTED FOR RE NMOCD	recompletion in a new in netuding reclamation, hav <b>CORD</b> B 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	depths of all pertinent reports shall be therval, a Form 316 e been completed, ARTESIA AUG 2 RECI	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>NSERVATION</b> DISTRICT <b>9</b> 2016	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH UNIT #001 30-015-212 NASH UNIT #006 30-015-212 NASH UNIT #006 30-015-218 NASH UNIT #014 30-015-275 NASH UNIT #014 30-015-275 NASH UNIT #042H 30-015-33 NASH UNIT #049H 30-015-38 Revised	ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices shall be fi inal inspection.) 277 S 303 F 510 S 377 F 7194 F 3663 F 563 F 563 F 500 S 500 S	, give subsurface locations and r e the Bond No. on file with BLM esults in a multiple completion o led only after all requirements, i ACCEPTED FOR RE NMOCD	recompletion in a new in netuding reclamation, hav <b>CORD</b> B 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	depths of all pertinent reports shall be therval, a Form 316 e been completed, ARTESIA AUG 2 RECI tem 0362SE)	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>NSERVATION</b> DISTRICT <b>9</b> 2016	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH UNIT #001 30-015-212 NASH UNIT #006 30-015-212 NASH UNIT #006 30-015-218 NASH UNIT #014 30-015-275 NASH UNIT #014 30-015-275 NASH UNIT #042H 30-015-33 NASH UNIT #042H 30-015-38 ASH UNIT #049H 30-015-38 ASH UNIT #049H 30-015-38 ASH UNIT #049H 30-015-38	ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices shall be fi inal inspection.) 277 S 303 F 510 S 377 F 7194 F 3663 F 563 F 563 F 500 S 500 S	, give subsurface locations and r e the Bond No. on file with BLM esults in a multiple completion o led only after all requirements, i ACCEPTED FOR RE NMOCD	recompletion in a new in netuding reclamation, hav <b>CORD</b> Backbook	depths of all pertinent reports shall be therval, a Form 316 e been completed, ARTESIA AUG 2 RECI tem 0362SE)	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>NSERVATION</b> DISTRICT <b>9</b> 2016	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH UNIT #001 30-015-212 NASH UNIT #006 30-015-212 NASH UNIT #006 30-015-218 NASH UNIT #014 30-015-275 NASH UNIT #014 30-015-275 NASH UNIT #042H 30-015-33 NASH UNIT #042H 30-015-38 ASH UNIT #049H 30-015-38 ASH UNIT #049H 30-015-38 ASH UNIT #049H 30-015-38	ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices shall be fi inal inspection.) 277 S 303 F 303 F 303 F 303 F 303 F 305 S 307 F 377 F 377 F 377 F 377 F 3663 F 3663 F 500 S 3663 F 500 S 3663 F 500 S 3663 F 500 S 3663 F 500 S 3663 F 500 S 3663 F 500 S 500 S	, give subsurface locations and r e the Bond No. on file with BLM esults in a multiple completion o led only after all requirements, i ACCEPTED FOR RE NMOCD ( 274898 verified by the BLN GY INCORPORATED, sent bocessing by CATHY QUEEN Title RE Date 10/2	recompletion in a new in including reclamation, hav recompletion in a new in including reclamation, hav well information Sys to the Carlsbad on 06/18/2015 (15CQ GULATORY ANALY 30/2014	depths of all pertinent reports shall be therval, a Form 316 e been completed, ARTESIA AUG 2 RECI tem 0362SE)	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>NSERVATION</b> DISTRICT <b>9</b> 2016	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH UNIT #001 30-015-212 NASH UNIT #006 30-015-218 NASH UNIT #014 30-015-275 NASH UNIT #014 30-015-275 NASH UNIT #020 30-015-275 NASH UNIT #024 30-015-33 NASH UNIT #049H 30-015-38 REUSED 4. Thereby certify that the foregoing is comme (Printed/Typed) PATTY U	ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices shall be fi inal inspection.) 277 S 303 F 303 F 303 F 303 F 303 F 305 S 307 F 377 F 377 F 377 F 378 S 3663 F 3663 F 500 S 3663 F 500 S 500	, give subsurface locations and r e the Bond No. on file with BLM esults in a multiple completion o led only after all requirements, i ACCEPTED FOR RE NMOCD 274898 verified by the BLN GY INCORPORATED, sent bcessing by CATHY QUEEN Title RE	recompletion in a new in including reclamation, hav recompletion in a new in including reclamation, hav well information Sys to the Carlsbad on 06/18/2015 (15CQ GULATORY ANALY 30/2014	depths of all pertinent reports shall be therval, a Form 316 e been completed, ARTESIA AUG 2 RECI tem 0362SE)	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>NSERVATION</b> DISTRICT <b>9</b> 2016	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH UNIT #001 30-015-212 NASH UNIT #006 30-015-212 NASH UNIT #006 30-015-278 NASH UNIT #014 30-015-278 NASH UNIT #014 30-015-278 NASH UNIT #049 30-015-38 REVISED ASH UNIT #049H 30-015-38 REVISED 4. Thereby certify that the foregoing is Signature (Electronic S	ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices shall be fi inal inspection.) 277 S 303 F 303 F 305 S 307 F 306 S 307 F 307 F 307 S 306 S 307 F 307 S 307 F 307 S 306 S 307 F 307 S 306 S 307 F 307 S 307 S 307 S 307 F 307 S 306 S 307 S 3	, give subsurface locations and r e the Bond No. on file with BLM esults in a multiple completion o led only after all requirements, i ACCEPTED FOR RE NMOCD (274898 verified by the BLN GY INCORPORATED, sent Date 10/2 DR FEDERAL OR STA	recompletion in a new in including reclamation, hav recompletion in a new in including reclamation, hav well Information Sys to the Carlsbad I on 06/18/2015 (15CQ GULATORY ANALY: 30/2014 TE OFFICE USE	depths of all pertinent reports shall be there are not shall be the terval, a Form 310 e been completed, NM OIL COMARTESIA AUG 2 RECONNENT AUG 2 tem 0362SE) ST	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>NSERVATION</b> DISTRICT <b>9</b> 2016 EIVED	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH UNIT #001 30-015-212 NASH UNIT #006 30-015-212 NASH UNIT #006 30-015-212 NASH UNIT #014 30-015-275 NASH UNIT #020 30-015-275 NASH UNIT #020 30-015-275 NASH UNIT #049H 30-015-38 <i>Reused</i> 4. Thereby certify that the foregoing is Rame ( <i>Printed/Typed</i> ) PATTY U Signature (Electronic S Approved By_CHRISTOPHER WA nditions of approval, if any are attached	ally or recomplete horizontally rk will be performed or provid- loperations. If the operation r bandonment Notices shall be fi inal inspection.) 277 S 303 F 303 F 303 F 303 F 303 F 305 S 377 F 377 F 377 F 377 F 376 S 377 F 376 S 377 F 376 S 377 F 3663 F 3663 F 3663 F 3663 F 50 XTO ENER 50 XTO	, give subsurface locations and r e the Bond No. on file with BLM soults in a multiple completion o led only after all requirements, i ACCEPTED FOR RE NMOCD (274898 verified by the BLM (GY INCORPORATED, sent bacessing by CATHY QUEEN Title RE Date 10/ DR FEDERAL OR STA	recompletion in a new in including reclamation, hav recompletion in a new in including reclamation, hav well information Sys to the Carlsbad on 06/18/2015 (15CQ GULATORY ANALY 30/2014	depths of all pertinent reports shall be there are not shall be the terval, a Form 310 e been completed, NM OIL COMARTESIA AUG 2 RECONNENT AUG 2 tem 0362SE) ST	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>NSERVATION</b> DISTRICT <b>9</b> 2016	
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f NASH 42 BATTERY ASSOCIATED WELLS: NASH UNIT #001 30-015-212 NASH UNIT #006 30-015-212 NASH UNIT #006 30-015-278 NASH UNIT #014 30-015-278 NASH UNIT #014 30-015-278 NASH UNIT #049 30-015-38 REVISED ASH UNIT #049H 30-015-38 REVISED 4. Thereby certify that the foregoing is Signature (Electronic S	ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices shall be fi inal inspection.) 277 S 303 F 303 F 305 S 307 F 306 S 307 F 307 S 306 S 307 F 306 S 307 F 307 S 306 S 307 F 307 S 307 F 307 S 307 S 3	, give subsurface locations and r e the Bond No. on file with BLM soults in a multiple completion o led only after all requirements, i ACCEPTED FOR RE NMOCD (274898 verified by the BLM (GY INCORPORATED, sent bacessing by CATHY QUEEN Title RE Date 10/ DR FEDERAL OR STA	recompletion in a new in including reclamation, hav recompletion in a new in including reclamation, hav record Based Based Based Well Information Sys to the Carlsbad I on 06/18/2015 (15CQ GULATORY ANALY 30/2014 TE OFFICE USE	depths of all pertinent reports shall be there are not shall be the terval, a Form 310 e been completed, NM OIL COMARTESIA AUG 2 RECONNENT AUG 2 tem 0362SE) ST	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has <b>NSERVATION</b> DISTRICT <b>9</b> 2016 EIVED	

7

·

\*\* BLM REVISED \*\*

5. Lease Serial No., continued

NMNM0556857 NMNM0556859 NMNM0556863 STATE

# 7. If Unit or CA/Agreement, Name and No., continued

#### 891014168B 891014168X

Wells/Facilities, continued

Agreement	Lease	Well/Fac Name, Number	API Number	Location
NMNM70992C	STATE	NASH UNIT 1	30-015-21277-00-S3	Sec 13 T23S R29E SENE 1980FNL 660FEL
NMNM70992C	STATE	NASH UNIT 14	30-015-27510-00-S1	Sec 13 T23S R29E NENE 660FNL 500FEL
NMNM70992C	NMNM0556857	NASH UNIT 20	30-015-27877-00-S1	Sec 18 T23S R30E NENW 1230FNL 1350FWL
NMNM70992C	NMNM0556859	NASH UNIT 38	30-015-29737-00-S1	Sec 13 T23S R29E SESW 330FSL 2450FWL
NMNM70992C	NMNM0556863	NASH UNIT 42H	30-015-37194-00-S1	Sec 18 T23S R30E SWNW 2015FNL 505FWL
NMNM70992C	STATE	NASH UNIT 6	30-015-21803-00-S2	Sec 18 T23S R30E SWNW 1980FNL 330FWL
NMNM70992X	· NMNM0556863	NASH UNIT 49H	30-015-38663-00-S1	Sec 13 T23S R29E NENE 510FNL 500FEL

#### 32. Additional remarks, continued

ENTERPRISE COMPRESSOR PROBLEMS CAUSING US TO FLARE ON 10/29/14 AND 10/30/14 FOR A TOTAL OF 7 HOURS AND APPROX. 574MCF.

# BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Pursuant to NTL-4A III, Lessees or operators are hereby authorized to vent or flare gas on a short-term basis <u>without</u> incurring a royalty obligation in the following circumstances:

- A. <u>Emergencies.</u> During temporary emergency situations, such as compressor or other equipment failures, relief of abnormal system pressures, or other conditions which result in the unavoidable short-term venting or flaring of gas. However, this authorization to vent or flare gas in such circumstances without incurring a royalty obligation is limited to 24 hours per incident and to 144 hours cumulative for the lease during any calendar month, except with the prior authorization, approval, ratification, or acceptance of the Supervisor.
- B. <u>Well-Purging and Evaluation Tests.</u> During the unloading or cleaning up of a well during drillstem, producing, routine purging, or evaluation tests, not exceeding a period of 24 hours.
- C. <u>Initial Production Tests</u>. During initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first, unless a longer test period has been authorized by the appropriate State regulatory agency and ratified or accepted by the Supervisor.
- D. <u>Routine or Special Well Tests.</u> During routine or special well tests, other than those cited in NTL-4A III.B and C above, only after approval by the Supervisor.

If a flaring event conforms with the requirements listed above as per NTL-4A III., the flared volumes are not royalty bearing and the operator does not need to submit a Sundry Notice. Report flared volumes as unavoidably lost on OGOR B.

# **Condition of Approval to Flare Gas**

- The first 24 hours of a <u>temporary emergency flare\*</u> is considered "unavoidably lost" and is therefore royalty free. Flared volumes that are considered unavoidably lost are not to be included in Sundry Notice (Form 3160-5). NTL-4A specifies no more than 24 hours per incident and no more 144 hours cumulative for the lease during any calendar month. These Volumes are not royalty bearing and shall be reported on OGOR "B" as disposition code"23".
- 2. Flared volumes considered to be "avoidably lost":
  - Exceeding the first 24 hours for each temporary emergency flare event (144 hours cumulative for the lease per month), well purging and evaluation test.
  - During initial well evaluation tests, exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first
  - Scheduled flaring operations

These flare events will require prior approval via Notice of Intent- Sundry Notice (Form 3160-5). Volumes flared beyond limits defined in NTL-4A are considered "avoidably lost" and will require payment of royalties, unless an exception is granted in accordance with NTL-4A.IV.B.. <u>Volumes for avoidably lost gas shall be</u> <u>reported on OGOR "B" reports as disposition code "08"</u>. If the operator believes that the flared volumes were "unavoidably lost" and the BLM determines them to be "avoidably lost", the operator can submit a more detailed request via Sundry Notice (Form 3160-5) for an exception in accordance with NTL-4A.IV.B.. As an alternative to producing oil and flaring gas the operator may choose to shut the well in and avoid paying royalties on otherwise avoidably lost gas.

- 3. Approval not to exceed 90 days, if flaring is still required past 90 days submit new request for approval.
- 4. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a Sundry Notice (Form 3160-5). Include method for volume determination and duration. Report unavoidably lost (first 24 hrs of unexpected event) and avoidably lost (exceeding the first 24 hrs or flared gas that has been approved as avoidably lost by the Authorized Officer) volumes and durations on the Subsequent Report.

- In determining the volumes of gas to be reported in accordance with NTL-4A the BLM CFO requires Vent/flare gas metering to meet all requirements for a sales meter as per Federal Regulations, Onshore Order #5 and NTL 2008-01. Include meter serial number on Sundry Notice (Form 3160-5).
  - If installation of an approved gas meter is not economically feasible for continued operations. Submit Notice of Intent Sundry Notice (Form 3160-5) to request an alternate method of determining gas volumes with a valid justification. Alternate methods are listed in NTL-4A. The Authorized Officer may require the installation of additional measurement equipment whenever it is determined that the present methods are inadequate to meet the purposes of this Notice.
- 6. An updated facility diagram is required within 60 days of modifications to existing facilities per Onshore Order #3.
- 7. This approval does not authorize any additional surface disturbance.
- 8. Subject to like approval from NMOCD -

7

#### **Regulations and Definitions**

**Definition:** As per **NTL-4A II. A.** "Avoidably lost" production shall mean the venting or flaring of produced gas without the prior authorization, approval, ratification, or acceptance of the Supervisor and the loss of produced oil or gas when the Supervisor determines that such loss occurred as a result of (1) negligence on the part of the lessee or operator, or (2) the failure of the lessee or operator to take all reasonable measures to prevent and/or to control the loss, or (3) the failure of the lessee or operator to comply fully with the applicable lease terms and regulations, appropriate provisions of the approved operating plan, or the prior written orders of the Supervisor, or (4) and combination of the foregoing.

**NTL-4A.IV.B.** Oil Well Gas. Except as provided in II.C and III above, <u>oil well gas may not be vented or flared unless</u> <u>approved in writing by the Supervisor</u>. The Supervisor may approve an application for the venting or flaring of oil well gas if justified either by the submittal of **(1)** an evaluation report supported by engineering, geologic, and economic data which demonstrates to the satisfaction of the Supervisor that the expenditures necessary to market or beneficially use such gas are not economically justified and that conservation of the gas, if required, would lead to the premature abandonment of recoverable oil reserves and ultimately to a greater loss of equivalent energy than would be recovered if the venting or flaring were permitted to continue or **(2)** an action plan that will eliminate venting or flaring of the gas within 1 year from the date of application.

\*<u>Temporary Emergency Flaring</u> is defined as an unexpected situation requiring immediate action. A flaring event is considered an emergency if the occurrence is out of the operators control and the operator had less than 24 hrs notification of the event. Scheduled or routine flare events will not be considered an emergency.