

State of New Mexico  
Energy, Minerals and Natural Resources Department

Susana Martinez  
Governor

David Martin  
Cabinet Secretary

Tony Delfin  
Deputy Cabinet Secretary

David Catanach, Director  
Oil Conservation Division



**\*Response Required - Deadline Enclosed\***

*Field Inspection Program*  
*"Preserving the Integrity of Our Environment"*

30-Aug-16

REMNANT OIL OPERATING, LLC  
PO BOX 5375  
MIDLAND TX 79704

**LETTER OF VIOLATION - Inspection**

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

***INSPECTION DETAIL SECTION***

<b>PENJACK FEDERAL</b>		<b>No.001</b>	<b>D-6-10S-26E</b>	<b>30-005-60531-00-00</b>		
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624333728
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

<b>JJ FEDERAL</b>		<b>No.001</b>	<b>I-1-10S-25E</b>	<b>30-005-60559-00-00</b>		
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624338499
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

<b>LUKE FEDERAL COM</b>		<b>No.001</b>	<b>F-24-10S-25E</b>	<b>30-005-61469-00-00</b>		
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624344286
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

<b>TYRELL FEDERAL COM</b>		<b>No.001</b>		<b>C-13-10S-25E</b>	<b>30-005-61781-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624342203
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

<b>SUZANNE FEDERAL</b>		<b>No.001</b>		<b>A-23-10S-25E</b>	<b>30-005-61947-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624344613
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT. SIGN IS NOT LEGIBLE						

<b>LISA FEDERAL</b>		<b>No.001</b>		<b>L-13-10S-25E</b>	<b>30-005-62109-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624341906
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

<b>TYRELL FEDERAL COM</b>		<b>No.002</b>		<b>G-13-10S-25E</b>	<b>30-005-62217-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624342533
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

<b>PENJACK FEDERAL</b>		<b>No.002</b>		<b>O-12-10S-25E</b>	<b>30-005-62465-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624337999
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

<b>MCCREA FEE COM</b>		<b>No.002</b>		<b>B-1-10S-25E</b>	<b>30-005-62474-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624335333
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

<b>PENJACK FEDERAL</b>		<b>No.003</b>		<b>H-12-10S-25E</b>	<b>30-005-62495-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624338262
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

<b>PENJACK FEDERAL</b>		<b>No.004</b>		<b>K-6-10S-26E</b>	<b>30-005-62544-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624331314
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

<b>PENJACK FEDERAL</b>		<b>No.006</b>		<b>L-7-10S-26E</b>	<b>30-005-62562-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624330405
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

**PENJACK FEDERAL** No.007 I-7-10S-26E 30-005-62611-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624330622
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT AND SIGN IS NOT LEGIBLE						

**PENJACK FEDERAL** No.008 O-6-10S-26E 30-005-62672-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624331742
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

**JJ FEDERAL** No.002 K-1-10S-25E 30-005-62678-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624336951
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT, SIGN IS NOT LEGIBLE						

**PENJACK FEDERAL** No.009 G-6-10S-26E 30-005-62916-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624332080
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

**JJ FEDERAL No.003** F-1-10S-25E 30-005-63168-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624336682
Comments on Inspection: No Well Sign (Rule 19.15.16.8).						

**PENJACK FEDERAL No.010** I-12-10S-25E 30-005-63591-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624337864
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

**PENJACK FEDERAL No.011Q** B-12-10S-25E 30-005-63592-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624337543
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

**TYRELL 13 FEDERAL COM No.004** A-13-10S-25E 30-005-63703-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624338867
Comments on Inspection: No Well Sign (Rule 19.15.16.8).						

**JJ 1 FEDERAL COM No.004** M-1-10S-25E 30-005-63711-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624337092
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/30/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/3/2016	iGC1624330046
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) ON WELL SIGN IS NOT CORRECT						

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,

  
Compliance Officer  
Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.  
\*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.