District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

GAS CAPTURE PLAN Date:							
\boxtimes	Original Amended - Reason for A	•	Operator & OGRID No.: <u>Mewbourne Oil Company - 14744</u>				
nev	v completion (new drill,	recomplete t	o new zone, re-fra	ac) activity.		•	facility flaring/venting for
We	e: Form C-129 must be sub ell(s)/Production Facility well(s) that will be located	ty – Name of	facility		ŕ		1 of 19.15.18.12 NMAC).
1110	Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments
	Motley 6/7 WOAH Fee Com #1H	30-015-43802	A-6-24S-28E	230'FNL & 870' FEL	0		Online after frac
We place 29 (per be con	ce. The gas produced low/high	o a production from production from production igh pressure onnect the factor of a le future. In a changes to Processing I	on facility after flation facility is do gathering system icility to low/high drilling, completic addition, Mewbord drilling and complant located in Second	edicated to not located in pressure gas on and estimate ourne Oil Completion scheme. 29 Tw	Crestwown Charles of the company and dules. Gas n. 24s, Rng	County, New em. Mewbo uction date for Crestwoo from these g. 28E, Edo	gas transporter system is in and will be connected to Mexico. It will require urne Oil Company provides or wells that are scheduled to have periodic wells will be processed at dy County, New Mexico. pressures.
Aft							uction tanks and gas will be luced fluids contain minimal

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>Gas Transporter</u> system at that time. Based on current information, it

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

is Operator's belief the system can take this gas upon completion of the well(s).

- Power Generation On lease
 - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines